

Ref: No. MIAL-ENV-F27-04

25<sup>th</sup> May 2026

To,  
Principal Secretary,  
Government of Maharashtra,  
Environment department,  
Room no. 217, 2nd Floor, Mantralaya Annex,  
Mumbai - 400032.

Dear Sir,

**Subject:** Half yearly Environmental Compliance report of Environment Clearance for Non-Operational Area (Landside) Development of Chhatrapati Shivaji Maharaj International Airport and construction of Six buildings by M/s Mumbai International Airport Ltd. and as amended.

**Ref:** - Environment clearance no. SIA/MH/MIS/127703/2019 dated 31<sup>st</sup> March 2020, by SEIAA, GoM & File no. SEAC-2010/CR.53/TC-2 dated-1<sup>st</sup> July 2011, MoEFF&CC.

With reference to the above, please find enclosed herewith the compliance Report of EC conditions for the period from October 25 to March 26.

Kindly acknowledge the receipt of the EC compliance report.

Thanking you.

Yours faithfully,

For Mumbai International Airport Limited



Head - Environment & Sustainability

Encl: Half yearly Environmental Compliance report and annexure.

CC: 1) Additional PCCF- Ministry of Environment, Forest & Climate Change, Regional office - Nagpur  
2) Zonal officer- Central Pollution Control Board, Vadodara  
3) Regional officer - Maharashtra Pollution Control Board, Sion (E)

**Mumbai International Airport Limited**

Chhatrapati Shivaji Maharaj International Airport  
1st Floor, Terminal 1B, Santacruz (E),  
Mumbai 400 099,  
Maharashtra, India  
CIN: U45200MH2006PLC160164

Tel +91 22 6685 0900 / 6685 0901  
csmia.adaniairports.com

Registered office: Office of the Airport Director, Terminal-1B, CSMI Airport, Mumbai – 400099, Maharashtra, India

# **Environmental Clearance Six Monthly Compliance Report**

Mumbai International Airport Limited  
Terminal 1, Santacruz (East), Mumbai -400099  
of  
Chhatrapati Shivaji Maharaj International Airport (CSMIA)

For  
Period of October 2025 to March 2026



## **SIX MONTHLY COMPLIANCE REPORT**

**(01.10.2025 to 31.03.2026)**

**Present Status of Compliance to Conditions stipulated in EC no SEAC-2010/CR.53/TC-2 dated: 1st July 2011 & SIA/MH/MIS/1277 03/2019 dated 31.03.2020.**

Earlier EC was granted in 2011 for non-operational landside development and construction of six buildings by SEAC. The amendment in EC vide File no. SIA/MH/MIS/127703/2019 dated 31.03.2020 was obtained for the proposed non-operational area (Landside) Development of CSMIA - Construction of Building No. 1 in Vile Parle, Building No. 2 in Marol & Sahar, Building No. 3 in Sahar in District Mumbai.

This included construction of Four Buildings (after dropping two buildings from previous EC), for 24,19,188 sq. m. of FSI Area of Entire Non-Operational Area (Landside) Development of CSMIA and for 8,77,696.77 sq.m. of Gross Construction Area of Four Buildings were considered.

The amendment consists of:

- Modifications in plans & drawings of building no. 1, 2 and 3.
- Reduction in Overall Construction Area (BUA / FSI).
- Building No. 5 (Multi-Level Car Park-2) is already constructed and operational as approved in EC vide letter SEAC-2010/CR.53/TC-2 dated: 1st July 2011.
- Building No. 4 (Multi-Level Car Park-1) and Building No. 6 (Multi-Level Car Park-3) have been shelved.

The EC also includes other lateral infrastructure consists of Transport infrastructure, Roads (at grades, elevated), underpass, Metro connectivity, utilities/services, drainage, sewerage, water supply, recycled water supply network, STPs, etc. pedestrian infrastructure, skywalks, underpass, Personal Rapid Transit (PRT) system.

Compliance status of the conditions stipulated in EC letter is as below:

S.N.	Conditions	Compliance Status
<b><u>Specific Conditions:</u></b>		
I.	As agreed by PP, PP to provide Environmental Information Dissemination Centers in the premises as a part of CER activities	Complied. MIAL has provided Environment Information dissemination in form of display boards, which is being used to display Environment & Sustainability related information such as, Environment Monitoring Results, Environment awareness information, Environment & sustainability related initiatives etc. Photographs showing display of Environment Information dissemination is attached as <b>Annexure 1</b>

S.N.	Conditions	Compliance Status
<b>Specific Conditions:</b>		
II.	PP to upload the Metro NOC from MMRCL & also to upload the copy of MoU with MMRCL regarding management of waste, actions for disaster etc. in Metro III station.	<p>Complied</p> <p>In principal approval from MMRCL has been obtained.</p> <p>Copy of MoU of MIAL with MMRCL is attached as <b>Annexure 2</b></p>
III.	The PP to get NOC from competent authority with reference to Thane Creek Flamingo Sanctuary if the project site falls within 10 km radius from the said sanctuary boundary. The planning authority to ensure fulfilment of this condition before granting CC	<p>Not Applicable.</p> <p>As per MoEF&amp;CC notification dtd 14<sup>th</sup> October 2021, Eco sensitive zone (ESZ) of Thane Creek Flamingo Sanctuary (TCFS) has been published and the project site falls outside the notified ESZ of TCFS.</p>
IV.	PP to submit CER prescribed by MoEF&CC circular dated 01.05.2018 relevant to the area and people around the project. The specific activities to be undertaken under CER to be carried out in consultation with Municipal Corporation or Collector or Environment Department.	<p>Complied.</p> <p>Below mentioned works have been carried out -</p> <ul style="list-style-type: none"> <li>• Environmental information dissemination display system</li> <li>• Promoted education to underprivileged/tribal children at Gadchiroli</li> <li>• Supported socially backward people by educating them at MCGM school Ville Parle and rural areas of Maharashtra</li> <li>• Project "Shakti" implemented at Kalina for women empowerment.</li> <li>• Tree plantation drive taken at Rabble Forest and SRPF ground for promoting ecological balance.</li> <li>• Distributed LED lamps in tribal areas of Sanjay Gandhi National Park residents</li> </ul> <p>Photographs are attached <b>Annexure 3.</b></p>
V.	PP shall comply with Standard EC conditions mentioned in the Office Memorandum issued by MoEF&CC vide F.No.22-34/2018-IA. III dt.04.01.2019.	<p>Complied.</p> <p>All the applicable conditions of Standard EC conditions are complied with. Copy of the compliance status is attached as <b>Annexure 4</b></p>
<b>General Conditions:</b>		

S.N.	Conditions	Compliance Status
<b><u>Specific Conditions:</u></b>		
I.	E-waste shall be disposed through Authorized vendor as per E-waste (Management and Handling) Rules, 2016.	<p>Complied.</p> <p>E-waste, generated at MIAL is handled and disposed through Authorized vendor as per E-waste (Management and Handling) Rules, 2016, amended till dated</p> <p><b>Copy of E-waste return filed is attached as Annexure 5.</b></p>
II.	The Occupancy Certificate shall be issued by the Local Planning Authority to the project only after ensuring sustained availability of drinking water, connectivity of sewer line to the project site and proper disposal of treated water as per environmental norms.	<p>Complied.</p> <p>The Occupancy Certificate has been obtained for MLCP and same will be taken in to consideration for remaining buildings. Copy of Occupancy certificate for MLCP is attached as <b>Annexure 6.</b></p>
III.	This Environmental Clearance is issued subject to obtaining NOC from Forestry & Wildlife angle including clearance from the standing committee of the National Board for Wildlife as if applicable & this environment clearance does not necessarily implies that Forestry & Wildlife clearance granted to the project which will be considered separately on merit.	<p>Not Applicable.</p> <p>As per MoEF&amp;CC notification dated 14<sup>th</sup> October 2021, Eco sensitive zone (ESZ) of Thane Creek Flamingo Sanctuary (TCFS) has been published, and the project site falls outside the notified ESZ of TCFS.</p>
IV.	PP has to abide by the conditions stipulated by SEAC& SEIAA.	<p>Complied.</p> <p>All the applicable conditions granted under the Environment Clearance granted by SEIAA are complied and half yearly compliance report is submitted to all the regulatory authorities regularly.</p> <p>The last Compliance report for the period April 25 to Sep- 25 was submitted on 20<sup>h</sup> Nov 2025. Copy attached as <b>Annexure 7.</b></p>
V.	The height, Construction built up area of proposed	Complied

S.N.	Conditions	Compliance Status
<b>Specific Conditions:</b>		
	construction shall be in accordance with the existing FSI/ FAR norms of the urban local body & it should ensure the same along with survey number before approving layout plan & before according to commencement certificate to proposed work. Plan approving authority should also ensure the zoning permissibility for the proposed project as per the approved development plan of the area.	Construction of MLCP has been carried out in line to the Occupancy certificate granted,  Copy of the same is attached as <b>Annexure 6.</b>
VI.	If applicable, Consent for Establishment shall be obtained from Maharashtra Pollution Control Board under Air and Water Act and a copy shall be submitted to the Environment department before start of any construction work at the site.	Complied "Consent to Establish" was obtained in Jan 2014 from MPCB, which has been renewed vide dated 21/09/2022 and it is valid till 20/09/2027. Copy of the same is attached as <b>Annexure 8.</b>  Subsequently CTO for MLCP was obtained with its earlier validity till 30.10.2021, and same was renewed vide order dated Operate No – CAC-CELL/UAN.No.0000138070/CR/2208001592 dated 31.08.2022, valid till 31.08.2026. Copy of the same is attached as <b>Annexure 8A.</b>  Same will be taken into consideration for the rest of the buildings.
VII.	All required sanitary and hygienic measures should be in place before starting construction activities and to be maintained throughout the construction phase.	Agreed to Comply The said compliance conditions will be taken into consideration during the construction phase.
VIII.	Adequate drinking water and sanitary facilities should be provided for construction workers at the site. Provision should be made for mobile toilets. The safe disposal of	Agreed to Comply The said compliance conditions will be taken into consideration during the construction phase.

S.N.	Conditions	Compliance Status
<b>Specific Conditions:</b>		
	wastewater and solid waste generated during the construction phase should be ensured.	
IX.	The solid waste generated should be properly collected and segregated. Dry/ inert solid waste should be disposed off to the approved sites for land filling after recovering recyclable material.	<p>Complied.</p> <p>MIAL follows 5 R principle of waste management (Reduce, Reuse, Recycle Reprocess and Recover) to attain ZWL status.</p> <p>MIAL has implemented a standard operating process for collection, segregation, storage, and disposal of waste.</p> <p><b>Annexure 9- Standard Operating Procedure for Waste Management at CSMIA</b></p> <p><b>Annexure 9A -Waste Segregation at Airport</b></p>
X.	Disposal of muck during construction phase should not create any adverse effect on the neighboring communities and be disposed taking the necessary precautions for general safety and health aspects of people, only in approved sites with the approval of competent authority.	<p>Agreed to Comply</p> <p>The said compliance conditions will be taken into consideration during the construction phase.</p>
XI.	Arrangement shall be made that wastewater and storm water do not get mixed.	<p>Complied</p> <p>Wastewater generated is being carried to 4 MLD STP for further treatment and reuse for horticulture purposes. Storm water generated is routed through Storm water drainage developed as a part of CSMIA. Copy attached as <b>Annexure 13</b>.</p>
XII.	All the topsoil excavated during construction activities should be stored for use in horticulture/ landscape development within the project site.	<p>Agreed to Comply</p> <p>The said compliance conditions will be taken into consideration during the construction phase.</p>
XIII.	Additional soil for levelling of the proposed site shall be generated within the sites (to	Agreed to Comply. The said compliance conditions will be taken into consideration during the construction phase.

S.N.	Conditions	Compliance Status
<b><u>Specific Conditions:</u></b>		
	the extent possible) so that natural drainage system of the area is protected and improved.	
XIV.	Green Belt Development shall be carried out considering CPCB guidelines including selection of plant species and in consultation with the local DFO/ Agriculture Dept.	Complied. Green area has been developed in line to Airport Contextual plan, considering Wildlife hazard. <b>Annexure 10- Grid Map with Landscape</b> <b>Annexure 10A- Landscape Images</b>
XV.	Soil and ground water samples will be tested to ascertain that there is no threat to ground water quality by leaching of heavy metals and other toxic contaminants.	Agreed to comply
XVI.	Construction spoils, including bituminous material and other hazardous materials must not be allowed to contaminate watercourses and the dumpsites for such material must be secured so that they should not leach into the ground water.	Agreed to Comply. The said compliance conditions will be taken into consideration during the construction phase.
XVII.	Any hazardous waste generated during construction phase should be disposed of as per applicable rules and norms with necessary approvals of the Maharashtra Pollution Control Board.	Agreed to Comply. The said compliance conditions will be taken into consideration during the construction phase.
XVIII.	The diesel generator sets to be used during construction phase should be low sulphur diesel type and should conform to Environments (Protection) Rules prescribed for air and noise emission standards.	Agreed to Comply. The said compliance conditions will be taken into consideration during the construction phase.
XIX.	The diesel required for operating DG sets shall be	Complied

S.N.	Conditions	Compliance Status
<b>Specific Conditions:</b>		
	stored in underground tanks and if required, clearance from concern authority shall be taken.	<p>Diesel required for operating DG sets are stored in Underground tanks and approval from concerned authority is being taken.</p> <p>Copy of PESO License for Diesel Storage is attached as <b>Annexure 11.</b></p>
XX.	Vehicles hired for bringing construction material to the site should be in good condition and should have a pollution check certificate and should conform to applicable air and noise emission standards and should be operated only during non-peak hours.	<p>Agreed to Comply</p> <p>The said compliance conditions will be taken into consideration during the construction phase.</p>
XXI.	Ambient noise levels should conform to residential standards both during day and night.	<p>Complied.</p> <p>At CSMIA, noise monitoring is being carried out at 10 locations by MOEF &amp; NABL accredited lab. All the results have been observed to be within standards.</p> <p><b>Annexure 12 - Environmental Monitoring Reports</b></p>
XXII.	Incremental pollution loads on the ambient air and noise quality should be closely monitored during construction phase. Adequate measures should be made to reduce ambient air and noise level during construction phase, so as to conform to the stipulated standards by CPCB/ MPCB.	<p>Agreed to Comply</p> <p>The said compliance conditions will be taken into consideration during the construction phase.</p>
XXIII.	Fly ash should be used as building material in construction as per the provisions of Fly Ash Notification of September 1999 and amended as on 27 <sup>th</sup> August 2003. (The above condition is applicable only if the project site is located	<p>Complied</p> <p>As applicable, Fly Ash Notification, amended till date, will be taken into consideration for development of remaining buildings.</p>

S.N.	Conditions	Compliance Status
<b>Specific Conditions:</b>		
	within the 100Km of Thermal Power Stations).	
XXIV.	Ready mixed concrete must be used in building construction.	Agreed to Comply  The said compliance conditions will be taken into consideration during the construction phase.
XXV.	Storm water control and its re-use as per CGWB and BIS standards for various applications	Complied.  Storm water management system has been developed focusing on rainwater harvesting by means of (1) RWH storage tank (2) Ground water Recharging pits.  Rainwater Collected in storage tank is being used for domestic purposes. Layout showing Storm water drainage along with Rainwater harvesting is attached as <b>Annexure 13</b>
XXVI.	Water demand during construction should be reduced by use of pre-mixed concrete, curing agents and other best practices referred.	Agreed to Comply The said compliance conditions will be taken into consideration during the construction phase.
XXVII.	The ground water level and its quality should be monitored regularly in consultation with Ground Water Authority.	Not applicable
XXVIII.	The installation of the Sewage Treatment Plant (STP) should be certified by an independent expert and a report in this regard should be submitted to the MPCB and Environment Department before the project is commissioned for operation. Discharge of this unused treated effluent, if any should be discharged in the sewer line. Treated effluent emanating from STP shall be recycled/ refused to the maximum extent	Complied.  MIAL has constructed and commissioned 15 MLD state-of-art SBR technology STPs for treating the wastewater generated at CSMIA on modular bases. Wastewater generated is 100% recycled and Recycled water is being analyzed by MoEFCC & NABL accredited laboratory, and all results are observed to be within limits. Treated water is being reused for Horticulture, HVAC & further In line to approval the remaining treated water is being sent to MCGM drain, as per MPCB approval.



S.N.	Conditions	Compliance Status
<b><u>Specific Conditions:</u></b>		
	possible. Discharge of this unused treated effluent, if any should be discharged in the sewer line. Treatment of 100% grey water by decentralized treatment should be done. Necessary measures should be made to mitigate the odour problem from STP.	Environment monitoring Reports for treated water is attached as <b>Annexure 12</b>  For STP Details of CSMIA, <b>Annexure 17</b>
XXIX.	Permission to draw ground water and construction of basement if any shall be obtained from the competent Authority prior to construction/operation of the project.	Complied  Water is being sourced through CIDCO.  An occupancy certificate has been obtained from the local authority for MLCP and same will be taken into consideration for remaining buildings.
XXX.	Separation of grey and black water should be done by the use of dual plumbing line for separation of grey and black water.	Agreed to Comply.  Based on feasibility, dual plumbing system will be implemented for development of remaining buildings, for separation of grey and black water.
XXXI.	Fixtures for showers, toilet flushing, and drinking should be of low flow either by use of aerators or pressure reducing devices or sensor-based control.	Complied  Following Water Conservation systems have been implemented at MLCP Water less urinals, Water reducer taps etc.  Further, the same will be taken into consideration for the remaining 3 buildings.  Photographs showing Water conservations system installed at MLCP is attached as <b>Annexure 14</b>
XXXII.	Use of glass may be reduced up to 40% to reduce the	Agreed to Comply

S.N.	Conditions	Compliance Status
<b>Specific Conditions:</b>		
	electricity consumption and load on air conditioning. If necessary, use high quality double glass with special reflective coating in windows.	The said compliance condition will be taken into consideration for development of the remaining buildings.
XXXIII.	Roof should meet prescriptive requirements as per Energy Conservation Building Code by using appropriate thermal insulation material to fulfil requirement.	Agreed to Comply The said compliance condition will be taken into consideration for development of remaining buildings.
XXXIV.	Energy conservation measures like installation of CFLs /TFLs for the lighting the areas outside the building should be integral part of the project design and should be in place before project commissioning. Use CFLs and TFLs should be properly collected and disposed of /sent for recycling as per the prevailing guidelines/rules of the regulatory authority to avoid mercury contamination. Use of solar panels may be done to the extent possible like installing solar streetlights, common solar water heaters system. Project proponent should install, after checking feasibility, solar plus hybrid non-conventional energy source as source of energy.	Complied  CFL/TFL is used for illumination at the MLCP building. Rooftop solar power of capacity 268 kWp has also been installed.  Energy conservation measures will be taken into consideration for remaining buildings. Photographs showing energy conservation measures installed at MLCP are attached as <b>Annexure 15</b> .
XXXV.	Diesel power generating sets proposed as source of backup power for elevators and common area illumination during operation phase should be of enclosed type and conform to rules made under the Environment	Complied  DG set has been installed in MLCP as part of backup power for elevators and common areas.  The stack height has been maintained as per safety norms.

S.N.	Conditions	Compliance Status
<b>Specific Conditions:</b>		
	(Protection) Act, 1986. The height of stack of DG sets should be equal to the height needed for the combined capacity of all proposed DG sets. Use low sulphur diesel. The location of the DG sets may be decided with in consultation with Maharashtra Pollution Control Board.	<p>MIAL have obtained CTO from MPCB</p> <p><b>Annexure 8A- Consent to Operate.</b></p> <p><b>Annexure 16- DG Enclosures and Stack.</b></p>
XXXVI.	Noise should be controlled to ensure that it does not exceed the prescribed standards. During night-time the noise levels measured at the boundary of the building shall be restricted to the permissible levels to comply with the prevalent regulations.	<p>Complied</p> <p>At CSMIA, noise monitoring is being carried out at 10 locations by MOEF &amp; NABL accredited lab. All the results have been observed to be within standards.</p> <p><b>Annexure 12 - Environmental Monitoring Reports</b></p>
XXXVII.	Traffic congestion near the entry and exit points from the roads adjoining the proposed project site must be avoided. Parking should be fully internalized, and no public space should be utilized.	<p>Agreed to Comply</p> <p>Surface along with Multi-Level Car Parking building (MLCP) have been constructed for vehicle parking with adequate capacity of 2725 and 3934 Nos for two wheelers and four wheelers, respectively at terminal-2 and traffic management plan has been implemented.</p> <p>The said compliance condition will be taken into consideration for development of remaining 3 buildings.</p>
XXXVIII.	Opaque wall should meet prescriptive requirement as per Energy Conservation Building Code, which is proposed to be mandatory for all air-conditioned spaces while it is aspiration for non-airconditioned spaces by use of appropriate thermal insulation material to fulfil requirement.	<p>Agreed to Comply</p> <p>The said compliance condition will be taken into consideration for development of remaining 3 buildings.</p>

S.N.	Conditions	Compliance Status
<b>Specific Conditions:</b>		
XXXIX.	The buildings should have adequate distance between them to allow movement of fresh air and passage of natural light, air and ventilation.	Agreed to Comply  The said compliance condition will be taken into consideration for development of the remaining 3 buildings.
XL.	Regular supervision of the above and other measures for monitoring should be in place all through the construction phase, so as to avoid disturbance to the surroundings.	Agreed to Comply.
XLI.	Under the provisions of Environment (Protection) Act, 1986, legal action shall be initiated against the project proponent if it was found that construction of the project has been started without obtaining environmental clearance.	Agreed to Comply.
XLII.	Six monthly monitoring reports should be submitted to the Regional Office MoEFCC, Nagpur, with copy to this Department and MPCB.	Complied,  Last compliance report for the period Apr 2025 – Oct 2025 was prepared and submitted to all the concerned regulatory authorities on 30.10.2025. <b>Annexure 7</b>
XLIII.	Project proponent shall ensure completion of STP, MSW disposal facility, green belt development prior to occupation of the buildings. No physical occupation or allotment will be given unless all above said environmental infrastructure is installed and made functional including water requirement in Para 2. Prior certification from appropriate authority shall be obtained.	Complied.  MIAL has constructed and commissioned 15 MLD state-of-art SBR technology STPs for treating the wastewater generated at CSMIA on modular bases. Recycled water is being analyzed by MoEFCC & NABL accredited laboratory, and all results are observed to be within limits. Treated water is being reused for Horticulture, HVAC & further In line to the approval the remaining treated water is being sent to MCGM drain, as per MPCB approval.  Solid Waste Management Plan has been implemented by means of adopting 5R

S.N.	Conditions	Compliance Status
<b><u>Specific Conditions:</u></b>		
		<p>principle of Waste Management to attain Zero Waste to Landfill. All the recyclable waste is sent to the authorized recyclers and food waste is converted to compost by Organic Waste Converter and is being used for horticulture.</p> <p>Green area is maintained across CSMIA inline to Airport Contextual plan.</p> <p>Occupancy Certificate has been obtained for MLCP from the local authority.  <b>Annexure 6- Occupancy Certificate for MLPC</b>  <b>Annexure 17- STP details at CSMIA</b></p>
XLIV.	Wet garbage should be treated by Organic Waste Converter and treated waste (manure) should be utilized in the existing premises for gardening. And no wet garbage will be disposed outside the premises. Local authority should ensure this.	<p>Complied.</p> <p>MIAL have set up an OWC for converting food waste into compost, which is being used for horticulture purposes.  <b>Annexure 18 -Organic Waste Converter</b></p>
XLV.	Local body should ensure that no Occupation Certification is issued prior to operation of STP/ MSW site etc. with due permission of MPCB.	<p>Complied.</p> <p>Occupancy Certificate has been provided for MLCP by the local authority.</p>
XLVI.	A complete set of all the documents submitted to Department should be forwarded to the Local authority and MPCB.	<p>Complied.</p> <p>Environment Clearance received dated 31.03.2020. is already informed by the local authority.</p> <p>Compliance report is regularly submitted to all the related regulatory authorities as part of the six-monthly compliance.</p> <p>Covering Letter of last submission attached as <b>Annexure 7.</b></p>
XLVII.	In the case of any change(s) in the scope of the project, the project would require a fresh appraisal by this Department.	<p>Complied.</p> <p>Amendment in Environment Clearance for Non-Operational area (landside) development of CSMIA has been obtained from SEIAA vide dtd. 8<sup>th</sup> October 2025</p>

S.N.	Conditions	Compliance Status
<b>Specific Conditions:</b>		
XLVIII.	A separate Environment Management Cell with qualified staff shall be set up for implementation of the stipulated environmental safeguards.	Complied. Organogram of environment management cells is enclosed. <b>Annexure 19- Organogram of environment management cell.</b>
XLIX.	Separate funds shall be allocated for implementation of environmental protection measures/ EMP along with item-wise breaks-up. These costs shall be included as part of the project cost. The funds earmarked for environmental protection measures shall not be diverted for other purposes and year-wise expenditure should be reported to the MPCB & this Department.	Complied. As part spent, implementation of environmental protection measures and EMP, INR of 11.11 Cr, was spent during the period Apr-25 to Sept-25. A copy of EMP expenditure is attached.  <b>Annexure 20- Environmental Expenditure</b>
L.	The project management shall advertise at least in two local newspapers widely circulated in the region around the project, one of which shall be in the local language, within seven days of issue of this letter, informing that the project has been accorded Environmental Clearance and copies of clearance letter are available with the Maharashtra Pollution Control Board and may also be seen at Website at <a href="http://parivesh.nic.in">http://parivesh.nic.in</a>	Complied. The EC related information is also circulated through 2 local newspapers in the region around the project. EC copies are available on Company's website. <a href="https://csmia.adaniairports.com/all-reports.aspx">https://csmia.adaniairports.com/all-reports.aspx</a> >> Environment Compliance reports.
LI.	Project management should submit half yearly compliance reports in respect of the stipulated prior Environment Clearance terms and conditions in hard & soft copies to the MPCB &	Complied  Compliance reports are regularly submitted to all the related regulatory authorities. Details of last submission attached as <b>Annexure 7.</b>

S.N.	Conditions	Compliance Status
<b>Specific Conditions:</b>		
	this Department, on 1st June & 1st December of each calendar year.	
LII.	A copy of the clearance letter shall be sent by proponent to the concerned Municipal Corporation and the local NGO, if any, from whom suggestions/representations, if any, were received while processing the proposal. The clearance letter shall also be put on the website of the Company by the proponent.	<p>Complied.</p> <p>EC copies are available on Company's website.</p> <p><a href="https://csmia.adaniairports.com/all-reports.aspx">https://csmia.adaniairports.com/all-reports.aspx</a>&gt;&gt; Environment Compliance reports.</p>
LIII.	The proponent shall upload the status of compliance of the stipulated EC conditions, including results of monitored data on their website and shall update the same periodically. It shall simultaneously be sent to the Regional Office of MoEFCC, the respective Zonal Office of CPCB and SPCB. The critical pollutants namely SPM, RSPM, SO <sub>2</sub> , NO <sub>x</sub> (ambient levels as well as stack emissions) or critical sector parameters indicated for the project shall be monitored and displayed at a convenient location near the main gate of the company in the public domain.	<p>Complied.</p> <p>Compliance reports are regularly submitted to the related regulatory authority as part of the six-monthly compliance. Copies are displayed on company website.</p> <p><a href="https://csmia.adaniairports.com/all-reports.aspx">https://csmia.adaniairports.com/all-reports.aspx</a>&gt;&gt; Environment Compliance reports.</p> <p>Critical pollutants are monitored and displayed at a convenient location through display board as attached <b>Annexure 1</b>.</p>
LIV.	The project proponent shall also submit six monthly reports on the status of compliance of the stipulated EC conditions including results of monitored data (both in hard copies as well as by e- mail) to the respective Regional Office of	<p>Complied.</p> <p>Compliance reports, including monitoring reports, are regularly submitted to the related regulatory authority as part of the six-monthly compliance. Copy attached annexure.</p> <p>Details of last submission attached as <b>Annexure 7</b>.</p>

S.N.	Conditions	Compliance Status
<b>Specific Conditions:</b>		
	MoEF, the respective Zonal Office of CPCB and the SPCB.	
LV.	The Environmental Statement for each financial year ending 31st March in Form-V as is mandated to be submitted by the project proponent to the concerned State Pollution Control Board as prescribed under the Environment (Protection) Rules, 1986, as amended subsequently, shall also be put on the website of the company along with the status of compliance of EC conditions and shall also be sent to the respective Regional Offices of MoEFCC by e-mail.	<p>Complied.</p> <p>Environment statement is submitted on MPCB portal, Copies are attached. Same is also displayed on company website.</p> <p><b>Annexure 21 - Environmental Statement Form-V</b></p> <p><a href="https://csmia.adaniairports.com/all-reports.aspx">&gt;&gt; Environment Compliance reports.</a></p>

## INDEX OF ATTACHMENTS

ANNEXURES	PARTICULARS
<b>Annexure- 1</b>	Environment Information dissemination
<b>Annexure- 2</b>	MoU of MIAL with MMRCL
<b>Annexure- 3</b>	Photographs of CER
<b>Annexure- 4</b>	Standard EC conditions compliance status
<b>Annexure- 5</b>	E-waste return filed
<b>Annexure- 6</b>	Occupancy certificate
<b>Annexure- 7</b>	Letter of previous compliance report submission
<b>Annexure- 8</b>	Consent to Establish dated 21/09/2022



<b>Annexure- 8A</b>	Consent to Operate dated 31/08/2022
<b>Annexure- 9</b>	Standard Operating Procedure for Waste Management at CSMIA
<b>Annexure- 9A</b>	Waste Segregation at Airport
<b>Annexure- 10</b>	Grid Map with Landscape
<b>Annexure- 10A</b>	Landscape Images
<b>Annexure- 11</b>	PESO License for Diesel Storage
<b>Annexure- 12</b>	Environmental Monitoring Reports
<b>Annexure- 13</b>	Layout showing Storm water drainage
<b>Annexure- 14</b>	Photographs showing Water conservations system
<b>Annexure- 15</b>	Photographs showing energy conservation measures
<b>Annexure- 16</b>	DG Enclosures and Stack
<b>Annexure- 17</b>	STP details at CSMIA
<b>Annexure- 18</b>	Organic Waste Converter
<b>Annexure- 19</b>	Organogram of environment management cell
<b>Annexure- 20</b>	Environmental Expenditure
<b>Annexure- 21</b>	Environmental Statement Form-V

<b>Annexure- 1</b>	Environment Information dissemination
--------------------	---------------------------------------

Condition under Hazardous Waste-MT/A			
Sl. no & Type	Qty	Treatment	Disposal
5.1 - Waste oil Qty-20MT/A	20	Recycle	third party
5.2 waste or residue containing oil Qty-17 MT/D	17	Incineration	GTWTS DF

Details of Stack Emission			
Source : DG (APC: Acoust Hood)			
Sl. No	Source	Parameter	
24	S-24- 300 KVA-CSUB	PM Mg/Nm3	20
	S-25 -380	SO2 Kg/D	0.33
25	KVA - MLCP T1	PM Mg/Nm3	17
		SO2 Kg/D	0.01

MOU 16/9/15

**MUMBAI METRO LINE 3**

**CONSTRUCTION OF 3 METRO STATIONS AT  
CHHATRAPATI SHIVAJI INTERNATIONAL AIRPORT, MUMBAI**

**MEMORANDUM OF UNDERSTANDING**

**Between**

**MUMBAI METRO RAIL CORPORATION LIMITED ("MMRC")**

**&**

**MUMBAI INTERNATIONAL AIRPORT PRIVATE LIMITED ("MIAL")**

**September, 2015**

## Contents

1.	DEFINITIONS AND INTERPRETATION.....	5
2.	OBJECT AND CONSIDERATION.....	11
3.	REPRESENTATIONS AND WARRANTIES .....	17
4.	OBLIGATIONS AND COVENANTS .....	17
5.	CONSTRUCTION, OPERATION & MANAGEMENT .....	19
6.	COMMERCIAL DEVELOPMENT RIGHTS .....	23
7.	INSURANCE .....	23
8.	TERM, EXPIRY & TRANSFER .....	24
9.	LIABILITY AND INDEMNIFICATION .....	24
10.	OMDA PROVISIONS .....	25
11.	DISPUTE RESOLUTION PROCEDURE .....	26
12.	GENERAL .....	27
	ANNEXURE A .....	31
	ANNEXURE B .....	32
	ANNEXURE C - DRAWINGS .....	33
	ANNEXURE D - SHAREHOLDING OF MMRC .....	46
	ANNEXURE E - SCHEDULE OF GRANTING RIGHT OF WAY TO METRO STATION LAND AREAS TO MMRC BY MIAL.....	47

For MMRC:



1

For MIAL:








महाराष्ट्र MAHARASHTRA

2015

NB 500820



### Memorandum of Understanding

श्री. म. सि. मयेकर

### Mumbai Metro Line 3: Construction of 3 Metro Stations at CSIA.

This Memorandum of Understanding (MoU) is made and executed on this the 16<sup>th</sup> day of September, 2015 at Mumbai, by and between:

**MUMBAI METRO RAIL CORPORATION LIMITED**, a company incorporated under the Companies Act, 1956 and having its registered office at NAMTTRI Building, Plot No. R-13, E Block, Bandra Kurla Complex, Bandra East, Mumbai-400051 (herein after referred to as "MMRC" which expression shall mean and include its successors)

And;

2

For MMRC



For MIAL:



000181

~~AGREEMENT~~

16 SEP 2015

MMRC

8


प्राप्तकर्ता: श्री. राजेश कुमार शर्मा, अखिल भारतीय  
मुक्ति सेना, १०८, बंगला, बंगलूर, कर्णाटक, भारत  
महाराष्ट्र, ४०० ०५९  
संजीवनी, १०८, बंगला, बंगलूर, कर्णाटक, भारत  
१०८, बंगला, बंगलूर, कर्णाटक, भारत  
१०८, बंगला, बंगलूर, कर्णाटक, भारत



महाराष्ट्र MAHARASHTRA

2015

NB 500821



श्री. भ. सि. मयेकर

MUMBAI INTERNATIONAL AIRPORT PRIVATE LIMITED, a company incorporated under the Companies Act, 1956 and having its registered office at Terminal 1B, Chhatrapati Shivaji International Airport, Santacruz, Mumbai 400099 (hereinafter referred to as "MIAL", which expression shall, unless the context otherwise requires, include its successors and permitted assigns) of the Other Part,

Both, MMRC and MIAL are individually referred to as a "Party" and collectively referred to as the "Parties".

#### WHEREAS

1. The Government of India (GoI) vide Resolution dated 10<sup>th</sup> October 2014 has incorporated Mumbai Metro Rail Corporation Limited, a special purpose vehicle for speedy and focused implementation of Metro Projects in Mumbai, inter alia, Metro Rail Line 3.

3

For MMRC:



For MIAL:



000182

AGREEMENT

Mumbai International Airport Pvt. Ltd.  
Chhatrapati Shivaji International Airport  
1st Floor, Terminal 1B, Santacruz (East),  
Mumbai-400 099, Maharashtra, India.

10 JUL 2015

M.M.R.C.

[illegible]






महाराष्ट्र MAHARASHTRA

● 2015 ●

NB 500822



श्री. भ. सि. मयेकर

2. As a part of Mumbai Metro Plan, MMRC is engaged in construction of Metro Line 3, from Colaba to SEEPZ as approved by the Government of India (GoI) in terms with the Government Order bearing number No. K-140111/2002-MRTS dated May 17th, 2007, to be completed and made operational before 2020.
3. As per the Metro Line 3 alignment approved by the GoM, three underground stations at (i) CSIA T1 Terminal Forecourt, (ii) Sahar Road and (iii) CSIA T2 Terminal Forecourt will be located within CSIA Land.
4. AAI has granted MIAL the exclusive right and authority, during the term of OMDA (including any renewal thereof), to operate, maintain, develop, design, construct, upgrade, modernize, finance and manage Chhatrapati Shivaji International Airport, Mumbai ("CSIA" or the "Airport") in terms

4

For MMRC:




For MIAL:



16 SEP 2015

000183

गवर्नर, महाराष्ट्र 410001 (National Airport Authority of India)		AGREEMENT
Mumbai International Airport Pvt. Ltd. Chhatrapati Shivaji International Airport 1st Floor, Terminal 1B, Santacruz (East), Mumbai-400 099, Maharashtra, India.		
16 SEP 2015		
MMRC		
		
मुंबई विमानतळ प्राधिकरणाच्या वतीने या करारावर स्वाक्षरी केलेले आहे. या करारावर स्वाक्षरी केलेली प्रत या कराराच्या अटी व शर्तीनुसार वापरली जाईल.		

of Operation, Management and Development Agreement dated April 4, 2006 (the "OMDA"). They have also executed Lease Deed dated April 26th, 2006 ("Lease Deed") by which the entire Airport land, as described therein have been demised to MIAL by AAI.

5. MMRC and MIAL, understand and acknowledge that Metro Line 3 from Colaba to SEEPZ via CSIA, is a key project for the city of Mumbai as well as CSIA, for airport connectivity to CSIA.
6. MMRC will undertake the development, design, construction, operation and maintenance of Metro Line 3, including three stations within CSIA site area i.e. CSIA T1 Terminal Forecourt Station, Sahar Road Station and CSIA T2 Terminal Forecourt Station (collectively "Metro Stations").
7. For the purpose of construction of three Metro Stations at CSIA (as defined herein below), Parties herein, have agreed to co-operate with each other and arrived at an understanding as set out below.

**NOW THEREFORE**, in consideration of mutual promises, representations and warranties, covenants which the Parties agree and accept to be good and valid consideration, the Parties agree to the following terms and conditions.

## **1. DEFINITIONS AND INTERPRETATION**

### **1.1. Definitions**

In this MoU, the following words and expressions shall, unless repugnant to the context or meaning thereof, have the meaning hereinafter respectively assigned to them:

- 1.1.1. "AAI" shall mean the Airports Authority of India, as constituted under the Airports Authority of India Act, 1994;
- 1.1.2. "AERA" means Airports Economic Regulatory Authority constituted under Airports Economic Regulatory Authority Act, 2008;
- 1.1.3. "Affiliate" means, with respect to any Party, any other entity that, directly or indirectly;
  - a. controls such Party ;
  - b. Is controlled by such Party;
  - c. Is controlled by the same person who, directly or indirectly, controls such Party.
- 1.1.4. "Airport" means the Chhatrapati Shivaji International Airport (CSIA), as located on the Airport Site.

For MMRC: \_\_\_\_\_



For MIAL: \_\_\_\_\_



- 1.1.5. "Airport Site" shall mean the underlying land forming part of the Demised Premises as defined in OMDA and Lease Deed.
- 1.1.6. "Airport Metro Facilities" shall be all works and facilities of Metro Line 3 including at three Metro Stations at CSIA, but not limited to tangible assets such as civil works and systems (including metro stations, tunnels, ventilation shafts and all fixed installation related to Metro Line 3 excluding rolling stock etc), as erected, installed and operational and other facilities forming part of the Metro Line 3 within CSIA Land.
- 1.1.7. "Applicable Law" means all applicable laws, bye-laws, rules, regulations, orders, Government Circulars, ordinances, protocols, codes, guidelines, policies, notices, directions, judgments, decrees or other requirements or official directive of any Governmental Authority or person acting under the authority of any Government Authority, whether in effect on the date hereof or thereafter.
- 1.1.8. "Applicable Permits" means all clearances, permits, authorizations, consents and approvals required to be obtained or maintained under Applicable Laws in connection with the design, engineering, financing, procurement, construction, operation and maintenance of the Metro Line 3 during the subsistence of this MOU.
- 1.1.9. "Arbitration Act" means the Arbitration and Conciliation Act, 1996 and shall include amendments to or any re-enactment thereof as in force from time to time.
- 1.1.10. "COD" or "Commercial Operations Date" means July 31, 2020 or thereafter, by which the commercial operations shall have commenced at the Metro Line 3
- 1.1.11. "Concessionaire" means the agency selected by MIAL for carrying out Reserved Activities in Metro Stations.
- 1.1.12. "Confidential Information" shall have the meaning ascribed to the term in Clause 12.8.
- 1.1.13. "Contractor" means the agency / agencies with whom MMRC enters into a contract for construction of Package 6 of Metro Line 3 or part thereof.
- 1.1.14. "Contribution" shall mean a maximum amount of Rs.777 Crores to be paid by MIAL to MMRC in the manner and schedule contained in Clause 2.1.
- 1.1.15. "Construction Period" means the period from the date of the commencement of construction and until the COD.
- 1.1.16. "CSIA Land" shall mean the land area of CSIA under use for the Metro Line 3 and Metro Stations within the Airport Site, as described in the plan annexed as Annexure "C" hereto.
- 1.1.17. "Dispute" shall mean and include any dispute, difference, question or controversy between the Parties arising out of, in connection with or in relation to this MoU.
- 1.1.18. "Drawings and Documents" shall mean all drawings (Concept, Detailed, Schematic, Good For Construction, As Built Drawings), reports, documents, approvals in respect of three (3) Metro Stations as well as related Metro Line 3 Project documents, in particular, ei-

For MMRC:



For MIAL:



ther prepared by MMRC or their appointed Consultants / Contractors or prepared by MIAL or their appointed Consultants / Contractors or obtained from any other agency / Statutory Body (containing information / approvals pertaining to Metro Line 3 Project) for information, review, approval, execution and record purposes (including, but not limited to, all layout drawings, report, detailed obstruction and approval drawings).

- 1.1.19. **"Effective Date"** shall mean the date, as stated hereinbefore, on which this MoU has been signed by the Parties.
- 1.1.20. **"Encumbrances"** means any encumbrances such as mortgage, charge, pledge, lien, hypothecation, security interest, assignment, privilege or priority of any kind having the effect of security or other such obligations and shall include without limitation any designation of loss payees or beneficiaries or any similar arrangement under any insurance policy pertaining to Metro Line 3, physical encumbrances, slums and encroachments on the site where applicable herein.
- 1.1.21. **"Facilities"** shall mean tangible assets such as civil works and systems (including metro stations, tunnels and all fixed installation related to Metro Line 3), as erected, installed and operational including other facilities forming part of the Metro Line 3.
- 1.1.22. **"Force Majeure"** shall mean occurrence of an event like war, natural calamity, change in Law / Ordinance prohibiting activity under this MOU or any such event which for reasons other than on account of either Party to this MoU renders the performance of the MoU impossible.
- 1.1.23. **"GoI"** means the Government of India.
- 1.1.24. **"GoM"** means the Government of Maharashtra.
- 1.1.25. **"Good Industry Practice"** means those practices, methods, techniques, standards, skills, diligence and prudence which are generally and reasonably expected of and accepted internationally, from a reasonably skilled and experienced operator or metro system developer or contractor or consultancy firm engaged in the same type of undertaking as envisaged under this MoU and acting generally in accordance with the provisions of the Metro Railway Construction Act, 1974 and Metro Railway (O&M) Act 2002 and would include good engineering practices in the design, engineering, construction and project management and which would be expected to result in the performance of its obligations by the Contractors, Concessionaires and in the operation and maintenance of the Metro Line 3 in accordance with this MoU, Applicable Laws, Applicable Permits, reliability, safety, environment protection, economy and efficiency considering the nature of the works.
- 1.1.26. **"Governmental Authority"** means any central, state or local government, or any ministry, directorate, department or subdivision thereof and any person exercising executive, legislative, judicial, regulatory or administrative functions of or pertaining to government or Law or any other governmental entity, instrumentality, agency, authority, corporation, committee or commission under the direct or indirect control of any such central, state or local government.

For MMRC



For MIAL





- 1.1.27. **"Hazardous Materials"** means any pollutant, contaminant, solid waste, hydrocarbon product or toxic, flammable, explosive, carcinogenic, corrosive or radioactive substance, emission or material, or any similar substance, emission or material as defined and regulated under or subject to any Applicable Law and its future amendments if any.
- 1.1.28. **"MoCA"** means Ministry of Civil Aviation, Government of India.
- 1.1.29. **"Metro Stations"** shall mean the three (3) underground stations at (i) CSIA T1 Terminal Forecourt Station, (ii) Sahar Road Station and (iii) CSIA T2 Terminal Forecourt Station for ingress / egress to / from Metro Line 3 located within the Airport Site / CSIA Land, with all associated utilities, access roads etc.
- 1.1.30. **"Metro Line 3"** shall mean the proposed fully underground rail based Mass Rapid Transit System from Colaba to SEEPZ, Mumbai via BKC and Chhatrapati Shivaji International Airport (CSIA), as described in detail in Annexure A hereto.
- 1.1.31. **"MoU"** means this Memorandum of Understanding signed between MMRC and MIAL.
- 1.1.32. **"MoUD"** means Ministry of Urban Development, Government of India.
- 1.1.33. **"O&M"** means the operation and maintenance of the Metro Line 3 during the Operations Period and includes but is not limited to the function of collection and appropriation of tariff and performance of other related services incidental thereto, in accordance with the Applicable Laws.
- 1.1.34. **"OMDA"** means Operation, Management and Development Agreement dated April 4, 2006 (the "OMDA") entered into between Airports Authority of India ("AAI") and MIAL.
- 1.1.35. **"Operations Period"** means the period commencing from the COD and expiring on the Termination Date.
- 1.1.36. **"Over Site Development"** means MIAL's Commercial development on Metro Stations Plots inclusive of superstructure and basement construction, over Metro Stations.
- 1.1.37. **"Package 6"** means Mumbai Metro Line 3 contract package MM3-CBS-UGC-06 framed by MMRC in consultation with MIAL, consisting three underground stations at (i) T1 Terminal Forecourt, (ii) Sahar Road and (iii) CSIA T2 Terminal Forecourt, at CSIA and associated tunnels and all related works including enabling works, for part of Metro Line 3.
- 1.1.38. **"Project"** means the design, development, financing, procurement, construction, erection, installation, operation and maintenance of the Metro Line 3, including but not limited to the following;
- All basic civil structures, including tunnelling, stations and casing including all enabling works;
  - All systems;
  - Rolling stock; and
  - Undertaking all other activities and provision of related services as may be re-

For MMRC:



For MIAL:



quired to complete the construction and undertake the operation and maintenance of the Metro Line 3.

- 1.1.39. **"Recipient"** shall have the meaning ascribed to the term in Clause 12.8.
- 1.1.40. **"Reserved Activities"** shall mean following activities at the locations inside the Metro Stations and within limits, as specified in this MoU:
- a. Advertising activities,
  - b. Development activities,
  - c. Retail activities,
  - d. Routing services / utilities / provisions,
  - e. Connecting metro stations to commercial and other buildings/areas, and
  - f. All other commercial activities in whatsoever form and manner.
- 1.1.41. **"Steering Committee"** shall have the meaning ascribed to it in Section 2.7.
- 1.1.42. **"Taxes"** means all taxes, duties, cess, imposts, fees, levies (including without limitation all Indian central and state government taxes, octroi, excise duties, customs duties, sales tax, value added tax, countervailing duties, works contract tax, service tax and building construction workers' cess etc, imposed from time to time under the laws of India.
- 1.1.43. **"Term"** means the period from the Effective Date until the Termination Date.
- 1.1.44. **"Termination Date"** means the date on which this MoU expires pursuant to the provisions of this MoU or is terminated by mutual consent.
- 1.1.45. **"Works"** shall mean all the work necessary for the design, development, funding, financing, procurement and construction of structures, including Metro Stations, other civil structures including but not limited to tunnelling and casing, utilities, access roads, underpass, skywalks, service plants, services and enabling works in relation to the Project.

## 1.2. Interpretation

In this MoU, unless the context otherwise requires:

- 1.2.1. The singular includes the plural and vice versa and any word or expression defined in the singular shall have a corresponding meaning if used in the plural and vice versa. A reference to any gender includes other gender.
- 1.2.2. A reference to any document, agreement, deed or other instrument (including, without limitation, references to this MoU), includes a reference to any document, agreement, deed or other specified instrument as may be varied, amended, supplemented, re-stated, novated or replaced, from time to time.
- 1.2.3. A reference to any Law includes any amendment, modification, re-enactment or change in interpretation or applicability of such Law and a reference to any statutory body or authority includes a reference to any successor as to such of its functions as are relevant

For MMRC:



For MIAL:



in the context in which the statutory body or authority was referred to.

- 1.2.4. Where a word or phrase has a defined meaning, any other part of speech or grammatical form in respect of the word or phrase has a corresponding meaning.
- 1.2.5. References to a particular article, clause, paragraph, sub-paragraph, section, schedule or annexure shall, except where the context requires otherwise, be a reference to that article, clause, paragraph, sub-paragraph, section, schedule or annexure in or to this MoU, as the case may be.
- 1.2.6. The words 'include' and 'including' are to be construed without limitation. The terms 'herein', 'hereto', 'hereunder', and words of similar purport refer to this MoU as a whole. Where a wider construction is possible, the words 'other' and 'otherwise' shall not be construed ejusdem generis with any foregoing words.
- 1.2.7. In this MoU, headings are for the convenience of reference only and are not intended as complete or accurate descriptions of the content thereof and shall not be used to interpret the provisions of this MoU.
- 1.2.8. A reference to any document, agreement, deed or other instrument (including, without limitation, references to this MoU), means a reference to such document, agreement, deed or other instrument and to all appendices, annexes, schedules and parts attached or relating thereto, all of which shall form an integral part of such document, agreement, deed or other instrument as the case may be.
- 1.2.9. Where in this MoU, provision is made for the giving or issue of any notice, consent, approval, certificate or determination by any person, unless otherwise specified such notice, consent, approval, certificates or determination shall be in writing. Any obligation not to do something shall be deemed to include an obligation not to suffer, permit or cause that thing to be done. An obligation to do something shall be deemed to include an obligation to cause that thing to be done.
- 1.2.10. A right conferred by this MoU to do any act or thing shall be capable of being exercised from time to time.
- 1.2.11. A reference to a 'month' shall mean a calendar month and a reference to 'day' shall mean a calendar day of twenty four consecutive hours beginning at 00.00 hrs (midnight) and ending at 24.00 hrs (midnight) as referred to in local time at Mumbai, India unless otherwise specified. The rule of interpretation which requires that an MoU be interpreted against the person or Party drafting it shall have no application in the case of this MoU.
- 1.2.12. If any provision in this Clause 1 is a substantive provision conferring rights or imposing obligations on any Party, effect shall be given to it as if it were a substantive provision in the body of this MoU.

For MMRC:



For MIAL:





1.2.13. References to a person (or to a word importing a person) shall be construed so as to include:

- i. Individual, firm, partnership, trust, joint venture, company, corporation, body corporate, unincorporated body, association, organization, any government, or state or any agency of a government or state, or any local or municipal authority or a body constituted through Statute or other Governmental Authority (whether or not in each case having separate legal personality);
- ii. That person's successors in title and assigns or transferees permitted in accordance with the terms of this MoU; and
- iii. References to a person's representatives shall be to its officers, Personnel, legal or other professional advisers, subcontractors, agents, attorneys and other duly authorized representatives.

1.2.14. Unless otherwise specified, date or the time periods within or following which any payment is to be made or act is to be done shall be calculated by excluding the day on which the period commences and including the day on which the period ends or the date falls and by extending the period to the following Business Day if the last day of such period is not a Business Day.

## 2. OBJECT AND CONSIDERATION

2.1. In consideration of MMRC undertaking and implementing the development, design, construction, installation, commission of Metro Line 3, in particular three (3) Metro Stations at CSIA & other Facilities those within CSIA Land, inclusive of operations and maintenance of the entire system in particular, the Metro Stations, which shall be beneficial to MIAL, MIAL has agreed to contribute a total of Rs. 777 crores ("Contribution") towards the cost of construction of the three metro stations within CSIA Land including Electro- Mechanical (E&M) System costs in the manner set out herein below, subject to the terms and conditions contained herein which MMRC and MIAL both agree and accept. The payment of the said Rs. 777 (Seven Hundred and Seventy Seven) Crores shall be made by MIAL as under:

(i) Rs.518 crores towards funding of costs of two metro stations i.e. CSIA T1 Terminal Forecourt Station and CSIA T2 Terminal Forecourt Station through levy and collection of Development Fee amounting to Rs.518 Crores and the same shall be subject to determination and approval of AERA;

(ii) Rs 259 crores (being Rs.200 Crores + Rs.59 Crores as detailed in the schedule below) towards funding costs of Sahar Road Metro Station which amount to be paid by MIAL to MMRC.

The detailed process for payment of abovementioned 777 crores shall be as proposed hereinafter.

2.1.1. Both the parties agree that this contribution shall be made by MIAL, subject to AERA's approval to AAI / MIAL for funding of cost of two metro stations through levy

For MMRC:



For MIAL:



and collection of Development Fee. Agreed Schedule of payments is as under:

Period (by 31st March each year)	Cost of T1 & T2 Forecourt Stations (Subject to and as per AERA's Approval for Development Fees) (in crores)	Sahar Road Station (In crores)
Year 1 :2015-16	Rs 30.00	Rs 25.00
Year 2 :2016-17	Rs 70.00	Rs 35.00
Year 3 :2017-18	Rs 75.00	Rs 35.00
Year 4 :2018-19	Rs 75.00	Rs 35.00
Year 5 :2019-20	Rs 75.00	Rs 35.00
Year 6 :2020-21	Rs 75.00	Rs 35.00
<b>Total Amount</b>	<b>Rs. 400.00</b>	<b>Rs. 200.00</b>
<b>E&amp;M (Electro-Mechanical ) Systems Cost</b>		
Year : 2021-22	Rs. 59.00	
Year: 2022-23	Rs. 59.00	
Year: 2023-24	Rs. 59.00	
<b>Total Amount</b>	<b>Rs. 177.00</b>	

Above Schedule is based on assumption that construction work shall commence in the year 2015-16 and shall be completed by the year 2020-21. At any point of time, if there is delay in construction schedule as envisaged by MMRC or there is stoppage of work, MIAL shall approach MMRC for modifying above schedule mutually.


In case aggregate DF collection during the 1st to 6th year is more than Rs. 400 crores MIAL shall pay such excess amount to MMRC ( the excess amount collected each year). In such case payment towards Rs. 177 crores will be adjusted accordingly.

Payment to consultants made by MIAL as per clause 2.10 shall be adjusted from payment to be made to MMRC by MIAL. Such payment to the consultant will be assumed to be equitably distributed for all the three stations.

- 2.1.2. MIAL's contribution shall be towards the cost of complete architectural and structural building works & finishes including building services like Environmental Control System (ECS), power supply, lighting, fire detection and suppression system etc.; for Metro Stations only and shall exclude all systems related to metro rail operations like Rail Systems, Tunnelling, Electrical & Mechanical related to operations, Traction, Track Work, Signalling & Telecommunications, Platform Screen Doors (PSD), Rolling Stock, Tunnel Ventilation, HV Power Supply & Railway Electrification, Auxiliary Substations including Supervisory Control and Data Acquisition (SCADA), Automatic Fare Collection etc.

- 2.1.3. The design and construction schedule of the Metro Stations at CSIA shall be finalised

For MMRC



For MIAL:



by MMRC in consultation with MIAL taking into consideration MIAL's requirement, the airport development needs and complex site conditions, access and the developments proposed above the three metro stations. However, it shall be ensured that all construction works adhere to the station standards being adopted by MMRC for the Metro Line 3 Project and are compatible with the system proposed by MMRC. The acceptance, technical certification of the work and co-ordination for changes required at micro level, for CSIA Stations, station-tunnel interface and interface with other system contractors shall be done by MMRC.

- 2.1.4. All Metro Stations access works, associated underpass, skywalks required for station access for Package 6, at CSIA shall be taken up by MMRC in a separate package, as being done at other metro stations, and utility diversions for Metro Line 3 tunnel work shall be done within CSIA land with consent of MIAL, as it may impact critical operating facilities at the airport. Such consent will not be withheld by MIAL unreasonably.
- 2.1.5. If any deviations from the specifications of MIAL which are agreed with MMRC are noticed, MIAL shall immediately notify MMRC of such deviations and thereupon MMRC shall take necessary corrective measure.
- 2.1.6. Contractor appointed by MMRC shall provide Detail Design & GFC documents for the Metro Stations at CSIA to MMRC. MMRC will provide these details for MIAL's concurrence, which shall not be withheld except in case of deviation from agreed terms. MMRC shall then give final approval of these documents and the Contractor shall construct the Metro Stations in accordance with the same.
- 2.1.7. MMRC will allot to MIAL commercial rights over maximum 500 sq mt area in each of the three (3) Metro Stations, and MIAL shall have no objection for availing of remaining areas required for O&M and any other activities including commercial by MMRC
- 2.1.8. MMRC shall through MMRDA or otherwise, ensure required clearance and removal of encroachments on the CSIA Land required for the project for the implementation of Package 6, construction of staging areas / construction yard, etc. including for enabling works. MIAL shall extend cooperation in the matter.
- 2.1.9. Parties shall constitute a Steering Committee to ensure smooth execution of the project in CSIA land and to enable MIAL's participation in decision making for design and project implementation for three Metro Stations at CSIA.
- 2.2. In order to enable MMRC to carry-out the O&M activities in relation to the Project, in accordance with the terms and conditions contained herein, MIAL hereby agrees to grant to MMRC during the Term, which MMRC agrees and accepts, the right to enter the CSIA Land and use the facilities solely to undertake the Project in accordance with the term and conditions contained herein and after prior written approval of MIAL.
- 2.3. The Parties further agree that MMRC shall have full rights, during the Term and in accordance to the terms and conditions of this MoU:

For MMRC:



For MIAL:





2.3.1. To undertake any of its rights under this MoU on its own or enter into contracts or grant concessions, subject to Clause 4; and

2.3.2. To demand and collect appropriate charges from the users of the Metro Line 3 in accordance with the Applicable Laws.

2.4. Notwithstanding anything contained herein and subject to Clause 2.1.9, MIAL shall have unequivocal and unqualified rights and entitlement to undertake, carry out, license, assign and transfer or to deal with in any other manner the Reserved Activities in the Airport Metro Facilities, in retail areas in Metro Stations, superstructure & basements above Metro Stations, and on the CSIA Land of Metro Station plots, without affecting security and operations of Metro. Metro Station related utility ducts, vent shafts, access systems shall be permitted by MIAL to pass through the basement / areas above Metro Stations.

2.5. Notwithstanding anything contained in this MoU and subject to clause 2.1.1, the total amount to be incurred by MIAL, shall not exceed the Contribution, and is subject to AERA's approval to MIAL for funding of cost of two metro stations through levy and collection of Development Fee amounting to Rs.518 Crores.

**2.6. Acceptance of CSIA Land:**


2.6.1. For the purposes of this MoU, MMRC has and shall be deemed to have obtained for itself all necessary information as could be reasonably obtained as to the risks, contingencies and all other circumstances which may influence or affect its rights and obligations hereunder and its other rights and obligations under or pursuant to this MoU.

2.6.2. MMRC acknowledges and hereby accepts the inputs, cost, time, resources, risks and hazards associated with the performance of its obligations hereunder and hereby agrees that MIAL shall not be liable for the same in any manner whatsoever to MMRC, other than as expressly provided in this MoU.

2.6.3. MMRC shall, at its own cost and expenses, lay and maintain utilities as required for Metro Line 3 & the three (3) Metro Stations at CSIA on CSIA Land upon obtaining prior written approval from MIAL, which shall not be withheld unreasonably, and MMRC shall at its own cost operate the same. Provided that MMRC shall provide MIAL, in writing, for information and record purposes, the layout for the proposed utilities and such other details, as may be required by MIAL in this regard. MMRC agrees that MIAL may at its reasonable discretion cross and / or overlay the utilities laid down by MMRC, including but not limited for the purposes of performing the Reserved Activities provided that this will not affect construction and operation of Metro in any way,

2.6.4. MIAL shall furnish to MMRC all the available information it has in connection with the site conditions, encroachments if any, in respect of or over the land or any other information in relation to the said land which will have effect on the Metro rail work.

For MMRC:



For MIAL:



2.6.5. **Deemed Knowledge and Disclaimer**

Subject to the provisions of this MoU, MMRC shall be fully and exclusively responsible for, and shall bear the financial, technical, commercial, legal and other risks in relation to the Metro Line 3 regardless of whatever risks, contingencies, circumstances and/or hazards may be encountered (foreseen or not foreseen) and notwithstanding any change(s) in any of such risks, contingencies, circumstances and/or hazards on exceptional grounds or otherwise and whether foreseen or not foreseen and MMRC shall not have any right whether express or implied to bring any claim against, or to recover any compensation or other amount from MIAL in respect of the Metro Line 3 in particular, the Metro Stations other than for those matters in respect of which express provision is made in this MoU.

2.7. **Steering Committee:**

2.7.1. In order to ensure smooth and efficient implementation of the Project, Parties shall establish a Steering Committee ("**Steering Committee**") for Package 6 for smooth execution of the project. This Steering Committee shall be chaired by MD, MMRC, and shall have two (2) representatives each of MIAL and MMRC. The decisions taken by the Steering Committee shall be binding on the Parties. The meetings, quorum, decisional process etc. of the Steering Committee shall be decided by the Steering Committee.

2.7.2. The fundamental rules, regulations and procedures of the Steering Committee have been set out in **Annexure B** hereto. Steering Committee shall enable MIAL's participation in decision making for design and project implementation for the three Metro Stations at CSIA.

2.8. **Approval of AAI, MoCA and AERA**

2.8.1 MIAL shall obtain approvals from AAI, MoCA and AERA, wherever necessary, for T1 Terminal Forecourt Station and T2 Terminal Forecourt Station.

2.8.2 MMRC shall arrange to obtain formal approval of AAI for underground right of way and utilization of CSIA Land for Metro 3 Project (including Metro Stations) for the proposed Metro Line 3 Project passing through CSIA site area. MIAL shall provide necessary assistance in this regard. MMRC shall obtain all required approvals / NOCs from Central, State and local agencies, including from Bureau of Civil Aviation Security (BCAS) etc.

2.9. MMRC agrees and acknowledges that they shall use Metro Stations within CSIA only for right of way as contemplated hereunder and shall have no ownership rights of any kind over any part(s) of the CSIA Land including but not limited to the three (3) Metro Stations and Metro Line 3 alignment within CSIA. It is clarified that MIAL shall have absolute right to develop the land area over the Metro Stations (Over Site Development on Metro Stations,

For MMRC:



For MIAL:



including basements and superstructures) MIAL shall ensure that development of the Land above Metro Stations does not cause any safety concerns and or adversely affect the works / maintenance and operation of metro railway. For this purpose, the development proposals and plans will be shared with MMRC. MMRC shall provide NOC for MIAL's Over Site Development on Metro Station plots (for basements and superstructure).

- 2.10. MMRC acknowledges and hereby accepts that any work done by MIAL for the preparation of Concept Plans, design and construction co-ordination through its Consultant/s shall be a part of MIAL's contribution for the said Metro Stations (3 stations) subject to clause 2.1 and shall be part of MMRC's cost for the Project. For the avoidance of doubt it is clarified that MIAL's total contribution of Rs. 777 Crores (Rupees Seven Hundred and Seventy Seven crores only) shall include cost of such works undertaken by MIAL. It is further clarified that the aforesaid MIAL's contribution shall include cost of Concept Plans, & construction co-ordination through Consultants being undertaken by MIAL, and be incurred / spent directly by MIAL from time to time from the contribution referred to above. Any amount spent as above shall be taken into consideration while computing amount as stipulated under Clause 2.1.
- 2.11. MIAL's participation in the Project shall be limited to maximum of Rs. 777 (Rupees Seven Hundred and Seventy Seven) Crores only, till completion of the Project, as provided under Clause 2.1.1, & Clause 2.1.4 and any additional amount required for enabling works or otherwise beyond this amount, shall be contributed by MMRC. MIAL's payment of Rs 518 Crores out of Rs 777 Crores is subject to AERA's approval to MIAL for funding of cost of two metro stations through levy and collection of Development Fee amounting to Rs.518 Crores.
- 2.12. Subject to Clause 2.1.1 & Clause 2.1.4, if MIAL fails to pay the contribution as per agreed terms under this MoU, except when AERA does not approve funding of two metro stations through Development Fees amounting to Rs.518 Crores, MIAL shall pay interest at the rate of 10% pa during the delayed period. Until MIAL pays its entire contribution with interest accrued as may be, MIAL shall not be entitled to use 500 Sq mt of station area for commercial rights provided for in Clause 2.1.7. If MMRC executes any incidental works (excluding proposed structural system with loading and structural requirements of MIAL's Over-site developments as given in MIAL's Concept Plan details / MMRC Tender Documents. i.e. foundations, columns, beams, slabs, retaining walls, etc within the foot print of Metro Station development) which are necessary for MIAL's other commercial/development works, MIAL shall make such additional payments to MMRC. The extent and cost of such works shall be decided and recommended by the Steering Committee.
- 2.13. MMRC hereby agree that in the event it fails to provide complete operational connectivity (i.e. from Colaba to SEEPZ) to Metro Stations at CSIA, as part of Project or terminates the Project fully or partly or abandons the Project for any reason whatsoever, except for Force Majeure reasons, MMRC shall reimburse within one year without interest thereon from the date of such failure the amounts paid by MIAL under this MoU. MMRC shall forthwith va-

For MMRC:



For MIAL:



cate the site and shall have no rights whatsoever on any work or part thereof executed/completed as on date of such failure

### **3. REPRESENTATIONS AND WARRANTIES**

#### **3.1. Representations and Warranties**

Each Party hereby represents and warrants to the other Party that on the Effective Date:

- i. It is duly organized and validly existing under the laws of India and has been in continuous existence since incorporation;
- ii. It has full power and authority to execute, deliver and perform its obligations under this MoU and to carry out the transactions contemplated hereby;
- iii. It has taken all necessary corporate and other action under Applicable Laws and its constitutional documents to authorize the execution, delivery and performance of this MoU.
- iv. The obligations of each Party under this MoU shall be legally valid, binding and enforceable obligations against each other in accordance with the terms hereof;
- v. It has no knowledge of any violation or default with respect to any order, writ, injunction or any decree of any court or any legally binding order of any Governmental Agency which may result in any impairment of its ability to perform its obligations and duties under this MoU; and
- vi. It has complied with all Applicable Laws and has not been subject to any fines, penalties, injunctive relief or any other civil or criminal liabilities which in the aggregate have or may have any unfavourable effect on its financial condition or its ability to perform its obligations and duties under this MoU;

#### **3.2. Disclosure:**

In the event at any time after the date hereof, any event or circumstance comes to the attention of either Party that renders any of its above mentioned representations or warranties untrue or incorrect, then such Party shall immediately notify the other Party of the same. Such notification shall not have the effect of remedying any breach of the representation or warranty that has been found to be untrue or incorrect or adversely affect or release any obligation of either Party under this MoU.

### **4. OBLIGATIONS AND COVENANTS**

#### **4.1. Covenants of MMRC**

- 4.1.1. MMRC shall at its own cost and expense observe, undertake, comply with and perform, in addition to and not in derogation of its obligations elsewhere set out in this MoU, the following:

- i. Shall take into consideration the Domestic & International peak hour re-

For MMRC:



17

For MIAL:





quirements at CSIA, to schedule frequency of train operations to CSIA, particularly at night and early morning, to facilitate airport passengers and employees.

- ii. Undertake and implement the Project and operate and maintain Metro Line 3 in particular, the Metro Stations through selected operator or by itself, so as to facilitate the connectivity of the Airport from Colaba to SEEPZ, in accordance with Applicable Laws and Good Industry Practice,
- iii. Make sure that no Encumbrances created in respect of the Airport Metro Facilities and Project area of Metro Line 3 within CSIA.
- iv. Remove promptly from CSIA Land all surplus construction machinery and materials (including, without limitation, hazardous materials and waste water), rubbish and other debris (including without limitation accident debris) and keep CSIA Land in a neat and clean condition during work under the Project;
- v. Comply with Applicable Laws, including those under the Metro Railway (Construction of Works) Act, 1978 and Metro Railway (Operations & Maintenance) Act, 2002.
- vi. Ensure security of all the three (3) Metro Stations, of all areas of Metro Stations, including access to Metro Stations through Metro Operator / designated security agency.

4.1.2. In case MMRC performs corrective action and/or repairs, rebuilds and / or replaces any part of the facilities pursuant to its obligations under this Contract, the part so corrected, repaired, rebuilt or replaced will be at the cost and expense of MMRC, without there being any recourse against MIAL. In the event of MMRC causing any damage to a facility, the same shall be rectified by MMRC in the shortest possible time.

#### 4.2. Covenants of MIAL

4.2.1. MIAL shall undertake, comply with and perform, in addition to and not in derogation of its obligations elsewhere set out in this MoU, the following:

- I. MIAL shall provide all the Concept Plans and Construction Details related to Architectural building works & finishes including Building Services like ECS, Power Supply, Lighting, Fire detection and Suppression system etc and its revisions if necessary, to MMRC to ensure that no delay is caused on such account in implementation of the Project.
- II. MIAL shall pay Rs 777 Crores of its contribution as per Clause 2.1.1 to MMRC in instalments as stipulated therein.
- III. MIAL shall prepare its Concept Plans of Metro Stations in conformity with the construction/ operation/ maintenance activity performed by MMRC and shall provide the same to MMRC.
- IV. Any proposal for additional specifications / requirements of MIAL shall be routed through the Steering Committee.
- V. MIAL shall endeavour to take all the possible measures/ assistance to facilitate the Project work by the schedule COD.
- VI. MIAL shall provide Right of Way for the Metro Station land area to MMRC, as

For MMRC:



For MIAL:





per Schedule agreed in the letter of MIAL addressed to MMRC enclosed at Annexure E.

4.2.2. MIAL will use commercial rights over upto 500 Sq mt area at each of the three (3) CSIA Metro Stations subject to Clause 2.1.7 and Clause 2.4.

4.2.3. MIAL declares that it has not entered into any agreement, deal or transaction etc. in respect of the land coming under the Project which may have the effect of prohibiting any activity under this MOU.

## 5. CONSTRUCTION, OPERATION & MANAGEMENT

### 5.1. Implementation of the Project

#### 5.1.1. Metro Line 3 Works for three (3) proposed Metro Stations on CSIA Land:

- i. MMRC shall be responsible for the necessary design, development, financing, (including MIAL contribution of Rs 777 Crores) procurement, construction, erection, installation, operation and maintenance of the Metro Line 3 inclusive of the three (3) proposed Metro Stations on CSIA Land, and undertake the Project and all other activities, services and facilities that are required for the Metro Line 3, in accordance with the terms and conditions contained herein. MIAL in no way whatsoever, be liable for any claims or damages, on account of construction of Metro Line 3 by MMRC, except if specifically provided in this MoU. Claims if any, including third party claims at all times shall be the responsibility of MMRC
- ii. MIAL and MMRC hereby agree that MMRC shall undertake the development, design, construction, operation and maintenance of the Metro Line 3, inclusive of Metro Stations (i.e. CSIA T1 Terminal Forecourt, Sahar Road and CSIA T2 Terminal Forecourt) for which concept Drawings shall be provided by MIAL. MMRC appointed Contractor shall provide Detail Design & GFC documents for all the 3 Stations at CSIA, and shall construct the Stations, all operational areas related to Metro Railway operations for execution of works including those related to rail system packages and Operations & Maintenance on terms and conditions set forth in this MoU. The columns of CSIA Metro Stations shall be constructed as per loading requirements for MIAL's Over Site Development, inclusive of superstructure and basements. The loadings and structural requirements for the same shall be as per details provided by MIAL.
- iii. MMRC shall undertake necessary tasks to clear the site area at its own cost / Metro 3 project cost and use it for the Project on a temporary basis. No workers' accommodation / transit camps shall be allowed in this area. MMRC shall approach MIAL in writing for permission which shall not be unreasonably refused for use of CSIA Land for such enabling works on case to case basis. MIAL shall grant necessary permissions without delay to facilitate timely completion of the Project.
- iv. MMRC/ its Contractors shall make their own arrangement for all temporary services for the Construction (water, power, any other utility). MMRC to ensure a clause in the Tender Document / Contract for EPC Contractors to make their own arrangement for temporary services for the Construction (such as water, power, any other utility).
- v. Muck/Soil disposal shall be cleared by MMRC contractor. Storage of soil shall not

For MMRC:



For MIAL:



be permitted on CSIA Land.

5.1.2. MIAL shall, be responsible for preparation of the concept plans, specifications of proposed three (3) Metro Stations on CSIA Land.

5.1.3. Subject to the provisions contained herein MMRC shall undertake necessary measures to clear the site area of construction yard as part of Project Cost and use it for the project on a temporary basis. MMRC shall ensure required slum clearance for the implementation of Package 6.

**5.2. Applicable Permits, Taxes and Other Considerations:**

5.2.1. MMRC will ensure that all materials, equipment, machinery, etc. installed and/or used in relation to the Project including the construction or repair of the Metro Line 3 will be of sound and merchantable quality, that all workmanship shall be in accordance with Good Industry Practices applicable at the time of installation, construction or repair and that each part of the construction will be fit for the purpose for which it is required.

5.2.2. MMRC will ensure that due regard will be given to safety precautions, fire protection, security, transportation, delivery of goods, materials, plant and equipment, and control of pollution.

5.2.3. MMRC shall pay all applicable and due Tax, fees (including any license fees) and other charges, dues, levies, cess, assessments or outgoings payable in respect of the Project. In operation stage, MIAL shall pay applicable tax, fees, etc only on commercial areas allotted to MIAL under cl. 2.1.7. at each station.

**5.3. Maintenance of Work Sites:**

5.3.1. MMRC shall keep CSIA Land and all construction thereupon reasonably clean and otherwise free from accumulation of waste materials and other debris resulting from performance of the Works. MMRC shall remove from CSIA Land all waste materials and other debris, as well as all tools, construction equipment, machinery and surplus material and shall return CSIA Land area in a neat, clean and usable condition.

5.3.2. MMRC shall take all measures to maintain the health and safety of persons and to prevent injury to persons or damage to any property on the Airport Site, or in the vicinity thereof, as a result of MMRC performing the works, including the protection of the existing facilities or facilities or work in progress by MMRC or others in compliance with all Applicable Laws and in accordance with terms and conditions contained in various Applicable Permits.

**5.4. Protection of Existing Utilities:**

5.4.1. MMRC shall protect from damage all existing structures, improvements or utilities

For MMRC:



For MIAL:



at or near or under CSIA Land, and shall repair and restore any damage thereto resulting from MMRC's execution of their works, any such repair or restoration to be at MMRC's cost and expense. MMRC shall perform the Works in respect of the Project in such a way as not to disrupt or interfere with MIAL's existing works and Airport development and operational activities. MMRC shall at its own risks and costs, but with prior written approval of MIAL, which shall not be unreasonably withheld, carry out the relocation of the utilities, underneath the Airport Site, as required for the purposes of the Project.

5.4.2. MMRC shall be responsible at its cost and expense for the handling, treatment, storage, removal, remediation, avoidance, or other appropriate action (if any), with respect to Hazardous Materials present at, in or under, or migrating and/or emanating to or from the Airport Site that were brought or caused to be brought on the Airport Site by any act or omission of MMRC or any of its Contractor pursuant to the performance of the Facilities or resulted from any act and/ or omission of MMRC and/ or any Contractor including the payment of any fines and penalties resulting from acts and / or omissions with respect to handling such Hazardous Materials.

**5.5. Archaeological and Antiquities Remains:**

All archaeological or antiquities remains, including fossils, coins, articles of value or antiquity and structures and other remains or items of geological or archaeological interest discovered on CSIA Land, shall be placed under the care and authority of the MIAL and, to the extent permitted by Applicable Law, shall be the property of MIAL. MMRC shall take all precautions to prevent its staff, labour and other persons from removing or damaging any archaeological or antiquities remains.

**5.6. Security Regulations:**

MMRC shall comply with the security provisions and procedures in respect of the Airport Metro Facilities as enforced by MIAL, or required or mandated by any other relevant Governmental Authority or Applicable Permits. All costs in this regard shall be part of Project cost.

**5.7. Co-operation with MIAL, consultants and contractors:**

MMRC shall co-operate with MIAL's consultants, contractors and MIAL's personnel, as well as any workmen of any legally constituted public authority who may be working on or near CSIA Land in respect of any work assigned under this MoU.

**5.8. MMRC's Responsibility for access to site:**

MMRC shall obtain and maintain all rights of way, easements and such other access rights outside the Airport Site necessary and required for it, its Contractors and suppliers and such other personnel (including personnel transporting goods or supplies) to be used in connection with the facilities to access CSIA Land. MMRC shall ensure that such access roads to CSIA Land shall not be exclusive to MMRC's use and access, but shall be available for use by MIAL and such other persons as shall need to access the CSIA Land in connection with the Facili-

For MMRC:



For MIAL:



ties or this MoU subject to the condition that it should not affect the Project in any way. The cost of providing the access shall be part of Metro 3 Project cost.

**5.9. Design and Engineering:**

5.9.1. MMRC shall design and engineer the Airport Metro Facilities to be created on CSIA Land including the three (3) Metro Stations. MIAL shall prepare and provide concept plans of the Metro Stations at CSIA to MMRC. The Detail Designs and Construction Drawings shall be developed through MMRC appointed consultants and by Design & Build Contractor as per the concept plans.

5.9.2. MMRC shall provide to MIAL, in respect of alignment/viaduct, tunnelling, scheduling and other related aspects of the alignment, for co-ordination, review, information and record purposes, such detailed drawings (including, but not limited to, all layout drawings, detailed construction drawings and approval drawings) (collectively, the "Drawings and Documents") as may be reasonably required by MIAL.

5.9.3. MMRC shall provide schedule & roll out of the Metro Line 3 project with key milestones, particularly for Package 5, 6 and 7, i.e. package related to CSIA Metro Stations, and surrounding packages and revisions if any, as they may impact CSIA's Airport development schedule. MMRC shall accommodate and address MIAL's requirement on the same.

5.9.4. MMRC agrees and undertakes that it shall complete all testing and commissioning related activities in respect of the Project at no additional cost (other than the contribution under Clause 2.1) or expense to MIAL for MMRC's Scope of Work.

5.9.5. MMRC further agrees and undertakes that it is entirely MMRC's responsibility to obtain a certificate from the Commissioner of Metro Railway, upon successful passing of performance test and commissioning of the Project for entire Metro Line 3 including related works carried out for the Stations on CSIA Land.

**5.10. Implementation of O&M works:**

MMRC or its nominated agency shall operate and maintain all areas related to the CSIA Metro Stations at site level, ground level, concourse level, platform level, underpasses, skywalks if any, and all access including all services, from ground to Metro Stations including E&M system passing through parking areas. MMRC shall operate, maintain and undertake all the O&M activities in relation to the Metro Line 3 at its risk, cost and responsibility by itself, or through its Contractors and if required, modify, repair or otherwise make improvements to the Metro Line 3 in compliance with all the requirements set forth in this MoU, Good Industry Practice, Applicable Laws and Applicable Permits:

- i). As far as possible Ensuring required frequency of train operations to CSIA, particularly at night and early morning, as per CSIA Domestic and International peak hour requirements

For MMRC:



For MIAL:



to facilitate Airport Passengers, visitors and Employees within its operational exigencies.

#### **5.11. Sub-contracts and Sub-concessions**

5.11.1. MMRC shall indemnify MIAL in respect of the contractors appointed by MMRC. In the event, any contract or concession granted in relation to the Metro Line 3 by MMRC is not co-terminus with this MoU. MMRC shall be liable and responsible to such counter-parties of MMRC and keep MIAL indemnified.

#### **5.12. Completion Assurance**

MMRC shall take all possible measure to commission the Project on or before the COD.

### **6. COMMERCIAL DEVELOPMENT RIGHTS**

#### **6.1. Retention of Commercial Development Rights:**

The Parties hereby expressly agree that MMRC will allot to MIAL commercial rights over an area upto 500 sq mt at each of the three (3) CSIA Metro Stations, further MIAL shall have absolute right to develop the land area of all three Metro Stations as given in Clause 2.9.

#### **6.2. Facilities at Metro Stations:**

6.2.1. Security facilities at Metro Stations Security screening and checking of Metro Line 3 passengers / other users entering the concourse, from external access points shall be the responsibility of MMRC or MMRC appointed operator. MMRC shall ensure all necessary equipments and security arrangements for the same as per law. Cost of any systems or measures required for the same shall be part of the Project and / or cost of Metro Line 3 operations.

6.2.2. FIDS Interface for Airport Passengers. MMRC acknowledge and agrees that MIAL is entitled to install FIDS equipment in prominent locations in all Metro Stations as mutually agreed by MMRC and MIAL for providing aircraft arrival /departure information for the convenience of Airport passengers.

6.2.3. MMRC / Metro operator shall be solely responsible for maintenance, upkeep all other facilities and services as may be required for efficient operation of Metro Stations and for the entire area handed over to MMRC / Metro operator.

### **7. INSURANCE**

#### **7.1. Insurance:**

MMRC and MIAL shall mutually keep each other harmless against any claims or third party liability with regard to their respective agencies involved in construction activities during the Construction Period and the Operation Period.





## 7.2. Waiver of Subrogation:

All insurance policies supplied by the MMRC and MIAL shall include a waiver of any right of subrogation of the insurers there under against, inter alia, both the parties and its assigns, subsidiaries, Affiliates, employees, insurers and underwriters and of any right of the insurers of any set-off or counterclaim or any other deduction, whether by attachment or otherwise, in respect of any liability of any such person insured under any such policy.

## 8. TERM, EXPIRY & TRANSFER

### 8.1. Term and Expiry

8.1.1. This MoU shall be co-terminus with OMDA.

8.1.2. In the event that the term of the OMDA is extended from 2<sup>nd</sup> May 2036 for a further period, MMRC shall extend the Term hereof by a written notice for an equivalent additional term on the same terms and conditions as contained herein.

## 9. LIABILITY AND INDEMNIFICATION

### 9.1. Liability in respect of Metro Line 3:

MMRC shall be solely responsible for the construction, operation and management of the Metro Line 3 and the Project including 3 (three) Metro Stations at CSIA, and shall have the overall responsibility and liability with respect to Metro Line 3. In no event shall MIAL have any liability or be subject to any claim for damages arising out of the construction operation and maintenance of Metro Line 3 and the Project.

### 9.2. Indemnity:

MMRC and MIAL hereby agree and undertake that from the Effective Date and during the Term and thereafter, they shall indemnify and keep indemnified and otherwise save harmless, both the parties, its agents and employees, from and against all claims, demands made against and / or loss caused and / or damages suffered and/or cost charges / expenses incurred or put to and/or penalty levied and / or any claim due to injury to or death of any person and / or loss or damage caused or suffered to property owned or belonging to, both the parties, its agents and employees or third party as a result of any acts, deeds or thing done or omitted to be done by, both the parties or as a result of failure on the part of both the parties to perform any of its obligations under this MoU or on the both the parties committing breach of any of the terms and conditions of this MoU or on the failure of the both the parties to perform any of its statutory duty and / or obligations or failure or negligence on the part of both the parties to comply with any statutory provisions or as a consequence of any notice, show cause notice, action, suit or proceedings, given, initiated, filed or commenced by any third party or Government Authority or as result of any failure or negligence or default of both the parties or the Contractor(s) (including but not limited to contractor(s) and / or sub-contractors and / or invitees as the case may be ), in connection with or arising out of this MoU and / or arising out of or in connection with both the parties use and occupation of Airport Site and / or Metro Line 3.

For MMRC:



For MIAL:



- 9.3. It is expressly understood by the Parties that this Clause shall survive the termination or expiry hereof.

## 10. OMDA PROVISIONS

### 10.1. OMDA Requirements

- 10.1.1. MMRC hereby expressly understands and acknowledges that the right of MIAL to enter into this MoU with MMRC is subject to the provisions of the OMDA and MMRC further agrees that this MOU is subject to the provisions of OMDA.
- 10.1.2. Upon the termination or expiry of the OMDA howsoever caused, all the rights and obligations of MIAL under this MoU shall stand transferred to and vested in AAI, in terms of the OMDA.
- 10.1.3. Under the OMDA, AAI has step in rights in the event of an emergency (as communicated by GOI, in writing through AAI or otherwise, at its sole discretion), wherein it can temporarily assume control of the Airport in place of MIAL. During the period in which AAI assumes control of the Airport, AAI shall be deemed to be MIAL for the purpose of discharging rights and the obligations of MIAL. The duties and obligations of MIAL shall be suspended during such period and AAI shall operate and maintain the Airport in accordance with the provisions of this MoU.
- 10.1.4. Under the provisions of the OMDA, AAI has a right, upon termination/ suspension of the OMDA, to acquire the land, buildings, structures and other assets at the Airport, including the rights and obligations under this MoU in the manner provided under the OMDA.
- 10.1.5. In the event of AAI exercising, during the term of this MoU, the right as referred to in Clause 10.1.1 and 10.1.2 above, for any reason whatsoever, including termination due to breach of any agreement by MIAL, all such land, buildings, structures and/or other assets at the Airport (including the rights and obligations) shall forthwith stand transferred/reverted to AAI or to such other person as AAI may nominate in this regard, without there being any requirement of further actions of the parties.
- 10.1.6. MMRC undertakes to transfer to AAI or such other person as AAI may nominate, without any protest or demur, all such assets, in respect of which AAI exercises the rights as referred to in Clause 10.1.3 above under the OMDA. It is clarified that, subject to approval of MoCA and AAI, the asset of MMRC created in CSIA land for Metro Line 3 shall remain as property of MMRC and shall not be subject to transfer to AAI.
- 10.1.7. MMRC agrees and acknowledges that in the event AAI exercises rights, as referred to in this Clause 10, the methodology for valuation of such assets for this purpose, shall be as per the relevant provisions of OMDA, subject to MMRC's legal rights under applicable laws.

For MMRC: 

For MIAL: 



10.1.8. Further, MMRC recognizes the right of AAI under OMDA to acquire the Transfer Assets and the Non-Transfer Assets (as defined under OMDA), including the reversion of land, and expressly undertakes that it shall transfer the relevant Transfer Asset and/or Non-Transfer Asset (including the reversion of the underlying land), as the case may be, upon the exercise of such right by AAI. MMRC shall ensure that similar provision is incorporated in all contracts executed by MMRC in relation to this Project at the Airport Site (if relevant Subject to confirmation from perusal of the agreement between AAI and MIAL).

10.1.9. Shareholding details: MMRC represents and warrants that its shareholding details are as set forth in Annexure D of this MoU and hereby consents to the submission of such details to AAI.

## 11. DISPUTE RESOLUTION PROCEDURE

### 11.1. Disputes:

**Amicable Settlement** - The Parties shall use their reasonable endeavours to settle any Dispute amicably. If a Dispute is not resolved within ninety (90) days after a written notice of a Dispute by one Party to the other Party then the provisions of Clause 11.2 shall apply.

- i. If a Dispute arises between the Parties under this MoU, any Party may notify the other party for amicable resolution of the Dispute.
- ii. On receipt of such notice the other party shall inform the Party giving a notice a suitable date for a meeting to resolve the Dispute, which shall not be later than 90 days from the date of the notice.
- iii. The meeting shall be attended by authorised representatives of MMRC and MIAL. If necessary the Parties may decide to hold such further meetings as may be deemed necessary.
- iv. If the amicable resolution has not taken place within ninety (90) days from the date of the notice, the amicable resolution will be treated as failed there upon provisions of Clause 11.2 shall apply to such dispute.

### 11.2. Arbitration :

11.2.1. All Disputes arising under this MoU, that remain unresolved pursuant to Clause 11.1, shall be referred to a tribunal comprising three (3) arbitrators under the Arbitration and Conciliation Act, 1996. Each Party to the arbitration shall appoint one arbitrator each and the two arbitrators thus appointed shall choose the third arbitrator who will act as a presiding arbitrator of the tribunal (together forming the "Arbitral Tribunal").





11.2.2. The decision(s) of the Arbitral Tribunal shall be final and binding on the Parties.

11.2.3. The venue of arbitration shall be Mumbai.

11.2.4. This Clause 11.2 shall survive the termination or expiry of this MoU.

11.2.5. The governing law of the arbitration shall be the substantive laws of India.

**11.3. Continue performance:**

While any Dispute under this MoU is pending, including the commencement and pendency of any Dispute referred to Arbitration, the Parties shall continue to perform all of their respective obligations under this MoU without prejudice to the final determination in accordance with the provisions under this Clause 11.

**12. GENERAL**

**12.1. Amendments :**

No amendment or waiver of any provision of this MoU, nor consent to any departure by any of the Parties there from, shall in any event be effective unless the same shall be in writing and signed by the Parties hereto and then such waiver or consent shall be effective only in the specific instance and for the specific purpose for which it is given.

**12.2. No Waiver; Remedies:**

Subject to any express term in this MoU to the contrary, no failure on the part of any Party to exercise, and no delay in exercising, any right, power or privilege hereunder shall operate as a waiver thereof or a consent thereto; nor shall any single or partial exercise of any such right, power or privilege preclude any other of further exercise thereof or the exercise of any other right, power or privilege. The remedies herein provided are cumulative and not exclusive of any remedies provided by applicable law.

**12.3. Severance of Terms:**

If any provisions of this MoU are declared to be invalid, unenforceable or illegal by any competent arbitral tribunal or court, such invalidity, unenforceability or illegality shall not prejudice or affect the remaining provisions of this MoU which shall continue in full force and effect and in such event, the Parties shall endeavour in good faith to forthwith agree upon a legally enforceable substitute provision as will most closely correspond to the legal and economic contents of the unenforceable provision.

**12.4. Language:**

All notices, certificates, correspondence or other communications under or in connection with this MoU, any other Project Agreement or the Project shall be in English.

For MMRC:



For MIAL:



#### 12.5. Notices:

Any notice to be given hereunder shall be in writing and shall either be delivered personally or sent by registered post, facsimile transmission, electronic mail or other means of tele communication in permanent written form. The addresses and numbers for service of notice shall be given to the parties at their respective addresses set forth below:

i. In case of MMRC:

Mr. R. Ramana  
Executive Director (Planning), MMRC  
Bandra-Kurla-Complex (BKC), Bandra (East),  
Mumbai - 400 051.

ii. In case of MIAL:

Mr. R. K. Jain  
Chief Executive Officer, MIAL  
First Floor, Terminal 1B,  
Chhatrapati Shivaji International Airport, Santacruz, Mumbai 400099

Or such other address or facsimile number as may be notified by that Party to any other Party from time to time, and shall be deemed to have been made or delivered ; (i) in the case of any communication made by letter, when delivered by hand, by recognized international courier or by mail (registered, return receipt requested) at that address and (ii) in the case of any communication made by electronic mail or facsimile, when transmitted properly addressed to such mail ID or facsimile number. In case any Party changes its address, communication numbers, or directed attention as set forth above, it shall notify the other Parties in writing prior to the adoption thereof.

#### 12.6. Governing Law :

This MoU shall be governed by and construed in accordance with the laws of India, and Courts in Mumbai shall have exclusive jurisdiction to try any issues arising out of this MOU.

#### 12.7. Original Document:

This MoU is made in two (2) counter parts, each having the same contents and the Parties have read and thoroughly understood the contents hereof and have hereby affixed their respective signatures and seals before witnesses.

#### 12.8. Confidentiality :

For purposes of this MoU, "Confidential Information" shall mean all written and/or tangible in-

For MMRC:



For MIAL:



formation of either of MIAL or MMRC and includes any information which is the property of either Party to this MoU or which otherwise relates to its business, secrets, dealings, transactions or affairs of a Party (in either case "Owner") to the receiving Party ("Recipient") which is confidential, proprietary and/or not generally available to the public. The Parties shall not disclose all or any part of the Confidential Information to any third party, except

- i. To its professional advisers and bankers on the undertaking that such professional advisers or bankers shall keep such information confidential, or
- ii. If required by law to disclose such Confidential Information.

Notwithstanding the foregoing, information shall not be deemed confidential and the Recipient shall have no obligation with respect to any such information disclosed as above.

#### 12.9. Assignment:

Subject to entitlement of MMRC to enter into a contract for construction / operation and / maintenance of Metro Rail on the basis of Design- Built-Operate, Public Private Partnership, Turnkey or any other or to grant concessions for construction, operation and / maintenance of metro rail, MMRC shall have no right to assign, transfer, mortgage, charge, sub-let, deal with, sub-contract, sub-license or otherwise grant rights in or over all or any rights, all or any of its benefits or all or any of its obligations or liabilities under this MoU or create any other encumbrance upon all or any of its rights hereunder either in full or in part.

#### 12.10. Waiver of Immunity

Both the parties hereby agree that the execution, delivery and performance by it of this MoU constitute private and commercial acts rather than public or governmental acts and accordingly, no immunity from proceedings brought against it or its assets in relation to this MOU shall be claimed on the ground that the execution, delivery and performance by it of this MOU constitute public or governmental acts.

#### 12.11. Change in Law

It is expressly clarified that any event or occurrence after the execution of this MoU that may constitute a 'change in law' or alleged 'change in law' shall not be a ground for any alteration or amendment to any term hereof or of any rights and obligations flowing from this MoU. The rights and obligations hereunder shall not be prejudiced by any event that may constitute a 'change in law' or an analogous event or circumstance.

#### 12.12. Time is of the Essence

Time shall be of the essence of this MoU, both as regards the dates, periods or times of day mentioned and as regards any dates, period or times of day, which may be substituted for them in accordance with this MoU.



### 12.13 Survival

Clauses 11 and 12 shall continue to bind the Parties notwithstanding the termination or expiry of this MoU.

IN WITNESS WHEREOF, the Parties hereto, acting through their authorized representatives, have caused this Memorandum of Understanding to be signed in their respective names, as of the date first above written.

Mumbai Metro Rail Corporation Limited  
(MMRC)

Signature: \_\_\_\_\_


Name: Mr. R. Ramana



Designation: Executive Director (Planning),  
MMRC

Witnesses:

1.



(C.R.K. SHARMA)

2. 

(C.R. Nandargikar)

Mumbai International Airport Private Limited  
(MIAL)

Signature: \_\_\_\_\_

Name: Mr. R.K. Jain




Designation: Chief Executive Officer, MIAL

1. 

(CHARU KHANNA)

2.



(ASHOK BHOSALE)

For MMRC: \_\_\_\_\_



For MIAL: \_\_\_\_\_



## ANNEXURE A

### Metro Line 3:

Rail based Mass Rapid Transit System on Colaba-Bandra-SEEPZ Corridor, Mumbai via airport, covering a length of 33.5 km (fully underground) at a completion cost of Rs.23,136 Crores (As approved by Govt), implemented by Mumbai Metro Rail Corporation Limited (MMRC), with 26 total stations under the Legal Framework of the Metro Railways (Construction of Works) Act, 1978, the Railways Act, 1989 and the Metro Railways (Operation and Maintenance), Act, 2002, as amended through the Metro Railways (Amendment) Act, 2009. This line connects with 6 CBDs and CSIA etc. The alignment would have seven interchanges, 3 with Western Railway, one each with Central Railway, Monorail, Metro Line 1 and 2.

### Metro Stations at CSIA:

The proposed Metro Line 3 alignment passes through, and serves Chhatrapati Shivaji International Airport (CSIA) site area. In the light of this, Metro Line 3 alignment and stations located within CSIA site area have been prepared as per the needs & requirements of transport connectivity to CSIA and proposed airport development needs. The entire Metro Line 3 connecting the city centers (Colaba, BKC) to the airport has been planned as an underground metro line and shall have three (3) Metro Stations within CSIA site area, one located in the Santacruz Domestic Terminal T1 forecourt, second located in the Sahar International Terminal T2 forecourt to provide access to both domestic and international airport users, and the third located in International Airport Division (IAD) / MIAL Colony in Sahar. The third station is located in IAD colony to provide access to CSIA Cargo Terminal employees / visitors, non aeronautical development related employees / visitors, and residents of NAD, CPWD colonies, gaathans and non CSIA area in Sahar, and the other users of MRTS System. The planned underground Metro Line 3 within CSIA site area is approximately 4.6 km in length.

For MMRC:



For MIAL:



## ANNEXURE B

### Steering Committee

Steering Committee shall be constituted between MMRC and MIAL in order to ensure smooth and efficient implementation of the Project. Parties shall establish a Metro Line 3 Steering Committee ("Steering Committee") that will work as a nerve centre (mission control) for all information, processes and decisions on implementation of the Project.

This Steering Committee shall be chaired by MD, MMRC and shall have two (2) each representatives of MIAL and MMRC. The decisions taken by the Steering Committee shall be binding on the Parties. The meetings, quorum, decisional process etc of the Steering Committee shall be decided by the Steering Committee.

Steering Committee shall ensure and enable MIAL's participation in decision making for design and project implementation for Package 6 in general and for the three Metro Stations at CSIA in particular. Steering Committee from time to time shall review the progress of the work being executed by MMRC.

For MMRC:



For MIAL:



ANNEXURE C - DRAWINGS




FIGURE 1: INDICATIVE METRO LINE 3 ALIGNMENT IN CSIA

For MMRC:

*[Signature]*

For MIAL:

*[Signature]*






FIGURE 2 INDICATIVE T1 FORECOURT STATION GROUND LEVEL DRAWING

For MMRC: [Signature]




For MIAL: [Signature]






SEEP2

COLUMBIA



REVIEW COMMENTS/REVISIONS	DATE	BY	APP'D
1. REVIEW COMMENTS/REVISIONS	10/10/2017	10/10/2017	10/10/2017
2. REVIEW COMMENTS/REVISIONS	10/10/2017	10/10/2017	10/10/2017
3. REVIEW COMMENTS/REVISIONS	10/10/2017	10/10/2017	10/10/2017
4. REVIEW COMMENTS/REVISIONS	10/10/2017	10/10/2017	10/10/2017
5. REVIEW COMMENTS/REVISIONS	10/10/2017	10/10/2017	10/10/2017
6. REVIEW COMMENTS/REVISIONS	10/10/2017	10/10/2017	10/10/2017
7. REVIEW COMMENTS/REVISIONS	10/10/2017	10/10/2017	10/10/2017
8. REVIEW COMMENTS/REVISIONS	10/10/2017	10/10/2017	10/10/2017
9. REVIEW COMMENTS/REVISIONS	10/10/2017	10/10/2017	10/10/2017
10. REVIEW COMMENTS/REVISIONS	10/10/2017	10/10/2017	10/10/2017


FIGURE 3 INDICATIVE T1 TERMINAL FORECOURT STATION CONCOURSE LEVEL DRAWING

For MMRC: 

For MIAL: 




**COLABA**



**FIGURE 4: INDICATIVE T1 TERMINAL FORECOURT STATION PLATFORM LEVEL DRAWING**

**For MMRC:**

**F VIAL:**



OVER SITE DEVELOPMENT

Overall Height (incl. 1st floor)  
Rooftop  
Flooring 2nd floor (1st floor / 1st floor)

Masterpiece 1  
Masterpiece 2  
Masterpiece 3

Construction (1st floor / 1st floor)

SECTION 3 SECTION DEVELOPMENT  
OVER SITE DEVELOPMENT BY MIA

SECTION 3 SECTION DEVELOPMENT  
OVER SITE DEVELOPMENT BY MIA


FIGURE 6 INDICATIVE T1 FORECOURT STATION SECTION DRAWING



For MMRC:

For MIAL:

محمد




**FIGURE 6 INDICATIVE SAHAR ROAD GROUND LEVEL DRAWING**

For MMRC:

*[Signature]*

For MIAL:

*[Signature]*


























FIGURE 7 INDICATIVE SAHAR ROAD STATION CONCOURSE LEVEL DRAWING



85EPZ

COLABA






FIGURE 8 INDICATIVE SAHAR ROAD STATION PLATFORM LEVEL DRAWING

For MMRC: 

For MIAL: 




For MMRC:

*[Signature]*

For MIAL:

*[Signature]*



SECTION 1

OVER SITE DEVELOPMENT

OVER SITE DEVELOPMENT

FIGURE 9 INDICATIVE SAHAR ROAD SECTION DRAWING



For MMRC:



For MIAL:

*[Signature]*




FIGURE 10 INDICATIVE T2 TERMINAL FORECOURT STATION GROUND LEVEL DRAWING



For MMRC: *[Signature]*



For MIAL: *[Signature]*






FIGURE 11 INDICATIVE T2 TERMINAL FORECOURT STATION CONCOURSE LEVEL DRAWING

For MMRC:

*[Signature]*

For MIAL:

*[Signature]*



For MMRC: *[Signature]*

For MIAL: *[Signature]*




FIGURE 13 INDICATIVE T2 TERMINAL FORECOURT STATION SECTION DRAWING

#### ANNEXURE D - SHAREHOLDING OF MMRC

MMRC is a Special Purpose Vehicle (SPV) Company registered under Company's Act, 1956, jointly owned by Government of India and Government of Maharashtra with the following share holding pattern:

Government of India (GoI) - 50%

Government of Maharashtra (GoM) - 50%

For MMRC: 

For MIAL: 



## Annexure- 3 Photographs of CER

### Corporate Environmental Responsibility

#### Project Details under following categories,

- I. Promoting education to the under privileged children, supporting socially backward people and helping differently abled people.
- II. Ensuring environmental sustainability, ecological balance, protection of flora and fauna and conservation of natural resources
- III. Providing emergency medical care, Preventive health care, sanitization, and safe drinking water.

#### 1. Supporting a School in Nelgunda area, Gadchiroli

Lok Biradari Prkalp (Maharogi Sewa Samiti)



In support of educational and sanitation facilities for tribal children, MIAL supported a school in Nelgunda area, Hemalkasa, Maharashtra.

## 2. Supporting Education through Aseema Charitable Trust

MIAL had partnered with “Aseema Charitable Trust” for a project “**Supporting education of underprivileged children**” in MCGM school in Bandra –Kherwadi area.



This program not only covered their academic education but also overall personality and health development.

## 3. Women Empowerment

NGO– EKJAA foundation




MIAL partnered with EKJAA foundation for a project on “Self-defense training -Women empowerment program” in the surrounding slum areas at Kalina.

## 4. Afforestation at degraded forest land in Tetavali-Rabale, Navi Mumbai, Maharashtra.

NGO Partner: Hariyali





33-acre degraded forest land is assigned by Social Forestry division - Maharashtra Forest Department (GOM) to NGO Hariyali. MIAL adopted 3 acres of the degraded forest land and planted Indigenous trees and will see its maintenance for 7 years in association with Hariyali.

#### 5. Distribution of LED Solar lamps in tribal areas of Sanjay Gandhi National Park.



Solar LED lamps distributed to the tribals living in the SGNP forest. The initiative has immensely help the tribals, who have no access to electricity.

#### 6. Providing hygienic nutritious mid day meals to underprivileged students from our local community, Maharashtra.

~6750 high quality and nutritious meals provided to children through MIAL support.

The meals are provided from ISO 9001 certified kitchens and process which reach hot to students.



**7. Education and vocational training for deaf students through, Basic English Literacy Course (BELC) in Two Special Schools & Tailoring Vocation Unit in a Special School for Deaf in Mumbai, Maharashtra**

NGO Partner: DEEDS Public Charitable Trust, Mumbai

Approx. 66 deaf students benefited from BELC and Tailoring trainings conducted across three special schools.



**8. Providing education support through scholarships to meritorious underprivileged students from our local community, Maharashtra.**

NGO Partner: UMANG Foundation

22 Students were given MIAL Scholarship for further studies.

Students were selected on their merit and with low-income group, from across Maharashtra.



Students perusing various under graduate and post graduate programs were provided scholarship (HSC, B.A, B.COM,B.SC, B.MS, B.AF, B.E)



**9. Set up a computer lab for underprivileged girl students of Nirmalamata Girls High School, Maharashtra.**

NGO Partner: CANOSSA Society

Approx. 700 students at the girls school were benefitted with quality computer education through upgraded new and more numbers of computers.



**10. Constructing Toilets for students of Zilla Parishad School catering to majorly underprivileged students in Shahapur District of Maharashtra.**



NGO Partner: Umang Foundation

Project had ensured proper hygiene & sanitation for students especially girls. Approx. 300 students of the ZP school are benefited and promoted education by decreasing absenteeism due to illness and dropouts of girls due to lack of sanitation facilities.

**11. Initiating Leprosy Elimination Action Programme (LEAP) in Leprosy Referral Centre (LRC) in Mahad & Murud Block each in Raigad District, Maharashtra.**

NGO Partner: ALERT-INDIA



Provision of physiotherapy to existing patients to arrest disability.  
Provision of Aids & appliances (MCR-9, Self-Care Kits-27) for disability care.  
Awareness materials were provided through ASHA workers to people.



## **12. Providing primary health care facility to the underprivileged migrant community, Delhi.**

NGO Partner: Adharshila

MIAL provided health care support to migrants from underprivileged background leaving in slums of Delhi from October 2019 to December 2019.

Through this program MIAL supported the healthcare OPD cost of more than 1000 patients.



## **13. Vision Screening & Free Corrective Spectacle distribution to Airport taxi drivers – Road Safety Initiative, Sahar, Mumbai, Maharashtra.**

NGO Partner – Vision Impact Institute



In June 2017, MIAL in association with NGO partner, organized a free Vision Screening and Spectacle Distribution camp for Airport Taxi Drivers.

More than 800 drivers took benefit of the 2-day eye checkup camp.

685 numbers of free corrective spectacles distributed.

32 drivers referred to Free Cataract Surgery & affordable interventions.

**14. Providing Hearing Aid to Senior Citizen, Mumbai, Maharashtra.  
NGO Partner – Yuvak Prtishthan**

MIAL supported Yuvak Prtishthan a registered Trust with GoM for distribution of "Hearing Aid" to senior citizens in Mumbai, Maharashtra. Financial support was provided for ~500 no of hearing aid (@ INR 1000/hearing aid).



**15. Waste Management for Community Health (Providing 125 waste collection bins to local community 'L Ward', Jarimari, Mumbai, Maharashtra.**



Distributed 125 numbers of waste bins of 120-liter capacity to meat/chicken shops in 'L' Ward in Jarimari in co-ordination with MCGM.



Distribution ceremony jointly held with MCGM by MIAL served as a platform to disseminate message of "Need of proper waste management" to the attendees. All the beneficiaries committed to proper waste management.

**16. Provided Rainwater Harvesting system for the non-potable use/requirement of a Zilla Parishad School catering to majorly underprivileged students in Shahapur District of Maharashtra.**

NGO Partner: Umang Foundation

Approximately 45 to 50 thousand liters of water percolated in a day by the installed RWH system which helped in increasing ground water table.



**17. Tree Plantation by Miyawaki Method at State Reserved Police Force, Ground by Mumbai International Airport Limited**

Location: SRPF GR 8, Goregaon, Mumbai

Around 1507 Nos. total trees planted of 27 native species on 5 June 2023.



<b>Annexure- 4</b>	Standard EC conditions compliance status
--------------------	--

<b>Standard EC conditions for project/activity 8(a/b): Building and Construction projects/townships and area developments</b>			
	<b>Statutory Compliance</b>	<b>City side EC 2020</b>	<b>Remarks</b>
	<b>Condition No.</b>	<b>Condition No.</b>	
<b>I</b>	i	General condition No. II	Complied. Refer to the condition number as mentioned in six monthly EC 2020 report
	ii	General condition No. II	Complied. Refer to the condition number as mentioned in six monthly EC 2020 report
	iii	Specific condition No. III	Not applicable
	iv	Specific condition No. III	Not applicable
	v	Specific condition No. VI	Complied. Refer to the condition number as mentioned in six monthly EC 2020 report
	vi	Specific condition No. XXVII	No ground water extraction is carried out
	vii	-	Complied
	viii	Specific condition No. XIX	Complied. Refer to the condition number as mentioned in six monthly EC 2020 report
	ix	General condition No. I and IX	Complied. Refer to the condition number as mentioned in six monthly EC 2020 report
	x	Specific condition No. XXXIII and XXIV	Complied. Refer to the condition number as mentioned in six monthly EC 2020 report
<b>II</b>	<b>Air quality monitoring and preservation</b>	<b>City side EC 2020</b>	
	i	-	Complied
	ii	Specific condition No. XXII	Complied. Refer to the condition number as mentioned in six monthly EC 2020 report
	iii	-	Complied
	iv	Specific condition No. XXXV	Complied. Refer to the condition number as mentioned in six monthly EC 2020 report
	v	Specific condition No. XXII	Complied. Refer to the condition number as mentioned in six monthly EC 2020 report
	vi	-	Complied. Refer to the condition number as mentioned in six monthly EC 2020 report
	vii	-	Noted for compliance
	viii	-	Complied. Refer to the condition number as mentioned in six monthly EC 2020 report
	ix	Specific condition No. XVII	Complied. Refer to the condition number as mentioned in six monthly EC 2020 report
	x	Specific condition No. XXXV	Complied. Refer to the condition number as mentioned in six monthly EC 2020 report
	xi	Specific condition No. XXXV	Complied. Refer to the condition number as mentioned in six monthly EC 2020 report
	xii	Specific condition No. XXXIX	Complied. Refer to the condition number as mentioned in six monthly EC 2020 report
<b>III</b>	<b>Water quality monitoring and preservation</b>	<b>City side EC 2020</b>	
	i	Specific condition No. XIII	Complied. Refer to the condition number as mentioned in six monthly EC 2020 report

	ii	-	Noted for compliance
	iii	-	Complied. Refer to the condition number as mentioned in six monthly EC 2020 report
	iv	Specific condition No. XLII	Complied. Refer to the condition number as mentioned in six monthly EC 2020 report
	v	-	Complied. Refer to the condition number as mentioned in six monthly EC 2020 report
	vi	-	Noted for compliance
	vii	Specific condition No. XXX	Complied. Refer to the condition number as mentioned in six monthly EC 2020 report
	viii	Specific condition No. XXXI	Complied. Refer to the condition number as mentioned in six monthly EC 2020 report
	ix	Specific condition No. XXX	Complied. Refer to the condition number as mentioned in six monthly EC 2020 report
	x	Specific condition No. XXIV	Complied. Refer to the condition number as mentioned in six monthly EC 2020 report
	xi	-	Noted for compliance
	xii	-	Noted for compliance
	xiii	-	Noted for compliance
	xiv	Specific condition No. XXIX	Noted for compliance
	xv	Specific condition No. XXIX	Noted for compliance
	xvi	Specific condition No. XLII	Complied. Refer to the condition number as mentioned in six monthly EC 2020 report
	xvii	Specific condition No. XXVIII	Complied. Refer to the condition number as mentioned in six monthly EC 2020 report
	xviii	Specific condition No. XI	Complied. Refer to the condition number as mentioned in six monthly EC 2020 report
	xix	Specific condition No. XXVIII	Complied. Refer to the condition number as mentioned in six monthly EC 2020 report
	xx	Specific condition No. XXVIII	Complied. Refer to the condition number as mentioned in six monthly EC 2020 report
	xxi	-	Noted for compliance
IV	<b>Noise quality monitoring and preservation</b>	<b>City side EC 2020</b>	
	i	Specific condition No. XXI and XXXVI	Complied. Refer to the condition number as mentioned in six monthly EC 2020 report
	ii	Specific condition No. XLII	Complied. Refer to the condition number as mentioned in six monthly EC 2020 report
	iii	-	Noted for compliance
V	<b>Energy conservation measures</b>	<b>City side EC 2020</b>	
	i	Specific condition No. XXXIII	Complied. Refer to the condition number as mentioned in six monthly EC 2020 report
	ii	-	Noted for compliance
	iii	Specific condition No. XXXIX	Complied. Refer to the condition number as mentioned in six monthly EC 2020 report
	iv	Specific condition No. XXXIV	Complied. Refer to the condition number as mentioned in six monthly EC 2020 report
	v	Specific condition No. XXXIV	Complied. Refer to the condition number as mentioned in six monthly EC 2020 report

	vi	-	Noted for compliance
VI	<b>Waste Management</b>	<b>City side EC 2020</b>	
	i	Specific condition No. XLIV	Complied. Refer to the condition number as mentioned in six monthly EC 2020 report
	ii	Specific condition No. IX and X	Complied. Refer to the condition number as mentioned in six monthly EC 2020 report
	iii	Specific condition No. IX	Complied. Refer to the condition number as mentioned in six monthly EC 2020 report
	iv	Specific condition No. XLIV	Complied. Refer to the condition number as mentioned in six monthly EC 2020 report
	v	Specific condition No. IX	Complied. Refer to the condition number as mentioned in six monthly EC 2020 report
	vi	Specific condition No. XVII	Complied. Refer to the condition number as mentioned in six monthly EC 2020 report
	vii	Specific condition No. XXIII	Complied. Refer to the condition number as mentioned in six monthly EC 2020 report
	viii	Specific condition No. XXIII	Complied. Refer to the condition number as mentioned in six monthly EC 2020 report
	ix	Specific condition No. XVII	Complied. Refer to the condition number as mentioned in six monthly EC 2020 report
	x	Specific condition No. XXXIV	Complied. Refer to the condition number as mentioned in six monthly EC 2020 report
VII	<b>Green cover</b>	<b>City side EC 2020</b>	
	i	-	Noted for compliance
	ii	-	Noted for compliance
	iii	Specific condition No. XLIII	Complied. Refer to the condition number as mentioned in six monthly EC 2020 report
	iv	Specific condition No. XII	Complied. Refer to the condition number as mentioned in six monthly EC 2020 report
VII I	<b>Transport</b>	<b>City side EC 2020</b>	
	i	-	Noted for compliance
	ii	Specific condition No. XX	Complied. Refer to the condition number as mentioned in six monthly EC 2020 report
	iii	Specific condition No. XXXVII	Complied. Refer to the condition number as mentioned in six monthly EC 2020 report
IX	<b>Human health issues</b>	<b>City side EC 2020</b>	
	i	Specific condition No. X	Complied. Refer to the condition number as mentioned in six monthly EC 2020 report
	ii	Specific condition No. XXXIX	Complied. Refer to the condition number as mentioned in six monthly EC 2020 report
	iii	Specific condition No. XXXIX	Complied. Refer to the condition number as mentioned in six monthly EC 2020 report
	iv	-	Noted for compliance
	v	-	Noted for compliance
	vi	-	Noted for compliance
X	<b>Corporate Env. Responsibility</b>	<b>City side EC 2020</b>	
	i	Specific condition No. IV	Complied. Refer to the condition number as mentioned in six monthly EC 2020 report

	ii	Specific condition No. XLII	Complied. Refer to the condition number as mentioned in six monthly EC 2020 report
	iii	Specific condition No. XLVIII	Complied. Refer to the condition number as mentioned in six monthly EC 2020 report
	iv	Specific condition No. XLIX	Complied. Refer to the condition number as mentioned in six monthly EC 2020 report
XI	<b>Miscellaneous</b>	<b>City side EC 2020</b>	
	i	Specific condition No. L	Complied. Refer to the condition number as mentioned in six monthly EC 2020 report
	ii	Specific condition No. LII	Complied. Refer to the condition number as mentioned in six monthly EC 2020 report
	iii	Specific condition No. LII	Complied. Refer to the condition number as mentioned in six monthly EC 2020 report
	iv	Specific condition No. LIII	Complied. Refer to the condition number as mentioned in six monthly EC 2020 report
	v	Specific condition No. LV	Complied. Refer to the condition number as mentioned in six monthly EC 2020 report
	vi	-	Noted for compliance
	vii	-	Noted for compliance
	viii	-	Noted for compliance
	ix	-	Noted for compliance
	x	-	Noted for compliance
	xi	-	Noted for compliance
	xii	-	Noted for compliance
	xiii	-	Noted for compliance
	xiv	-	Noted for compliance
	xv	-	Noted for compliance





## Maharashtra Pollution Control Board

महाराष्ट्र प्रदूषण नियंत्रण मंडळ

### FORM FOR FILING ANNUAL RETURNS

[To be submitted by producer/manufacturer/refurbisher/dismantler/recycler/bulk consumer by 30th day of June following the financial year to which that return relates]

**Submitted For**

April 2024-March 2025

**Apply As**

Bulk Consumer

**1. Name of the Bulk Consumer**

Mumbai International Airport Limited

**Address of the Bulk Consumer /recycler**

Chhatrapati Shivaji Maharaj International Airport (CSMIA), Terminal 1, Santacruz (East), Mumbai

**2. Name of the authorised person**

Vinay Bedekar

**Full address of authorised person**

Chhatrapati Shivaji Maharaj International Airport (CSMIA), Terminal 1, Santacruz (East), Mumbai

**Telephone**

02266850778

**Email**

vinay.bedekar@adani.com

**Fax**

0

**3. BULK CONSUMERS:**

**Type**

Others - Others

**Quantity(MT)**

5.32

**4. Name of the destination where E-waste is channelized**

Khan Traders / B-5, Site-4, Panki Industrial area, Kanpur-208020 (U.P)

**Address of the destination where E-waste is channelized**

Khan Traders / B-5, Site-4, Panki Industrial area, Kanpur-208020 (U.P)

**Place**

Mumbai

**Date**

Jun 30, 2025



Annexure- 6 Occupancy certificate



MUMBAI METROPOLITAN REGION DEVELOPMENT AUTHORITY

मुंबई महानगर प्रदेश विकास प्राधिकरण

No. TCP(P-2)/MIAL/CC/3.14/497/2016

Date: 24 MAY 2016

To,

The Executive Engineer  
Building Proposal – WS,  
MCGM Office, K&P Ward, R.K. Patkar Marg,  
Bandra (W), Mumbai – 400 050.

Sub: Occupancy Certificate to 'Multi Level Car Parking' building on part of plot bearing CTS No. 2085 (pt) at village Vile Parle (E), Mumbai.

Ref : MMRDA's DO no.TCP(P-2)/BKC/Misc./296/102/2009, dated 30/01/2009

Sir,

MMRDA is the Special Planning Authority for Chhatrapati Shivaji International Airport Notified Area (CSIANA). The Metropolitan Commissioner, MMRDA has approved the proposal for issuance of Occupancy Certificate for 'Multi Level Car Parking Building' (i.e. 2basements + ground + 4upper floors) on part of land bearing CTS No. 2085 (pt) at village Vile Parle (E), Mumbai for Mumbai International Airport Pvt. Ltd., pursuant to the policy enunciated in MMRDA's DO Letter No. TCP (P-2)/BKC/Misc./296/102/2009, dated 30/1/2009.

MMRDA is the Special Planning Authority for Chhatrapati Shivaji International Airport Notified Area (CSIANA). Pursuant to the policy enunciated in MMRDA's D.O. letter no.TCP (P-2)/BKC/Misc./296/102/2009 dated 30/01/2009, this is to inform you that the Metropolitan Commissioner, MMRDA has approved the proposal for issuance of Occupancy Certificate to the 'Multi Level Car Parking Building' i.e. 2basements + ground + 4upper floors on part of land bearing CTS No. 2085 (pt) at village Vile Parle (E), Mumbai, as per the copy of the completion plans shown on drawings no. 1, 2, 3, 4, 5, 6 and 7 enclosed herewith, along with copy of Occupancy Certificate for 'Multi Level Car Parking Building' (i.e. 2basements + ground + 4upper floors) is issued by MMRDA to the Architect Mr. Hiten Sethi.

Yours faithfully,

Chief,

T&CP Division, MMRDA

Encl : 1) Occupancy Certificate for Multi-Level Car Parking Bldg (2basement+grd+4upper flrs).

2) A set of certified completion drawings bearing nos.1, 2, 3, 4, 5, 6 and 7.

3) MMRDA's D.O. letter no. TCP(P-2)/BKC/Misc./296/102/2009, dated 30/01/2009.

Copy to:

1. Mr. Hiten Sethi (Architect),  
Hiten Sethi Architects,  
Ground Floor, Yayati CHS, Plot No.9, Sector – 58A,  
Palm Beach Road, Nerul, Navi Mumbai 400 706.

2. Shri. Charudatta Deshmukh,  
Director – Urban Planning, MIAL,  
Urban Planning Dept., 2<sup>nd</sup> Floor, Terminal 1-B,  
Chhatrapati Shivaji International Airport,  
Santacruz (E), Mumbai - 400 099.

Received on 25/05/2016

D.No. 112

C/o. Director-Urban Planning  
M.I.A.L., CSI Airport, Mumbai - 400 099

Bandra - Kurla Complex, Bandra (East), Mumbai - 400 051.

EPABX : 2659 0001 - 04 / 2659 4000 • FAX : 2659 1264 • WEB SITE : <https://www.mmrda.maharashtra.gov.in>



**MUMBAI METROPOLITAN REGION DEVELOPMENT AUTHORITY**  
**मुंबई महानगर प्रदेश विकास प्राधिकरण**

No. TCP (P-2)/MIAL/CC/3.14/ 797 /2016

Date: 4 MAY 2016

**OCCUPANCY CERTIFICATE**

The total built-up area of 4,023.19sqm for **02 basement + ground + 04 upper floors** of **Multi Level Car Parking building** on part of plot bearing CTS No. 2085 (pt) at village Vile Parle (E), Mumbai completed under the supervision of Mr. Hiten Sethi, architect at Hiten Sethi Architects having registration no. CA/93/16484 and Structural Engineer H.R. Mahimtura, having license no. STR/M/63, as reflected in set of as-built drawings having drawing no. 01 to 07 (total drawings 07 nos) is hereby permitted to be occupied on the following conditions:

- 1) This certificate is liable to be revoked by the Metropolitan Commissioner, MMRDA if -
  - a) Any of the conditions subject to which the same is granted or any of the restriction imposed by the Metropolitan Commissioner is contravened or is not complied with;
  - b) The Metropolitan Commissioner, MMRDA is satisfied that the same is obtained through fraud or misinterpretation;
- 2) This permission is issued without prejudice to action, if any, under MR&TP Act, 1966;
- 3) That any change in the constructed premises any time in future would require prior approval of MMRDA;
- 4) That any change in the user in future would require prior approval of MMRDA;
- 5) That if any change in the user mentioned in completion/as built plans found changed at any time without prior permission of MMRDA then this occupancy certificate granted to your premises will be treated as cancelled and appropriate action will be taken;
- 6) This Certificate shall not entitle the applicant to occupy the land which is not in his ownership in any way;
- 7) The provisions in the proposal which are not confirming to applicable Development Control Regulations and other Acts are deemed to be not approved;
- 8) Any condition mentioned in any of the NOC from any Concerned Authority shall be complied with before occupying the property under reference;
- 9) A set of amended as-built drawings (Drawing nos. 1, 2, 3, 4, 5, 6 & 7 (i.e. total drawings 07 nos) is enclosed herewith;
- 10) That the certificates under Section 270-A of B.M.C. Act shall be obtained from Hydraulic Engineer, MCGM and a certified copy of the same shall be submitted to this office;
- 11) The applicant shall comply with MCGM's Circular no. CHE/27921/DP/ Gen; dated 06/01/2014 [in respect of preservation of documents mentioned at sr. no. (a) to (k) therein];
- 12) The applicant shall obtain NOC/License for Car lift from Lift Inspector, PWD before putting the Car lift into operation and submit the same to MMRDA only after which Acceptance of Building Completion Certificate for the building will be issued by MMRDA.

  
Additional Metropolitan Commissioner  
MMRDA

Enclosures: As-built drawing no.1 to 07 (total drawings 07 nos).

Copy to: 1) **Mr. Hiten Sethi (Architect),** \_\_\_\_\_  
Hiten Sethi Architect,  
Ground Floor, Yayati CHS, Plot No.9, Sector - 58A,  
Palm Beach Road, Nerul, Navi Mumbai 400 706.

2) **Shri. Charudatta Deshmukh,** \_\_\_\_\_  
**Director - Urban Planning, MIAL,**  
Urban Planning Dept., 2<sup>nd</sup> Floor, Terminal 1-B,  
Chhatrapati Shivaji International Airport,  
Santacruz (E), Mumbai - 400 099.  
Bandra - Kurla Complex, Bandra (East), Mumbai - 400 051.



**Annexure- 7**

Letter of previous compliance report submission

**Chhatrapati Shivaji Maharaj**  
INTERNATIONAL AIRPORT  
MUMBAI

Ref: MIAL/ENV/F26/23

26<sup>th</sup> November 2025

To,  
Principal Secretary,  
Government of Maharashtra,  
Environment department,  
Room no. 217, 2nd Floor, Mantralaya Annex,  
Mumbai - 400032.

Dear Sir,

**Subject:** Half yearly Environmental Compliance report of Environment Clearance for Non-Operational Area (Landside) Development of Chhatrapati Shivaji Maharaj International Airport and construction of Six buildings by M/s Mumbai International Airport Ltd. and as amended.

**Ref:** - Environment clearance no. SIA/MH/MIS/127703/2019 dated 31<sup>st</sup> March 2020, by SEIAA, GoM & File no. SEAC-2010/CR.53/TC-2 dated-1<sup>st</sup> July 2011, MoEFF&CC.

With reference to the above, please find enclosed herewith the compliance Report of EC conditions for the period from April 25 to September 25.

Kindly acknowledge the receipt of the EC compliance report.

Thanking you.

Yours faithfully,

For Mumbai International Airport Limited

Head - Environment & Sustainability

Encl: Half yearly Environmental Compliance report and annexure.

CC: 1) Additional PCCF- Ministry of Environment, Forest & Climate Change, Regional office - Nagpur  
2) Zonal officer- Central Pollution Control Board, Vadodara  
3) Regional officer - Maharashtra Pollution Control Board, Sion (E)

**Mumbai International Airport Limited**  
Chhatrapati Shivaji Maharaj International Airport  
1st Floor, Terminal 1B, Santacruz (E),  
Mumbai 400 099,  
Maharashtra, India  
CIN: U45200MH2006PLC160164

Tel +91 22 6685 0900 / 6685 0901  
csmia.adanairports.com

Registered office: Office of the Airport Director, Terminal-1B, CSMI Airport, Mumbai - 400099, Maharashtra, India

Half Yearly Environment Clearance Compliance report for CSMA- (Landside) April-25 to September 25.



Sanjay Rathod

To: [apccfcentral-ngp-mef](#); [ecompliance-mh@gov.in](#); [ms@mpcb.gov.in](#); [SRO Mumbai 2](#);  
['archituprit.cpcb@nic.in'](#)  
Cc: [Hitarth Mankodi](#); [Shalin Shah](#); [Azharuddin Kazi](#); [Vinay Bedekar](#); [Dipak Rane](#)



HYCR EC 2011 Landside MIAL Compliance (Apr to Sep 25) Final.pdf  
.pdf File

[Reply](#) [Reply All](#) [Forward](#) [...](#)

Fri 28-11-2025 15:21

Dear Sir/Madam,

Please find enclosed herewith the compliance report of EC conditions for the period of Apr-25 to Sep-25.

Thanking you.

Yours faithfully,

Regards,  
Sanjay Rathod

# MAHARASHTRA POLLUTION CONTROL BOARD

Tel: 24010706/24010437  
Fax: 24023516  
Website: <http://mpcb.gov.in>  
Email: [cac-cell@mpcb.gov.in](mailto:cac-cell@mpcb.gov.in)



Kalpataru Point, 2nd and  
4th floor, Opp. Cine Planet  
Cinema, Near Sion Circle,  
Sion (E), Mumbai-400022

Infrastructure/RED/L.S.I

No:- Format1.0/CAC-CELL/UAN No.0000139579/CE/2209001403

Date: 21/09/2022

To,  
Mumbai International Airport Ltd.,  
Chhatrapati Shivaji Maharaj International  
Airport, 1<sup>st</sup> floor, CTS No. 2085 (Part),  
1405 (Part) & 145-A(Part), 145-A(Part),  
Terminal 1-B, Santacruz (East), Mumbai-  
400099.



Your Service is Our Duty

## Sub: Consent to Establish for proposed development of Chhatrapati Shivaji Maharaj International airport under Red/LSI category.

- Ref:**
1. Environment Clearance accorded by Env. Dept, GoM vide letter No. SIA/MH/MIS/127703/2019 dtd. 31/03/2020.
  2. Renewal of Consent to Operate accorded by the Board vide letter Format1.0/CAC-Cell/UAN No. 0000116725/CR-2202000148 dtd. 02/02/2022.
  3. Minutes of Consent Appraisal Committee meeting held on 30/08/2022.

Your application NO. MPCB-CONSENT-0000139579

For: Grant of Consent to Establish under Section 25 of the Water (Prevention & Control of Pollution) Act, 1974 & under Section 21 of the Air (Prevention & Control of Pollution) Act, 1981 and Authorization / Renewal of Authorization under Rule 6 of the Hazardous & Other Wastes (Management & Transboundary Movement) Rules 2016 is considered and the consent is hereby granted subject to the following terms and conditions and as detailed in the schedule I,II,III & IV annexed to this order:

1. **The Consent to Establish is granted for a period upto commissioning of project or up to 5 year whichever is earlier.**
2. **The capital investment of the project is Rs.1822 Cr. (As per undertaking submitted by pp).**
3. **The Consent to Establish is valid for proposed construction of Mumbai International Airport named as Mumbai International Airport Ltd., Chhatrapati Shivaji Maharaj International Airport, 1st floor, CTS No. 2085 (Part), 1405 (Part) & 145-A(Part), 145-A(Part), Terminal 1-B, Santacruz (East), Mumbai- 400099 on Total Plot Area of 17,06,100 SqMtrs for Construction BUA of 8,46,516.77 SqMtrs out of Total Construction BUA of 8,77,696.77 SqMtrs as per EC granted dated 31/03/2020 including utilities and services**

Sr.No	Permission Obtained	Plot Area (SqMtr)	BUA (SqMtr)
1	EC- dtd. 31/03/2020	1706100.00	877696.77
2	C to R - dtd. 02/02/2022	7700.00	31180.00

4. **Conditions under Water (P&CP), 1974 Act for discharge of effluent:**

Sr No	Description	Permitted (in CMD)	Standards to	Disposal
1.	Trade effluent	Nil	Nil	Nil

<b>Sr No</b>	<b>Description</b>	<b>Permitted</b>	<b>Standards to</b>	<b>Disposal</b>
2.	Domestic effluent	2129	As per Schedule - I	The treated sewage shall be 60% recycled for secondary purposes and remaining shall be utilized on land for gardening and/ or connected to local body sewer line with water metering system.

5. **Conditions under Air (P& CP) Act, 1981 for air emissions:**

<b>Stack No.</b>	<b>Description of stack / source</b>	<b>Number of Stack</b>	<b>Standards to be achieved</b>
S-1 to S-6	DG Sets of 2500 kVA x 6	06	As per Schedule -II
S-7 to S-16	DG Sets of 2000 kVA x 10	10	As per Schedule -II
S-17 to S-20	DG Sets of 1850 kVA x 4	04	As per Schedule -II
S-21 to S-25	DG Sets of 1500 kVA x 5	05	As per Schedule -II

6. **Conditions under Solid Waste Rules, 2016:**

<b>Sr No</b>	<b>Type Of Waste</b>	<b>Quantity &amp; UoM</b>	<b>Treatment</b>	<b>Disposal</b>
1	Bio-degradable Waste	2.2 MT/Day	OWC followed by composting facility.	Used as Manure.
2	Non-biodegradable Waste	3.3 MT/Day	Segregation	Handed over to Auth. Vendor.

7. **Conditions under Hazardous & Other Wastes (M & T M) Rules 2016 for treatment and disposal of hazardous waste:**

<b>Sr No</b>	<b>Category No.</b>	<b>Quantity</b>	<b>UoM</b>	<b>Treatment</b>	<b>Disposal</b>
1	5.1 Used or spent oil	10000	Ltr/A	Recycle	Handed over to Auth. reprocessor.

8. This Board reserves the right to review, amend, suspend, revoke etc. this consent and the same shall be binding on the industry.
9. This consent should not be construed as exemption from obtaining necessary NOC/permission from any other Government agencies.
10. PP shall provide STP of adequate capacity to achieve the treated domestic effluent standard for the parameter BOD-10 mg/lit including disinfection facility.
11. The treated sewage shall be 60% recycled for secondary purposes such as toilet flushing, air-conditioning, cooling tower make up, firefighting etc. and remaining shall be utilized on land for gardening and/ or connected to local body sewer line with water metering system.
12. PP shall provide organic waste digester along with composting facility/bio-digester (biogas) for the treatment of wet garbage.
13. PP shall make provision of charging ports for electric vehicles at least 40% of total available parking slots.

14. PP shall submit BG of Rs. 25 Lakh towards compliance of EC and Consent conditions.



*Ashok Shingare*

6580f014  
ef86b33a  
d86b37da  
3a4e5ac7  
e0e6c4c2  
fcb6c706  
7fa17215  
579802c2

**Signed by: Ashok Shingare**  
Member Secretary  
For and on behalf of,  
**Maharashtra Pollution Control Board**  
ms@mpcb.gov.in  
2022-09-21 14:44:27 IST

**Received Consent fee of -**

Sr.No	Amount(Rs.)	Transaction/DR.No.	Date	Transaction Type
1	3644000.00	MPCB-DR-12557	27/06/2022	RTGS

**Copy to:**

1. Regional Officer, MPCB, Mumbai and Sub-Regional Officer, MPCB, Mumbai II  
- They are directed to ensure the compliance of the consent conditions.
2. Chief Accounts Officer, MPCB, Sion, Mumbai





### **SCHEDULE-I**

#### **Terms & conditions for compliance of Water Pollution Control:**

- 1) A] As per your application, you have provided Sewage Treatment Plant of designed capacity 5500 CMD with SBR technology for the treatment of 2129 CMD of sewage.
- B] The Applicant shall operate the sewage treatment plant (STP) to treat the sewage so as to achieve the following standards prescribed by the Board or under EP Act, 1986 and Rules made there under from time to time, whichever is stringent.

Sr.No	Parameters	Limiting concentration not to exceed in mg/l, except for pH
1	pH	5.5-9.0
2	BOD	10
3	COD	50
4	TSS	20
5	NH4 N	5
6	N-total	10
7	Fecal Coliform	less than 100

- C] The treated sewage shall be 60% recycled for secondary purposes such as toilet flushing, air-conditioning, cooling tower make up, firefighting etc. and remaining shall be utilized on land for gardening and/ or connected to local body sewer line with water metering system.
- 2) The Board reserves its rights to review plans, specifications or other data relating to plant setup for the treatment of waterworks for the purification thereof & the system for the disposal of sewage or trade effluent or in connection with the grant of any consent conditions. The Applicant shall obtain prior consent of the Board to take steps to establish the unit or establish any treatment and disposal system or and extension or addition thereto.
- 3) The industry shall ensure replacement of pollution control system or its parts after expiry of its expected life as defined by manufacturer so as to ensure the compliance of standards and safety of the operation thereof.
- 4) **The Applicant shall comply with the provisions of the Water (Prevention & Control of Pollution) Act, 1974 and as amended, and other provisions as contained in the said act.**

Sr. No.	Purpose for water consumed	Water consumption quantity (CMD)
1.	Industrial Cooling, spraying in mine pits or boiler feed	778.00
2.	Domestic purpose	2263.00
3.	Processing whereby water gets polluted & pollutants are easily biodegradable	0.00
4.	Processing whereby water gets polluted & pollutants are not easily biodegradable and are toxic	0.00

- 5) The Applicant shall provide Specific Water Pollution control system as per the conditions of EP Act, 1986 and rule made there under from time to time.

## SCHEDULE-II

### Terms & conditions for compliance of Air Pollution Control:

- 1) As per your application, you have proposed to provide the Air pollution control (APC) system and also proposed to erect following stack (s) and to observe the following fuel pattern-

Stack No.	Source	APC System provided/proposed	Stack Height(in mtr)	Type of Fuel	Sulphur Content(in %)	Pollutant	Standard
S-1 to S-6	DG Sets of 2500 kVA x 6	Acoustic Enclosure	10.00	HSD 2550 Ltr/Hr	1	SO <sub>2</sub>	1224 Kg/Day
S-7 to S-16	DG Sets of 2000 kVA x 10	Acoustic Enclosure	8.94	HSD 3400 Ltr/Hr	1	SO <sub>2</sub>	1632 Kg/Day
S-17 to S-20	DG Sets of 1850 kVA x 4	Acoustic Enclosure	8.60	HSD 1260 Ltr/Hr	1	SO <sub>2</sub>	604.80 Kg/Day
S-21 to S-25	DG Sets of 1500 kVA x 5	Acoustic Enclosure	7.75	HSD 1275 Ltr/Hr	1	SO <sub>2</sub>	612 Kg/Day

- 2) The applicant shall operate and maintain above mentioned air pollution control system, so as to achieve the level of pollutants to the following standards.

Total Particular matter	Not to exceed	150 mg/Nm <sup>3</sup>
-------------------------	---------------	------------------------

- 3) The Applicant shall obtain necessary prior permission for providing additional control equipment with necessary specifications and operation thereof or alteration or replacement well before its life come to an end or erection of new pollution control equipment.
- 4) The Board reserves its rights to vary all or any of the condition in the consent, if due to any technological improvement or otherwise such variation (including the change of any control equipment, other in whole or in part is necessary).
- 5) **Conditions for utilities like Kitchen, Eating Places, Canteens:-**
- The kitchen shall be provided with exhaust system chimney with oil catcher connected to chimney through ducting.
  - The toilet shall be provided with exhaust system connected to chimney through ducting.
  - The air conditioner shall be vibration proof and the noise shall not exceed 68 dB(A).
  - The exhaust hot air from A.C. shall be attached to Chimney at least 5 mtrs. higher than the nearest tallest building through ducting and shall discharge into open air in such a way that no nuisance is caused to neighbors.

### **SCHEDULE-III**

#### **Details of Bank Guarantees:**

<b>Sr. No.</b>	<b>Consent(C2E/C2O /C2R)</b>	<b>Amt of BG Imposed</b>	<b>Submission Period</b>	<b>Purpose of BG</b>	<b>Compliance Period</b>	<b>Validity Date</b>
1	Consent to Establish	Rs. 25 Lakh	15 days	Towards Compliance of EC & C to E conditions.	Monthly	Commissioning of the project or 5 years whichever is earlier.

\*\* The above Bank Guarantee(s) shall be submitted by the applicant in favour of Regional Officer at the respective Regional Office within 15 days of the date of issue of Consent.

**# Existing BG obtained for above purpose if any may be extended for period of validity as above.**

#### **BG Forfeiture History**

<b>Srno.</b>	<b>Consent (C2E/C2O/C2R)</b>	<b>Amount of BG imposed</b>	<b>Submission Period</b>	<b>Purpose of BG</b>	<b>Amount of BG Forfeiture</b>	<b>Reason of BG Forfeiture</b>
NA						

#### **BG Return details**

<b>Srno.</b>	<b>Consent (C2E/C2O/C2R)</b>	<b>BG imposed</b>	<b>Purpose of BG</b>	<b>Amount of BG Returned</b>
NA				

### **SCHEDULE-IV**

#### **Conditions during construction phase**

<b>A</b>	During construction phase, applicant shall provide temporary sewage and MSW treatment and disposal facility for the staff and worker quarters.
<b>B</b>	During construction phase, the ambient air and noise quality shall be maintained and should be closely monitored through MoEF approved laboratory.
<b>C</b>	Noise should be controlled to ensure that it does not exceed the prescribed standards. During night time the noise levels measured at the boundary of the building shall be restricted to the permissible levels to comply with the prevalent regulations.

#### **General Conditions:**

- 1 The applicant shall provide facility for collection of samples of sewage effluents, air emissions and hazardous waste to the Board staff at the terminal or designated points and shall pay to the Board for the services rendered in this behalf.
- 2 The firm shall strictly comply with the Water (P&CP) Act, 1974, Air (P&CP) Act, 1981 and Environmental Protection Act 1986 and Solid Waste Management Rule 2016, Noise (Pollution and Control) Rules, 2000 and E-Waste (Management & Handling Rule 2011.
- 3 Drainage system shall be provided for collection of sewage effluents. Terminal manholes shall be provided at the end of the collection system with arrangement for measuring the flow. No sewage shall be admitted in the pipes/sewers downstream of the terminal manholes. No sewage shall find its way other than in designed and provided collection system.
- 4 Vehicles hired for bringing construction material to the site should be in good condition and should conform to applicable air and noise emission standards and should be operated only during non-peak hours.

- 5 Conditions for D.G. Set
- a) Noise from the D.G. Set should be controlled by providing an acoustic enclosure or by treating the room acoustically.
  - b) Industry should provide acoustic enclosure for control of noise. The acoustic enclosure/ acoustic treatment of the room should be designed for minimum 25 dB (A) insertion loss or for meeting the ambient noise standards, whichever is on higher side. A suitable exhaust muffler with insertion loss of 25 dB (A) shall also be provided. The measurement of insertion loss will be done at different points at 0.5 meters from acoustic enclosure/room and then average.
  - c) Industry should make efforts to bring down noise level due to DG set, outside industrial premises, within ambient noise requirements by proper siting and control measures.
  - d) Installation of DG Set must be strictly in compliance with recommendations of DG Set manufacturer.
  - e) A proper routine and preventive maintenance procedure for DG set should be set and followed in consultation with the DG manufacturer which would help to prevent noise levels of DG set from deteriorating with use.
  - f) D.G. Set shall be operated only in case of power failure.
  - g) The applicant should not cause any nuisance in the surrounding area due to operation of D.G. Set.
  - h) The applicant shall comply with the notification of MoEFCC, India on Environment (Protection) second Amendment Rules vide GSR 371(E) dated 17.05.2002 and its amendments regarding noise limit for generator sets run with diesel.
- 6 Solid Waste - The applicant shall provide onsite municipal solid waste processing system & shall comply with Solid Waste Management Rule 2016 & E-Waste (M & H) Rule 2011.
- 7 Affidavit undertaking in respect of no change in the status of consent conditions and compliance of the consent conditions the draft can be downloaded from the official web site of the MPCB.
- 8 Applicant shall submit official e-mail address and any change will be duly informed to the MPCB.
- 9 The treated sewage shall be disinfected using suitable disinfection method.
- 10 The firm shall submit to this office, the 30th day of September every year, the environment statement report for the financial year ending 31st march in the prescribed Form-V as per the provision of rule 14 of the Environmental (Protection) Second Amended rule 1992.
- 11 The applicant shall obtain Consent to Operate from Maharashtra Pollution Control Board before commissioning of the project.

---

This certificate is digitally & electronically signed.

---

**MAHARASHTRA POLLUTION CONTROL BOARD**

Tel: 24010706/24010437  
 Fax: 24023516  
 Website: <http://mpcb.gov.in>  
 Email: [cac-cell@mpcb.gov.in](mailto:cac-cell@mpcb.gov.in)



Kalpataru Point, 2nd and  
 4th floor, Opp. Cine Planet  
 Cinema, Near Sion Circle,  
 Sion (E), Mumbai-400022

Infrastructure/RED/L.S.I

No:- Format1.0/CAC-CELL/UAN No.0000138070/CR/2208001592

Date: 31/08/2022

To,  
 Mumbai International Airport Ltd.,  
 Chhatrapati Shivaji Maharaj International  
 Airport, 1<sup>st</sup> floor, Terminal 1-B, Santacruz  
 (East), Mumbai- 400099.



Your Service is Our Duty

**Sub: Renewal of Consent to Operate for Building No. 5 Multi-level Car Parking-2, Santacruz (part of non-operational area (landside) development of Chhatrapati Shivaji Maharaj International Airport, out of total six buildings) project under Red/LSI Category..**

- Ref:**
1. Environment Clearance accorded by Env. Dept, GoM vide letter SEAC-2010/CR.53/TC-2 dtd. 01/07/2011.
  2. Renewal of Consent to Operate accorded by the Board vide letter Format1.0/CAC-CELL/UAN No. 0000116725/CR-2202000148 dtd. 02/02/2022.
  3. Minutes of Consent Appraisal Committee meeting held on 28/07/2022.

Your application NO. MPCB-CONSENT-0000138070

For: Grant of Renewal of Consent to Operate under Section 26 of the Water (Prevention & Control of Pollution) Act, 1974 & under Section 21 of the Air (Prevention & Control of Pollution) Act, 1981 and Authorization / Renewal of Authorization under Rule 6 of the Hazardous & Other Wastes (Management & Transboundary Movement) Rules 2016 is considered and the consent is hereby granted subject to the following terms and conditions and as detailed in the schedule I,II,III & IV annexed to this order:

1. **The Consent to Renewal is granted for a period up to 31.08.2026**
2. **The capital investment of the project is Rs.96.97 Cr. (As per C.A Certificate submitted by industry).**
3. **The Renewal of Consent to Operate is valid for Building No. 5 Multi-level Car Parking-2, Santacruz (part of non-operational area (landside) development of Chhatrapati Shivaji Maharaj International Airport, out of total six buildings) named as Mumbai International Airport Ltd., Chhatrapati Shivaji Maharaj International Airport, 1st floor, Terminal 1-B, Santacruz (East), Mumbai-400099 on Total Plot Area of 7,700 SqMtrs for Construction BUA of 31,180 SqMtrs out of Total Construction BUA of 43,474 SqMtrs as per EC granted dated 01/07/2011 including utilities and services**

Sr.No	Permission Obtained	Plot Area (SqMtr)	BUA (SqMtr)
1	EC- dtd. 01/07/2011	1706100.00	886882.96
2	C to R - dtd 02/02/2022	7700.00	31180.00

4. **Conditions under Water (P&CP), 1974 Act for discharge of effluent:**

Sr No	Description	Permitted (in CMD)	Standards to Disposal
1.	Trade effluent	Nil	Nil

Sr No	Description	Permitted	Standards to	Disposal
2.	Domestic effluent	22	As per Schedule - I	The treated sewage shall be 60% recycled for secondary purposes and remaining shall be utilized on land for gardening and/ or connected to local body sewer line with water metering system.

5. **Conditions under Air (P& CP) Act, 1981 for air emissions:**

Stack No.	Description of stack / source	Number of Stack	Standards to be achieved
S-1	DG Set of 320 kVA	01	As per Schedule -II

6. **Conditions under Solid Waste Rules, 2016:**

Sr No	Type Of Waste	Quantity & UoM	Treatment	Disposal
1	Solid Waste	100 Kg/Day	Segregation	Handed over to Auth. Vendor.

7. **Conditions under Hazardous & Other Wastes (M & T M) Rules 2016 for treatment and disposal of hazardous waste:**

Sr No	Category No.	Quantity	UoM	Treatment	Disposal
NA					

8. The Board reserves the right to review, amend, suspend, revoke etc. this consent and the same shall be binding on the industry.
9. This consent should not be construed as exemption from obtaining necessary NOC/permission from any other Government authorities.
10. PP shall properly operate STP to achieve the treated domestic effluent standard for the parameter BOD-10 mg/lit including disinfection facility to the treated sewage.
11. The treated sewage shall be 60% recycled for secondary purposes such as toilet flushing, air-conditioning, cooling tower make up, firefighting etc. and remaining shall be utilized on land for gardening and/ or connected to local body sewer line with water metering system.
12. PP shall properly operate organic waste digester along with composting facility/bio-digester (biogas) for the treatment of wet garbage.
13. PP shall make provision of charging ports for electric vehicles at least 40% of total available parking slots.
14. PP shall use battery operated electric vehicles in CSMIA.
15. Hazardous Waste from cargo facility shall be disposed through CHWTSDF.
16. PP shall extend existing BG of Rs. 25 Lakh towards O & M of Pollution Control Systems and compliance of Consent conditions.



*Ashok Shingare*

22e878c2  
303afbba  
a4d43c58  
73157324  
7e30ac08  
f0dac9d6  
d83c3ce1  
37d0b265

**Signed by: Ashok Shingare**  
Member Secretary  
For and on behalf of,  
**Maharashtra Pollution Control Board**  
ms@mpcb.gov.in  
2022-08-31 23:20:12 IST

**Received Consent fee of -**

<b>Sr.No</b>	<b>Amount(Rs.)</b>	<b>Transaction/DR.No.</b>	<b>Date</b>	<b>Transaction Type</b>
1	125000.00	MPCB-DR-12025	17/05/2022	NEFT

**Balance fees of Rs. 4,50,000 utilized in this Renewal of Consent to Operate and there is no balance fees left with Board.**

**Copy to:**

1. Regional Officer, MPCB, Mumbai and Sub-Regional Officer, MPCB, Mumbai II  
- They are directed to ensure the compliance of the consent conditions.
2. Chief Accounts Officer, MPCB, Sion, Mumbai





### SCHEDULE-I

#### **Terms & conditions for compliance of Water Pollution Control:**

- 1) A] As per your application, you have provided Sewage Treatment Plant of designed capacity 10000 CMD with SBR technology for the treatment of 22 CMD of sewage.
- B] The Applicant shall operate the sewage treatment plant (STP) to treat the sewage so as to achieve the following standards prescribed by the Board or under EP Act, 1986 and Rules made there under from time to time, whichever is stringent.

<b>Sr.No</b>	<b>Parameters</b>	<b>Limiting concentration not to exceed in mg/l, except for pH</b>
1	pH	5.5-9.0
2	BOD	10
3	COD	50
4	TSS	20
5	NH4 N	5
6	N-total	10
7	Fecal Coliform	less than 100

- C] The treated sewage shall be 60% recycled for secondary purposes such as toilet flushing, air-conditioning, cooling tower make up, firefighting etc. and remaining shall be utilized on land for gardening and/ or connected to local body sewer line with water metering system.
- 2) The Board reserves its rights to review plans, specifications or other data relating to plant setup for the treatment of waterworks for the purification thereof & the system for the disposal of sewage or trade effluent or in connection with the grant of any consent conditions. The Applicant shall obtain prior consent of the Board to take steps to establish the unit or establish any treatment and disposal system or and extension or addition thereto.
- 3) The industry shall ensure replacement of pollution control system or its parts after expiry of its expected life as defined by manufacturer so as to ensure the compliance of standards and safety of the operation thereof.
- 4) **The Applicant shall comply with the provisions of the Water (Prevention & Control of Pollution) Act,1974 and as amended, and other provisions as contained in the said act.**

<b>Sr. No.</b>	<b>Purpose for water consumed</b>	<b>Water consumption quantity (CMD)</b>
1.	Industrial Cooling, spraying in mine pits or boiler feed	0.00
2.	Domestic purpose	25.00
3.	Processing whereby water gets polluted & pollutants are easily biodegradable	0.00
4.	Processing whereby water gets polluted & pollutants are not easily biodegradable and are toxic	0.00

- 5) The Applicant shall provide Specific Water Pollution control system as per the conditions of EP Act, 1986 and rule made there under from time to time.

### **SCHEDULE-II**

#### **Terms & conditions for compliance of Air Pollution Control:**

- 1) As per your application, you have provided the Air pollution control (APC) system and erected following stack (s) and to observe the following fuel pattern-

Stack No.	Source	APC System provided/proposed	Stack Height(in mtr)	Type of Fuel	Sulphur Content(in %)	Pollutant	Standard
1	DG Set of 320 kVA	Acoustic Enclosure	12.00	HSD 70 Ltr/Hr	1	SO2	33.60 Kg/Day

- 2) The applicant shall operate and maintain above mentioned air pollution control system, so as to achieve the level of pollutants to the following standards.

Total Particular matter	Not to exceed	150 mg/Nm3
-------------------------	---------------	------------

- 3) The Applicant shall obtain necessary prior permission for providing additional control equipment with necessary specifications and operation thereof or alteration or replacement well before its life come to an end or erection of new pollution control equipment.
- 4) The Board reserves its rights to vary all or any of the condition in the consent, if due to any technological improvement or otherwise such variation (including the change of any control equipment, other in whole or in part is necessary).

### **SCHEDULE-III**

#### **Details of Bank Guarantees:**

Sr. No.	Consent(C2E/C2O/C2R)	Amt of BG Imposed	Submission Period	Purpose of BG	Compliance Period	Validity Date
1	Renewal of Consent to Operate	25 Lakh	Extension of existing BG	Towards O & M of Pollution Control Systems and Compliance of Consent conditions.	Monthly	28/02/2027

\*\* The above Bank Guarantee(s) shall be submitted by the applicant in favour of Regional Officer at the respective Regional Office within 15 days of the date of issue of Consent.  
# Existing BG obtained for above purpose if any may be extended for period of validity as above.

#### **BG Forfeiture History**

Srno.	Consent (C2E/C2O/C2R)	Amount of BG imposed	Submission Period	Purpose of BG	Amount of BG Forfeiture	Reason of BG Forfeiture
NA						

#### **BG Return details**

Srno.	Consent (C2E/C2O/C2R)	BG imposed	Purpose of BG	Amount of BG Returned
NA				

## **SCHEDULE-IV**

### **General Conditions:**

- 1 The applicant shall provide facility for collection of samples of sewage effluents, air emissions and hazardous waste to the Board staff at the terminal or designated points and shall pay to the Board for the services rendered in this behalf.
- 2 The firm shall strictly comply with the Water (P&CP) Act, 1974, Air (P&CP) Act, 1981 and Environmental Protection Act 1986 and Solid Waste Management Rule 2016, Noise (Pollution and Control) Rules, 2000 and E-Waste (Management & Handling Rule 2011.
- 3 Conditions for D.G. Set
  - a) Noise from the D.G. Set should be controlled by providing an acoustic enclosure or by treating the room acoustically.
  - b) Industry should provide acoustic enclosure for control of noise. The acoustic enclosure/ acoustic treatment of the room should be designed for minimum 25 dB (A) insertion loss or for meeting the ambient noise standards, whichever is on higher side. A suitable exhaust muffler with insertion loss of 25 dB (A) shall also be provided. The measurement of insertion loss will be done at different points at 0.5 meters from acoustic enclosure/room and then average.
  - c) Industry should make efforts to bring down noise level due to DG set, outside industrial premises, within ambient noise requirements by proper siting and control measures.
  - d) Installation of DG Set must be strictly in compliance with recommendations of DG Set manufacturer.
  - e) A proper routine and preventive maintenance procedure for DG set should be set and followed in consultation with the DG manufacturer which would help to prevent noise levels of DG set from deteriorating with use.
  - f) D.G. Set shall be operated only in case of power failure.
  - g) The applicant should not cause any nuisance in the surrounding area due to operation of D.G. Set.
  - h) The applicant shall comply with the notification of MoEFCC, India on Environment (Protection) second Amendment Rules vide GSR 371(E) dated 17.05.2002 and its amendments regarding noise limit for generator sets run with diesel.
- 4 Solid Waste - The applicant shall provide onsite municipal solid waste processing system & shall comply with Solid Waste Management Rule 2016 & E-Waste (M & H) Rule 2011.
- 5 Affidavit undertaking in respect of no change in the status of consent conditions and compliance of the consent conditions the draft can be downloaded from the official web site of the MPCB.
- 6 Applicant shall submit official e-mail address and any change will be duly informed to the MPCB.
- 7 The treated sewage shall be disinfected using suitable disinfection method.
- 8 The firm shall submit to this office, the 30th day of September every year, the environment statement report for the financial year ending 31st march in the prescribed Form-V as per the provision of rule 14 of the Environmental (Protection) Second Amended rule 1992.
- 9 The applicant shall make an application for renewal of the consent at least 60 days before date of the expiry of the consent.

---

This certificate is digitally & electronically signed.

---






## Mumbai International Airport Ltd

### MANAGEMENT REPRESENTATIVE OFFICE

### STANDARD OPERATING PROCEDURE

### WASTE MANAGEMENT AT MIAL

MIAL/MRO/SOP/12/04

ACTIVITY	NAME	SIGNATURE & DATE
Prepared by:	Dipak Rane- Asst. Manager Environment and Sustainability	 27/02/2026
	Sanjay Rathod – Sr. Manager Environment and Sustainability	 27/02/2026
Recommended By:	Vinay Bedekar – Head Environment & Sustainability	 2.3.26
	Yadu Arora MR-IMS	 9/3/26
Approved by:	Vishnu Jha Chief Airport Officer	 31/3/26

**TABLE OF CONTENTS**

<b>S. NO.</b>	<b>CONTENTS</b>	<b>PAGE NUMBER</b>
1	PURPOSE	1
2	SCOPE	1
3	OBJECTIVE	1
4	RESPONSIBILITY	1
5	DEFINITIONS & ABBREVIATIONS	2
6	PROCEDURE	4
7	FORMATS USED	10
8	RECORDS GENERATED	10
9	REFERENCES	10
10	REVISION HISTORY	11



## **1.0. PURPOSE**

To ensure that all wastes generated during operations, maintenance activities and services at airside areas, terminal buildings, landside areas of Chhatrapati Shivaji international airport are appropriately disposed of as per applicable legal requirements as applicable to minimize danger to personnel or to the environment.

## **2.0. SCOPE**

This procedure applies to all operations, maintenance activities and services of Mumbai International Airport Ltd (MIAL) and stakeholders, such as concessionaires, airlines, hangers, and any other outsourced agency working with MIAL at CSMIA, where there is a requirement to handle and dispose of waste.

## **3.0. OBJECTIVE**

To dispose of waste as per applicable legal requirements and environmentally friendly manner.

## **4.0. RESPONSIBILITY**

### **4.1. Management Representative**

The Management Representative is responsible for ensuring that the requirements of this procedure are fully implemented at Chhatrapati Shivaji international airport. He is also responsible for ensuring that Functional heads are aware of and understand the contents of this procedure

### **4.2. Head- Commercial/Procurement**

Commercial/Procurement Head to ensure timely deployment of authorized disposal agency (Including Licensed Contractor approved by CPCB/MoEFCC/MPCB) for handling, transportation and disposal of waste/scrap as per defined frequency.

### **4.3. Other Functional Heads**

Functional Heads at all levels are responsible for ensuring that the requirements of this procedure



are followed and that those under their supervision also observe these requirements. They should ensure that training to be given to respective people for waste handling and disposal. Functional Head to ensure that all the necessary legal documents are filled before sending waste outside of Mumbai International airport premises and to ensure that the records are maintained by the concerned persons as per the legal requirements.

#### **4.4. Environment Manager**

The environment department shall coordinate with various stakeholders and MIAL departments for timely disposal of waste. Also coordinate with MPCB authorized waste transporter and disposal agencies for lifting hazardous waste at scheduled timeline.

As per Hazardous and other waste (Management and Transboundary movement) Rules, 2016 following forms are filled and maintained for the disposal of waste:

- Form 9 - TREM card to be given to waste transporter
- Form 8 - Hazardous waste label for the labeling
- Form 10 - Hazardous waste manifest
- Form 3 - Waste generation records
- Form 5 - Annual Environmental Statement
- Form 4- Annual Waste Returns

#### **5.0. DEFINITIONS & ABBREVIATIONS**

<b>AGM</b>	: Airside Ground Maintenance
<b>BCAS</b>	: Bureau of Civil Aviation Security
<b>CSMIA</b>	: Chhatrapati Shivaji Maharaj International Airport
<b>CPCB</b>	: Central Pollution Control Board
<b>CHWTSDF</b>	: Common Hazardous Waste Treatment, Storage & Disposal facility
<b>FMT</b>	: Format
<b>IMS</b>	: Integrated Management System

<b>MRO</b>	: Management Representative Office
<b>MIAL</b>	: Mumbai International Airport Limited
<b>MPCB</b>	: Maharashtra Pollution Control Board
<b>MoEFCC</b>	: Ministry of Environment, Forest and Climate Change
<b>MT</b>	: Motor Transport
<b>MWML</b>	: Mumbai Waste Management Limited
<b>MSDS</b>	: Material Safety Data Sheet
<b>MLD</b>	: Million Liters per Day
<b>OWC</b>	: Organic Waste Converter
<b>SRA</b>	: Security Removed Articles
<b>TC</b>	: Techno-commercial/ Procurement

**Non-Hazardous Waste:**

Waste which does not pose any problem either to people, agriculture or animals around the area. Any solid material or semisolid, which does not have any danger to the environment or to human health if disposed of in a safe way.

**Hazardous waste:**

This means any waste which by reason of any of its physical, chemical, reactive, toxic, flammable, explosive or corrosive characteristics causes danger or is likely to cause danger to health or the environment, whether alone or when in contact with other wastes or substances.

**E-waste, battery waste:**

Waste electrical and electronic equipment / battery waste whole or in part or rejects and which are intended to be discarded.

**Bio medical waste:**

Bio-medical waste is any waste generated during diagnosis, treatment, immunization of humans or animals, or during related research and biological production/testing activities.

**Construction and demolition waste:**

The waste comprises building materials, debris and rubble resulting from construction, re-modeling, repair and demolition of any civil structure.

**6.0. PROCEDURE****6.1. Non- hazardous waste**

The Non-Hazardous waste generated at CSMIA, and the method of handling & disposal are given below:

**Terminal 2**

CSMIA has installed Trio dustbin at strategic location in common public area at Terminal for collection of dry, wet and plastic waste. The primary collection of this waste is done by a housekeeping team and transferred to secondary bins placed at service corridors at each level.

Also, the waste generated by retailers, concessionaires and common public areas are collected in these secondary bins. Waste generated from MLCP; Forecourt are directly transported at loading dock.

The waste from secondary collection is transported to loading dock for further process by MIAL authorized vendor.

**Terminal 1**

CSMIA has installed Trio dustbin at strategic location in common public area at Terminal for collection of dry, wet and mixed waste. The primary collection of this waste is done by a housekeeping team.

Waste generated by concessionaires, retailers, food and beverages outlets and common areas are directly transferred to the Collection point provided at Landside waste area.

Waste generated from MLCP, forecourts are directly transferred to Landside waste area.

The waste from secondary collection is transported to the landside waste area for further processing by MIAL authorized vendor.

**Airside**

Waste Bins are kept at strategic locations at Airside to dispose of waste from Airline, Stakeholder. These include locations of T1, T2, Fire Station and General Aviation

These wastes are collected and transported to loading dock at Terminal 2 by MIAL authorized vendor.

**Organic waste treatment facility:**

MIAL has installed an organic waste converter (OWC) for treatment of food waste generated at CSMIA. This treatment facility has been installed at MIAL plot opposite Kalpana talkies, Kurla. The daily food waste generated at airport canteens and flight kitchens are transported by OWC operator to the site. The food waste is treated at OWC site. After treatment this waste is kept curing for 10 days. After 10 days a good quality of compost is generated, which is again used for landscaping by the horticulture department.

OWC operators must coordinate with MIAL's waste handling agency for collection and transportation of food waste to OWC facility.

**6.1.1. Domestic Sewage**

The sewage generated Terminal 1, Terminal 2, cargo and airside buildings such as apron control, MT section, main fire station, GSEs, etc. is collected through pipelines and directed to the state-of-the-art Sewage Treatment Plants (STP). Three STP have been installed and fully operations for treatment of sewage generated at CSMIA. The sewage generated is treated through physical, chemical and biological treatment. Treated water from these systems is again recycled back to the flushing system, HVAC and gardening system.

**6.1.2. Wastewater from Aircraft:**

The WC (water closet) waste from aircraft (Blue water) is collected by the airline agents and transported through tanker to the designated WC treatment system called "triturator". The waste from Aircrafts (blue water) is treated at triturator by crushing, settling method and water is sent to STP for further treatment.

**6.2. Construction & demolition waste:**

The construction and demolition waste generated is collected, stored and disposed of to MCGM collection center. This waste is not mixed with other solid wastes, segregated as soil, concrete, wood, steel and disposed of separately.

**6.3. Hazardous Waste**

All hazardous waste generated at Mumbai International airport are collected and stored at designated places with proper barrication, sign boards and containment. The hazardous waste commonly generated in our area of work and the method of storage and disposal are given below:

**6.3.1. Waste / Used Oil**

Waste Oil / Used oil generated from DG set servicing, vehicle maintenance at Motor Transport department, transformer oil replacement and other maintenance activities.

The oil generated at the Motor transport department / cargo complex is stored at designated places with sign and label. The DG set oil or Oil from transformers is generated once in a year and that is being disposed at the same time.

Disposal method: - Used / waste oil is disposed to CPCB / MPCB authorized recycling / reprocessing authority for recycling.

**6.3.2. Oil contaminated Filters**

Oil contaminated filters are generated from DG set servicing, vehicle maintenance at the Motor Transport department and emergency services department.

The oil filters generated are stored at designated places with signs and label at hazardous waste storage yard.

Disposal method: - Oil filters are disposed of to CHWTSDF for incineration.

**6.3.3. Oil Contaminated Waste**

Oil contaminated waste is generated from DG set servicing, vehicle maintenance at Motor Transport department, transformer oil replacement and other small maintenance activities at airside and landside. Separate bins are provided at all locations to collect the oily contaminated waste and finally it is transported to the hazardous waste storage yard.

Disposal method: - Oil contaminated waste is disposed of CHWTSDF for incineration.

#### **6.3.4. Runway rubber deposits:**

Runway is being cleaned regularly and the rubber deposited is removed from runway. It may contain and mix with soil. This waste is being removed with the help of a rubber removal machine. Waste is being collected and stored in designated place of hazardous waste storage yard.

Disposal Method: This waste is disposed of to CHWTSDF for incineration

#### **6.3.5. Empty Paint / Solvent / Insecticide / Bitumen tins**

Empty tins of paint, solvent, bitumen, etc. are generated by Airside Ground maintenance and E&M - Civil department. These tins are stored at designated place of hazardous waste storage yard .

Empty Paint and solvents tins are collected and stored. Insecticides are being used at the airside and landside for horticulture purposes. These empty tins are stored at designated place of hazardous waste storage yard.

Empty bitumen drums are kept at designated place of hazardous waste storage yard with identification and labeling

Disposal Method: - These contaminated empty tins are disposed of to CHWTSDF for incineration.

#### **6.3.6. Oil / chemical Contaminated saw dust**

Contaminated saw dust is generated after fuel or chemical spill incident. The waste is handled by AGM and cargo departments.

Contaminated saw dust is collected and stored at designated place of hazardous waste storage yard.



Disposal Method: The waste is disposed of to CHWTSDf for incineration.

#### **6.3.7. Lead Acid batteries**

Waste batteries are generated at motor transport, IT and E&M departments. The Lead acid batteries shall be collected and stored in designated place of battery waste storage yard.

Disposal Method: - All Lead Acid Batteries shall be disposed to authorized dealer as a buy back arrangement or to the authorized battery recycler.

#### **6.3.8. Electronic waste (E-waste)**

All E-waste generated at Airside and landside by IT department and E&M department are to be collected and kept at designated place in Ewaste storage yard. The e-waste includes fluorescent tubes and bulbs, computers and accessories, printers, printer cartridges, electric bulbs etc.

Disposal Method: E-waste is disposed by procurement department to MPCB authorized E-waste recycler.

#### **6.3.9. Bio Medical Waste**

Biomedical waste is generated at medical centers located at Terminal 1 and 2. The waste is collected at Terminal 1 & 2 and is being disposed of by an authorized disposal agency. Bio-medical waste is kept in bins with proper colored plastic bags.

Disposal Method: - Bio-medical waste is collected and disposed to MPCB authorized disposal agency.

#### **6.3.10. Security Removed Articles (SRA)**

SRA removed from the baggage at standalone X-ray machine, SOOG or at level 4 passenger reconciliation room by MIAL security will be handed over to the airlines except dangerous goods. MIAL security department shall handle and store SRA as per SOP (MIAL/SC/SOP/07/01)

*Following are the legal requirements for storage and disposal of the hazardous waste generated at Chhatrapati Shivaji International Airport, Mumbai.*

Sr. No	Activity	Statutory forms	Instructions	Responsibility
1	Storage of hazardous waste	Form 8 of hazardous waste rules shall be pasted on the container of waste storage during transportation.	Hazardous waste shall be stored under covered shed with secondary containment.	Waste Generator
2	Disposal of hazardous waste	Form 10 (manifest) shall be filled while disposal of the waste	Manifest to be submitted online	User Department/ Environment dept
3	Inventory	Inventory shall be maintained in form 3	The forms shall be updated on a continuous basis.	User Department/ Environment dept
4	Returns	Returns of all hazardous waste shall be submitted to the pollution control board in form 4 - annually	All types of waste shall be included in form 4	Environment dept
5	Licenses	All licenses of waste disposal / recycle agency / transporter shall be kept in a file.		Procurement dept /Environment dept

#### **6.4. TRANSPORTATION OF HAZARDOUS WASTE:**

Transportation of hazardous waste shall be carried out by Licensed Waste transporter, as approved by Maharashtra Pollution Control Board (MPCB). The vehicle should comply with the requirements of the Motor vehicle act & Rules for handling hazardous goods. Drivers of vehicles carrying hazardous waste must be in possession of a copy of the waste consignment note and Waste manifest. They are briefed on precautions mentioned on MSDS by the person responsible, if applicable.

#### **6.5. Waste management**

Further details regarding generation, storage, handling, transportation and disposal process are given in the annexure-1

#### **6.6. Training:**

Concerned staff at all levels will receive training and information on waste management in line with this procedure by facilities. This will come in the form of information given during new joiners induction, Environmental awareness training, specific activities training, on-job training, Waste Management Training program, EMS training, etc.

#### **7.0. Formats Used**

Waste Generation Register (MIAL/MRO/FMT/20/00)

#### **8.0. Records Generated**

- i. Waste Generation Record- (MIAL/MRO/REC/16)
- ii. Form 3
- iii. Manifest Form 10
- iv. Form 4
- v. Daily STP report by E&M
- vi. Scrap note by TC

#### **9.0. References**

1. The Hazardous waste (Management, Handling and Trans boundary Movement) Rules, 2016, amended time to time
2. Inline Hold baggage screening system SOP no.MIAL/SC/SOP/05/10 and MIAL/SC/SOP/03/07
3. The E-waste (Management and Handling) Rules, 2022, amended time to time
4. The construction and Demolition Waste Management Rules, 2016, amended time to time
5. The Solid Waste Management Rules, 2016, amended time to time

**10.0. Revision History**

Date	Rev. No.	Page No.	Revision Description
01.06.2013	1	7, 11 & 12	Addition of runway rubber & paint waste Addition of sewage treatment plant disposal Addition of disposal of off-loaded chemicals from inline security. Updated – Sharda enterprises & TTCWMA
05.01.2017	2	4,5,6,8,9,11	Amendment in roles & responsibility of Environment department Addition of definition of E-waste & SRA and abbreviation of MWML, BCAS, SRA, MSDS, MLD, OWC Addition of amended non-hazardous waste disposal method for airline waste Addition of details of organic waste treatment facility, domestic sewage treatment and blue water treatment Addition Security removed articles (SRA) management Addition of Records and References
13.02.2025	3	1,5,11,13,14	Revision is due to updation on form numbers of hazardous waste, change in name of disposal agency, procedure for handling non-hazardous waste.
25/02/2026	4	13	Removed name of disposal agency

SOP: WASTE MANAGEMENT

Issue No : 04

Revision No : 04

Doc No: MIAL/MRO/SOP/12/04

Issue Date: 01/04/2011

Revision Date: 26/02/2026

Annexure-1 Waste Management at CSMIA

Sr.No.	Name of the Waste	Source of Generation	Storage Location	Internal Waste Transfer by	Disposal agency	Responsibility of Disposal	Records to be maintained
1	Waste Plastic	Airside offices, Terminal 1& 2 offices canteens, waste from Airlines, canteens at airside,	Separate Bins are provided at airside and landside of T1, T2, MT section	Waste is not internally transferred, as the waste is directly lifted from the bins and taken out from, T2- of all levels from loading dock west, T1- from trolley gate, GA/Airside: all levels from loading dock west of T2.	Ms. Compost, Mumbai. Including Food waste treated at OWC plant	Airside – E&M, Landside Facilities Management	Monthly waste disposal details from Ms. Compost
2	Waste papers						
3	Waste (bottles) Glass						
4	Waste plastic bottles						
5	Waste Wood						
6	Broken Tins						
7	Other Scrap						
8	Wet garbage (food waste etc.)						
9	Grass, tree cuttings etc.	Airside cleaning landscaping maintenance at Terminals	Horticulture department	Airside - Airside Ground Maintenance and Landside – Horticulture department	Not Disposed outside, Internal composting g is done at Horticulture department	Airside - Airside Ground Maintenance and Landside- Horticulture department	NA
10	Domestic Sewage	Washrooms, canteens and offices at terminal 1 & 2 and canteens at	Treatment at Sewage Treatment plants	Pipelines	Recycle back in flushing, HVAC and gardening system	E&M	Daily STP report

**SOP: WASTE MANAGEMENT**

Issue No : 04  
Revision No : 04

Doc No: MIAL/MRO/SOP/12/04  
Issue Date: 01/04/2011  
Revision Date: 26/02/2026

Sr.No.	Name of the Waste	Source of Generation	Storage Location	Internal Waste Transfer by	Disposal agency	Responsibility of Disposal	Records to be maintained
		Cargo, Fire station, MT section etc.					
11	E-waste	Offices, IT department, E&M department	IT Department	IT Department	Disposed to PCB Authorized agency	Central Stores	As per the rule, no forms are required to be maintained, however we maintain manifest
12	Waste/ Used Oil	DG set, Motor maintenance, servicing etc.	CHWSF	E&M department	Authorized recycler	MT section	Form 3, Form 10
13	Waste batteries	Motor Transport Department, IT department for Laptop batteries, E&M dept for equipment batteries.	Common Battery Waste Storage area	E&M department	MPCB authorized recycler	Central Stores	Scrap note/NFA
14	Oil filters	DG set, Motor maintenance, servicing etc.	CHWSF	E&M department	Mumbai Waste Management Limited, Talaja	MT section	Form 3, Form 10
15	Oil Contaminated waste	DG set, Motor maintenance, servicing dept. etc.	CHWSF	E&M department	Mumbai Waste Management Limited, Talaja	MT section	Form 3, Form 10

**SOP: WASTE MANAGEMENT**

Issue No : 04

Revision No : 04

Doc No: MIAL/MRO/SOP/12/04

Issue Date: 01/04/2011

Revision Date: 26/02/2026

Sr.No.	Name of the Waste	Source of Generation	Storage Location	Internal Waste Transfer by	Disposal agency	Responsibility of Disposal	Records to be maintained
16	Empty Paint / Insecticide /bitumen Tins	Airside Ground maintenance dept, runway, apron bay painting etc.	CHWSF	Airside - Airside Ground Maintenance and Landside – Horticulture department	Mumbai Waste Management Limited, Talaja	Airside Civil	Form 3, Form 10
17	Contaminated saw dust	Airside Ground maintenance dept, cargo, landside operations	CHWSF, Cargo	Airside Ground maintenance e dept, cargo, landside operations	Mumbai Waste Management Limited, Talaja	MT section	Form 3, Form 10
18	Deposits of runway rubber waste	Runway maintenance	CHWSF	Civil department	Mumbai Waste Management Limited, Talaja	Civil department for storage and record, env dept for disposal	Form 3, Form 10
19	Biomedical Waste	Medical Rooms at terminal 1, 2 and fire station	Terminal 1 & 2 medical rooms	NA	Authorized agency - SMS Enviro	Medical Department	Generation and disposal records


-----XXXX-----




## Segregation Process

- M/s. ComePost looks after the segregation of waste after the secondary collection at MIAL.
- We do segregation at source at 5 different places.
- Specialised manpower deployed in each room to segregate the waste.
- Bins of different colour are kept for different categories with the proper marking.
- The waste is first sorted into wet and dry waste categories.
- Further dry waste is segregated into categories like plastic, paper, cardboard, metal and glass etc.
- Wet waste is segregated and converted into compost.

Room 1 Location – Terminal 2



Room 2 Location- Terminal 2



Room 3 location – Loading Dock, T2






Room 4 location – Terminal 1



## Waste treatment process



# Waste treatment process






Compost distribution on WED at CSMIA



O&M agency- ComePost staff



OWC facility with compost storage shed





## Grid Map with Landscape















भारत सरकार  
Government of India  
वाणिज्य और उद्योग मंत्रालय  
Ministry of Commerce & Industry  
पेट्रोलियम तथा विस्फोटक सुरक्षा संगठन (पैसो)  
Petroleum & Explosives Safety Organisation (PESO)

E-mail : jtcceumumbai@explosives.gov.in

Phone/Fax No : 022 - 27575946, 27573881

संख्या /No. : P/WC/MH/15/2239 (P267699)

दिनांक /Dated : 27/01/2025

सेवा में  
/To,

M/S. MUMBAI INTERNATIONAL AIRPORT PVT. LTD.,  
Survey -1405 ( Part of ), Marol Village, Andheri (,  
Andheri ( East ),  
Marol,  
Mumbai,  
Taluka: Mumbai,  
District: MUMBAI,  
State: Maharashtra  
PIN: 400099

विषय Plot No. SY.NO. 1405(PART OF),, NA, MAROL VILLAGE, ANDHERI (E),, Mumbai, Taluka: Mumbai, District: MUMBAI,  
/Sub : State: Maharashtra, PIN: 400099 में स्थित विद्यमान पेट्रोलियम वर्ग B अधिष्ठापन में अनुज्ञप्ति सं P/WC/MH/15/2239 (P267699) के  
नवीकरण के संदर्भ में ।  
Existing Petroleum Class B Installation at Plot No. SY.NO. 1405(PART OF),, NA, MAROL VILLAGE, ANDHERI (E),,  
Mumbai, Taluka: Mumbai, District: MUMBAI, State: Maharashtra, PIN: 400099 - Licence No. P/WC/MH/15/2239  
(P267699) - Renewal regarding.

महोदय  
/Sir(s),

कृपया आपके पत्र क्रमांक OIN1847984 दिनांक 22/12/2024 का अवलोकन करें ।

Please refer to your letter No.: OIN1847984, dated 22/12/2024

अनुज्ञप्ति संख्या P/WC/MH/15/2239 (P267699) दिनांक 10/07/2012 को दिनांक 31/12/2034 तक नवीनीकृत कर इस पत्र के साथ अग्रहित की जा रही है ।

Licence No. P/WC/MH/15/2239 (P267699) dated 10/07/2012 is forwarded herewith duly renewed upto 31/12/2034.

2002 के अधीन बनाए गए नियम 148 में दी गई प्रक्रिया का कड़ाई से पालन करें । अनुज्ञप्ति के नवीकरण हेतु समस्त दस्तावेजों को अनुज्ञप्ति की वैधता समाप्त होने की तिथि से कम से कम 30 दिन पूर्व so as to reach this कार्यालय में प्रस्तुत करें ।

Please follow the procedure strictly as laid down in rule 148 of the Petroleum Rules, 2002 and submit complete documents for the Renewal of the licence so as to reach this office on or before the date on which Licence expires.

कृपया पावती दें।

Please acknowledge the receipt.

भवदीय /Yours faithfully,

((I  
(M W DUDHE))

Controller of Explosives  
कृते संयुक्त मुख्य विस्फोटक नियंत्रक  
For Jt. Chief Controller of Explosives  
/Mumbai

(अधिक जानकारी जैसे आवेदन की स्थिति, शुल्क तथा अन्य विवरण के लिए हमारी वेबसाइट : <http://peso.gov.in> देखें)  
(For more information regarding status, fees and other details please visit our website: <http://peso.gov.in>)

**Note:-This is system generated document does not require signature.**



**Ashwamedh**  
Engineers & Consultants  
Laboratory Services Division



**Ashwamedh Engineers & Consultants**  
Survey No.102, Plot No.26, Wadala Pathardi Road,  
Indira Nagar, Nashik-422009, Maharashtra, India  
(Near Guru Gobind Singh School, Near Pandav Nagari,  
Turn at Sai Mandir Chowk / Samrat Sweet Turning)  
sales@ashwamedh.net +91-253-2392225

### AMBIENT AIR QUALITY MONITORING REPORT

Sample ID : AA/10/25/5152	Report No. AA/10/25/5152	Report Date	14/10/2025
Name and address of Customer	<b>Mumbai International Airport Ltd.</b> Chhatrapati Shivaji Maharaj International Airport, 1st Floor, Terminal 1-B, Santacruz(E), Mumbai-400099, Maharashtra		
Sampling done by	Laboratory	Sample Description / Type	Ambient Air
Sampling Location	Utility Building Airport T-2	Date - Sampling	06/10/2025 to 07/10/2025
Sample Quantity / Packing	PM <sub>10</sub> , Bap, Metals: 1 x 3 no. filter paper PM <sub>2.5</sub> : 1 x 1 no. filter paper SO <sub>2</sub> , NO <sub>2</sub> : 30 ml x 6 no. plastic bottle each NH <sub>3</sub> : 10 ml x 24 no. plastic bottle Ozone: 10 ml x 1 no. plastic bottle C <sub>6</sub> H <sub>6</sub> : 6 no. charcoal tubes CO: 1 no. bladder	Date - Receipt of Sample	08/10/2025
Sampling Procedure	As per method reference	Date - Start of Analysis	08/10/2025
Order Reference	SO No. 5700370004 dated 19.04.2025	Date - Completion of Analysis	13/10/2025

#### Meteorological Data / Environmental Conditions

Average Wind Velocity 11.4 km/h	Wind Direction S-E	Relative Humidity (Max./Min.): 72/60%	Temperature (Max./Min.): 32/28°C	Duration of Survey 24 h
------------------------------------	-----------------------	--	-------------------------------------	----------------------------

Parameter	Result	NAAQS# 2009	Unit	Method
<b>Chemical Testing; Group: Atmospheric Pollution</b>				
Sulphur Dioxide (SO <sub>2</sub> )	12	80	µg/m <sup>3</sup>	IS 5182 (Part 2/Sec I): 2023
Nitrogen Dioxide (NO <sub>2</sub> )	31.5	80	µg/m <sup>3</sup>	IS 5182 (Part 6): 2017
Particulate Matter (size less than 10 µm) or PM <sub>10</sub>	78	100	µg/m <sup>3</sup>	IS 5182 (Part 23): 2017
Particulate Matter (size less than 2.5 µm) or PM <sub>2.5</sub>	37	60	µg/m <sup>3</sup>	CPCB Guideline, Volume I.36/2012-13, Page No.15:2013
Ozone (O <sub>3</sub> )	BLQ (LOQ:19.6)	180	µg/m <sup>3</sup>	Methods of Air Sampling and Analysis (AWMA), 3rd Ed., Method 411, Page no. 403 :1988
Lead (as Pb)	BLQ (LOQ:0.02)	1	µg/m <sup>3</sup>	EPA/625/R-96/D10 a Compendium Method IO-3.1 6 3.2, Jun: 1999
Carbon Monoxide (CO)	1.19	4	mg/m <sup>3</sup>	CPCB Guidelines, Volume II, 37/2012-13, Page no.16: 2013
Ammonia (NH <sub>3</sub> )	BLQ (LOQ:20)	400	µg/m <sup>3</sup>	CPCB Guidelines, Volume I.36/2012-13, Page No.35: 2013
Benzene (C <sub>6</sub> H <sub>6</sub> )	1.34	5	µg/m <sup>3</sup>	IS 5182 (Part II): 2017
Benzo (a) pyrene (BaP) Particulate Phase only	BLQ (LOQ:0.2)	1	ng/m <sup>3</sup>	IS 5182 (Part 12): 2014
Arsenic (as As)	BLQ (LOQ:0.3)	6	ng/m <sup>3</sup>	EPA/625/R-96/D10 a Compendium Method IO-3.1 6 3.4, Jun : 1999







Sample ID : AA/10/25/5152		Report No. AA/10/25/5152		Report Date	14/10/2025
Parameter	Result	NAAQS# 2009	Unit	Method	
Nickel (as Ni)	BLQ (LOQ:3)	20	ng/m <sup>3</sup>	EPA/625/R-96/D10 a Compendium Method 10-3.1 & 3.2. Jun: 1999	

BLQ: Below Limit of Quantification, LOQ: Limit of Quantification

TWA : Time Weighted Average

# : NAAQS (National Ambient Air Quality Standards (Industrial, Residential, Rural and other Area) specified as: 24 hours TWA in case of Sulphur Dioxide, Nitrogen Dioxide, PM10, PM2.5, Lead and Ammonia, 1 hour TWA in case of Carbon Monoxide and Ozone, Annual TWA in case of Benzene, Benzo (a) Pyrene, Arsenic and Nickel.


Sampling Equipment ID: AEC/EQ/1649

Calibration Certificate No.: CC342224000001262F

Consent Number & Date: Format 1.0/CAC/UAN No. 0000205124/CR/2502000735 Date 09.02.2025

*Ninad Soundankar*

Ninad Soundankar  
Technical Manager (Chemical)  
Reviewed & Authorised by




End of Report

**Note:**

1. The result listed refer only to the tested sample(s) and applicable parameter(s).
2. This report is not to be reproduced except in full, without written approval of the laboratory.
3. In case sampling is not done by laboratory, the results apply to the sample as received.
4. There are no additions to, deviations or exclusions from the method.





### AMBIENT AIR QUALITY MONITORING REPORT

Sample ID : AA/10/25/5303	Report No. AA/10/25/5303	Report Date	16/10/2025
Name and address of Customer	<b>Mumbai International Airport Ltd.</b> Chhatrapati Shivaji Maharaj International Airport, 1st Floor, Terminal 1-B, Santacruz(E), Mumbai-400099, Maharashtra		
Sampling done by	Laboratory	Sample Description / Type	Ambient Air
Sampling Location	Utility Building Airport T-2	Date - Sampling	09/10/2025 to 10/10/2025
Sample Quantity / Packing	PM <sub>10</sub> , Bap, Metals: 1 x 3 no. filter paper PM <sub>2.5</sub> : 1 x 1 no. filter paper SO <sub>2</sub> , NO <sub>2</sub> : 30 ml x 6 no. plastic bottle each NH <sub>3</sub> : 10 ml x 24 no. plastic bottle Ozone: 10 ml x 1 no. plastic bottle C <sub>6</sub> H <sub>6</sub> : 6 no. charcoal tubes CO: 1 no. bladder	Date - Receipt of Sample	11/10/2025
Sampling Procedure	As per method reference	Date - Start of Analysis	11/10/2025
Order Reference	SO No. 5700370004 dated 19.04.2025	Date - Completion of Analysis	15/10/2025

#### Meteorological Data / Environmental Conditions

Average Wind Velocity 10.4 km/h	Wind Direction S-W	Relative Humidity (Max./Min.): 70/62%	Temperature (Max./Min.): 30/26°C	Duration of Survey 24 h
------------------------------------	-----------------------	--	-------------------------------------	----------------------------

Parameter	Result	NAAQS# 2009	Unit	Method
<b>Chemical Testing; Group: Atmospheric Pollution</b>				
Sulphur Dioxide (SO <sub>2</sub> )	<b>12</b>	80	µg/m <sup>3</sup>	IS 5182 (Part 2/Sec I): 2023
Nitrogen Dioxide (NO <sub>2</sub> )	<b>30.1</b>	80	µg/m <sup>3</sup>	IS 5182 (Part 6): 2017
Particulate Matter (size less than 10 µm) or PM <sub>10</sub>	<b>75</b>	100	µg/m <sup>3</sup>	IS 5182 (Part 23): 2017
Particulate Matter (size less than 2.5µm) or PM <sub>2.5</sub>	<b>31</b>	60	µg/m <sup>3</sup>	CPCB Guideline, Volume I,36/2012-13, Page No.15:2013
Ozone (O <sub>3</sub> )	<b>BLQ (LOQ:19.6)</b>	180	µg/m <sup>3</sup>	Methods of Air Sampling and Analysis (AWMA), 3rd Ed., Method 41I,Page no. 403 :1988
Lead (as Pb)	<b>BLQ (LOQ:0.02)</b>	1	µg/m <sup>3</sup>	EPA/625/R-96/DIO a Compendium Method IO-3.1 & 3.4, Jun: 1999
Carbon Monoxide (CO)	<b>1.40</b>	4	mg/m <sup>3</sup>	CPCB Guidelines, Volume II, 37/2012-13, Page no.16: 2013
Ammonia (NH <sub>3</sub> )	<b>BLQ (LOQ:20)</b>	400	µg/m <sup>3</sup>	CPCB Guidelines, Volume I,36/2012-13, Page No.35: 2013
Benzene (C <sub>6</sub> H <sub>6</sub> )	<b>1.55</b>	5	µg/m <sup>3</sup>	IS 5182 (Part II): 2017
Benzo (a) pyrene (BaP) Particulate Phase only	<b>BLQ (LOQ:0.2)</b>	1	ng/m <sup>3</sup>	IS 5182 (Part 12): 2014
Arsenic (as As)	<b>BLQ (LOQ:0.3)</b>	6	ng/m <sup>3</sup>	EPA/625/R-96/DIO a Compendium Method IO-3.1 & 3.4, Jun : 1999







Sample ID : AA/10/25/5303		Report No. AA/10/25/5303		Report Date	16/10/2025
Parameter	Result	NAAQS# 2009	Unit	Method	
Nickel (as Ni)	BLQ (LOQ:3)	20	ng/m <sup>3</sup>	EPA/625/R-96/D10 a Compendium Method 10-3.1 & 3.4. Jun: 1999	

BLQ: Below Limit of Quantification, LOQ: Limit of Quantification

TWA : Time Weighted Average

# : NAAQS (National Ambient Air Quality Standards (Industrial, Residential, Rural and other Area) specified as: 24 hours TWA in case of Sulphur Dioxide, Nitrogen Dioxide, PM10, PM2.5, Lead and Ammonia, 1 hour TWA in case of Carbon Monoxide and Ozone, Annual TWA in case of Benzene, Benzo (a) Pyrene, Arsenic and Nickel.


Sampling Equipment ID: AEC/EQ/1649

Calibration Certificate No.: CC342224000001262F

Consent Number & Date: Format 1.0/CAC/UAN No. 0000205124/CR/2502000735 Date 09.02.2025

*Ninad Soundankar*

Ninad Soundankar  
 Technical Manager (Chemical)  
 Reviewed & Authorised by



End of Report

#### Note:

1. The result listed refer only to the tested sample(s) and applicable parameter(s).
2. This report is not to be reproduced except in full, without written approval of the laboratory.
3. In case sampling is not done by laboratory, the results apply to the sample as received.
4. There are no additions to, deviations or exclusions from the method.





### AMBIENT AIR QUALITY MONITORING REPORT

Sample ID : AA/10/25/5402	Report No. AA/10/25/5402	Report Date	20/10/2025
Name and address of Customer	<b>Mumbai International Airport Ltd.</b> Chhatrapati Shivaji Maharaj International Airport, 1st Floor, Terminal 1-B, Santacruz(E), Mumbai-400099, Maharashtra		
Sampling done by	Laboratory	Sample Description / Type	Ambient Air
Sampling Location	Utility Building Airport T-2	Date - Sampling	13/10/2025 to 14/10/2025
Sample Quantity / Packing	PM <sub>10</sub> : Bap, Metals: 1 x 3 no. filter paper PM <sub>2.5</sub> : 1 x 1 no. filter paper SO <sub>2</sub> , NO <sub>2</sub> : 30 ml x 6 no. plastic bottle each NH <sub>3</sub> : 10 ml x 24 no. plastic bottle Ozone: 10 ml x 1 no. plastic bottle C <sub>6</sub> H <sub>6</sub> : 6 no. charcoal tubes CO: 1 no. bladder	Date - Receipt of Sample	15/10/2025
Sampling Procedure	As per method reference	Date - Start of Analysis	15/10/2025
Order Reference	SO No. 5700370004 dated 19.04.2025	Date - Completion of Analysis	20/10/2025

#### Meteorological Data / Environmental Conditions

Average Wind Velocity 12.3 km/h	Wind Direction S-E	Relative Humidity (Max./Min.): 74/61%	Temperature (Max./Min.): 32/28°C	Duration of Survey 24 h
------------------------------------	-----------------------	--	-------------------------------------	----------------------------


Parameter	Result	NAAQS# 2009	Unit	Method
-----------	--------	----------------	------	--------

#### Chemical Testing; Group: Atmospheric Pollution

Sulphur Dioxide (SO <sub>2</sub> )	<b>9.8</b>	80	µg/m <sup>3</sup>	IS 5182 (Part 2/Sec I): 2023
Nitrogen Dioxide (NO <sub>2</sub> )	<b>30.4</b>	80	µg/m <sup>3</sup>	IS 5182 (Part 6): 2017
Particulate Matter (size less than 10 µm) or PM <sub>10</sub>	<b>71</b>	100	µg/m <sup>3</sup>	IS 5182 (Part 23): 2017
Particulate Matter (size less than 2.5µm) or PM <sub>2.5</sub>	<b>29</b>	60	µg/m <sup>3</sup>	CPCB Guideline, Volume I,36/2012-13, Page No.15:2013
Ozone (O <sub>3</sub> )	<b>BLQ (LOQ:19.6)</b>	180	µg/m <sup>3</sup>	Methods of Air Sampling and Analysis (AWMA), 3rd Ed., Method 411, Page no. 403 :1988
Lead (as Pb)	<b>BLQ (LOQ:0.02)</b>	1	µg/m <sup>3</sup>	EPA/625/R-96/D10 a Compendium Method 10-3.1 & 3.4, Jun: 1999
Carbon Monoxide (CO)	<b>1.11</b>	4	mg/m <sup>3</sup>	CPCB Guidelines, Volume II, 37/2012-13, Page no.16: 2013
Ammonia (NH <sub>3</sub> )	<b>BLQ (LOQ:20)</b>	400	µg/m <sup>3</sup>	CPCB Guidelines, Volume I,36/2012-13, Page No.35: 2013
Benzene (C <sub>6</sub> H <sub>6</sub> )	<b>1.17</b>	5	µg/m <sup>3</sup>	IS 5182 (Part II): 2017
Benzo (a) pyrene (BaP) Particulate Phase only	<b>BLQ (LOQ:0.2)</b>	1	ng/m <sup>3</sup>	IS 5182 (Part 12): 2014
Arsenic (as As)	<b>BLQ (LOQ:0.3)</b>	6	ng/m <sup>3</sup>	EPA/625/R-96/D10 a Compendium Method 10-3.1 & 3.4, Jun : 1999







Sample ID : AA/10/25/5402		Report No. AA/10/25/5402		Report Date	20/10/2025
Parameter	Result	NAAQS# 2009	Unit	Method	
Nickel (as Ni)	BLQ (LOQ:3)	20	ng/m <sup>3</sup>	EPA/625/R-96/D10 a Compendium Method 10-3.1 & 3.4. Jun: 1999	

BLQ: Below Limit of Quantification, LOQ: Limit of Quantification

TWA : Time Weighted Average

# : NAAQS (National Ambient Air Quality Standards (Industrial, Residential, Rural and other Area) specified as: 24 hours TWA in case of Sulphur Dioxide, Nitrogen Dioxide, PM10, PM2.5, Lead and Ammonia, 1 hour TWA in case of Carbon Monoxide and Ozone, Annual TWA in case of Benzene, Benzo (a) Pyrene, Arsenic and Nickel.

Sampling Equipment ID: AEC/EQ/1649

Calibration Certificate No.: CC342224000001262F

Consent Number & Date: Format 1.0/CAC/UAN No. 0000205124/CR/2502000735 Date 09.02.2025

*Ninad Soundankar*

Ninad Soundankar  
Technical Manager (Chemical)  
Reviewed & Authorised by



End of Report

**Note:**

1. The result listed refer only to the tested sample(s) and applicable parameter(s).
2. This report is not to be reproduced except in full, without written approval of the laboratory.
3. In case sampling is not done by laboratory, the results apply to the sample as received.
4. There are no additions to, deviations or exclusions from the method.





**AMBIENT AIR QUALITY MONITORING REPORT**

Sample ID : AA/10/25/5537	Report No. AA/10/25/5537	Report Date	28/10/2025
Name and address of Customer	<b>Mumbai International Airport Ltd.</b> Chhatrapati Shivaji Maharaj International Airport, 1st Floor, Terminal 1-B, Santacruz(E), Mumbai-400099, Maharashtra		
Sampling done by	Laboratory	Sample Description / Type	Ambient Air
Sampling Location	Utility Building Airport T-2	Date - Sampling	16/10/2025 to 17/10/2025
Sample Quantity / Packing	PM <sub>10</sub> : Bap, Metals: 1 x 3 no. filter paper PM <sub>2.5</sub> : 1 x 1 no. filter paper SO <sub>2</sub> , NO <sub>2</sub> : 30 ml x 6 no. plastic bottle each NH <sub>3</sub> : 10 ml x 24 no. plastic bottle Ozone: 10 ml x 1 no. plastic bottle C <sub>6</sub> H <sub>6</sub> : 6 no. charcoal tubes CO: 1 no. bladder	Date - Receipt of Sample	18/10/2025
Sampling Procedure	As per method reference	Date - Start of Analysis	18/10/2025
Order Reference	SO No. 5700370004 dated 19.04.2025	Date - Completion of Analysis	27/10/2025


**Meteorological Data / Environmental Conditions**

Average Wind Velocity 11.7 km/h	Wind Direction S-W	Relative Humidity (Max./Min.): 72/60%	Temperature (Max./Min.): 34/26°C	Duration of Survey 24 h
------------------------------------	-----------------------	--	-------------------------------------	----------------------------

Parameter	Result	NAAQS# 2009	Unit	Method
<b>Chemical Testing; Group: Atmospheric Pollution</b>				
Sulphur Dioxide (SO <sub>2</sub> )	<b>12</b>	80	µg/m <sup>3</sup>	IS 5182 (Part 2/Sec I): 2023
Nitrogen Dioxide (NO <sub>2</sub> )	<b>32.3</b>	80	µg/m <sup>3</sup>	IS 5182 (Part 6): 2017
Particulate Matter (size less than 10 µm) or PM <sub>10</sub>	<b>79</b>	100	µg/m <sup>3</sup>	IS 5182 (Part 23): 2017
Particulate Matter (size less than 2.5µm) or PM <sub>2.5</sub>	<b>34</b>	60	µg/m <sup>3</sup>	CPCB Guideline, Volume I.36/2012-13, Page No.15:2013
Ozone (O <sub>3</sub> )	<b>BLQ (LOQ:19.6)</b>	180	µg/m <sup>3</sup>	Methods of Air Sampling and Analysis (AWMA), 3rd Ed., Method 411, Page no. 403 :1988
Lead (as Pb)	<b>BLQ (LOQ:0.02)</b>	1	µg/m <sup>3</sup>	EPA/625/R-96/D10 a Compendium Method 10-3.1 & 3.4, Jun: 1999
Carbon Monoxide (CO)	<b>1.28</b>	4	mg/m <sup>3</sup>	CPCB Guidelines, Volume II, 37/2012-13, Page no.16: 2013
Ammonia (NH <sub>3</sub> )	<b>BLQ (LOQ:20)</b>	400	µg/m <sup>3</sup>	CPCB Guidelines, Volume I.36/2012-13, Page No.35: 2013
Benzene (C <sub>6</sub> H <sub>6</sub> )	<b>1.25</b>	5	µg/m <sup>3</sup>	IS 5182 (Part 11): 2017
Benzo (a) pyrene (BaP) Particulate Phase only	<b>BLQ (LOQ:0.2)</b>	1	ng/m <sup>3</sup>	IS 5182 (Part 12): 2014
Arsenic (as As)	<b>BLQ (LOQ:0.3)</b>	6	ng/m <sup>3</sup>	EPA/625/R-96/D10 a Compendium Method 10-3.1 & 3.4, Jun: 1999







Sample ID : AA/10/25/5537		Report No. AA/10/25/5537		Report Date	28/10/2025
Parameter	Result	NAAQS# 2009	Unit	Method	
Nickel (as Ni)	BLQ (LOQ:3)	20	ng/m <sup>3</sup>	EPA/625/R-96/010 a Compendium Method 10-3.1 & 3.4. Jun: 1999	

BLQ: Below Limit of Quantification, LOQ: Limit of Quantification

TWA : Time Weighted Average

# : NAAQS (National Ambient Air Quality Standards (Industrial, Residential, Rural and other Area) specified as: 24 hours TWA in case of Sulphur Dioxide, Nitrogen Dioxide, PM10, PM2.5, Lead and Ammonia, 1 hour TWA in case of Carbon Monoxide and Ozone, Annual TWA in case of Benzene, Benzo (a) Pyrene, Arsenic and Nickel.


Sampling Equipment ID: AEC/EQ/1649

Calibration Certificate No.: CC342224000001262F

Consent Number & Date: Format 1.0/CAC/UAN No. 0000205124/CR/2502000735 Date 09.02.2025

*Ninad Soundankar*

Ninad Soundankar  
Technical Manager (Chemical)  
Reviewed & Authorised by



End of Report

**Note:**

1. The result listed refer only to the tested sample(s) and applicable parameter(s).
2. This report is not to be reproduced except in full, without written approval of the laboratory.
3. In case sampling is not done by laboratory, the results apply to the sample as received.
4. There are no additions to, deviations or exclusions from the method.





### AMBIENT AIR QUALITY MONITORING REPORT

Sample ID : AA/10/25/5650	Report No. AA/10/25/5650	Report Date	30/10/2025
Name and address of Customer	<b>Mumbai International Airport Ltd.</b> Chhatrapati Shivaji Maharaj International Airport, 1st Floor, Terminal 1-B, Santacruz(E), Mumbai-400099, Maharashtra		
Sampling done by	Laboratory	Sample Description / Type	Ambient Air
Sampling Location	Utility Building (Airport T-2)	Date - Sampling	20/10/2025 to 21/10/2025
Sample Quantity / Packing	PM <sub>10</sub> , Bap, Metals: 1 x 3 no. filter paper PM <sub>2.5</sub> : 1 x 1 no. filter paper SO <sub>2</sub> , NO <sub>2</sub> : 30 ml x 6 no. plastic bottle each NH <sub>3</sub> : 10 ml x 24 no. plastic bottle Ozone: 10 ml x 1 no. plastic bottle C <sub>6</sub> H <sub>6</sub> : 6 no. charcoal tubes CO: 1 no. bladder	Date - Receipt of Sample	24/10/2025
Sampling Procedure	As per method reference	Date - Start of Analysis	24/10/2025
Order Reference	SO No. 5700370004 dated 19.04.2025	Date - Completion of Analysis	29/10/2025

#### Meteorological Data / Environmental Conditions

Average Wind Velocity 12.4 km/h	Wind Direction S-E	Relative Humidity (Max./Min.): 74/62%	Temperature (Max./Min.): 32/28°C	Duration of Survey 24 h
------------------------------------	-----------------------	--	-------------------------------------	----------------------------

Parameter	Result	NAAQS# 2009	Unit	Method
-----------	--------	----------------	------	--------

#### Chemical Testing; Group: Atmospheric Pollution

Sulphur Dioxide (SO <sub>2</sub> )	<b>13.1</b>	80	µg/m <sup>3</sup>	IS 5182 (Part 2/Sec 1): 2023
Nitrogen Dioxide (NO <sub>2</sub> )	<b>33.7</b>	80	µg/m <sup>3</sup>	IS 5182 (Part 6): 2017
Particulate Matter (size less than 10 µm) or PM <sub>10</sub>	<b>82</b>	100	µg/m <sup>3</sup>	IS 5182 (Part 23): 2017
Particulate Matter (size less than 2.5µm) or PM <sub>2.5</sub>	<b>39</b>	60	µg/m <sup>3</sup>	CPCB Guideline, Volume I,36/2012-13, Page No.15:2013
Ozone (O <sub>3</sub> )	<b>BLQ (LOQ:19.6)</b>	180	µg/m <sup>3</sup>	Methods of Air Sampling and Analysis (AWMA), 3rd Ed., Method 411,Page no. 403 :1988
Lead (as Pb)	<b>BLQ (LOQ:0.02)</b>	1	µg/m <sup>3</sup>	EPA/625/R-96/D10 a Compendium Method 10-3.1 & 3.4, Jun: 1999
Carbon Monoxide (CO)	<b>1.38</b>	4	mg/m <sup>3</sup>	CPCB Guidelines, Volume II, 37/2012-13, Page no.16: 2013
Ammonia (NH <sub>3</sub> )	<b>BLQ (LOQ:20)</b>	400	µg/m <sup>3</sup>	CPCB Guidelines, Volume I,36/2012-13, Page No.35: 2013
Benzene (C <sub>6</sub> H <sub>6</sub> )	<b>1.47</b>	5	µg/m <sup>3</sup>	IS 5182 (Part II): 2017
Benzo (a) pyrene (BaP) Particulate Phase only	<b>BLQ (LOQ:0.2)</b>	1	ng/m <sup>3</sup>	IS 5182 (Part 12): 2014
Arsenic (as As)	<b>BLQ (LOQ:0.3)</b>	6	ng/m <sup>3</sup>	EPA/625/R-96/D10 a Compendium Method 10-3.1 & 3.4, Jun : 1999







TC-5509



Sample ID : AA/10/25/5650		Report No. AA/10/25/5650		Report Date	30/10/2025
Parameter	Result	NAAQS# 2009	Unit	Method	
Nickel (as Ni)	BLQ (LOQ:3)	20	ng/m <sup>3</sup>	EPA/625/R-96/D10 a Compendium Method 10-3.1 & 3.4, Jun: 1999	

BLQ: Below Limit of Quantification, LOQ: Limit of Quantification

TWA : Time Weighted Average

# : NAAQS (National Ambient Air Quality Standards (Industrial, Residential, Rural and other Area) specified as: 24 hours TWA in case of Sulphur Dioxide, Nitrogen Dioxide, PM10, PM2.5, Lead and Ammonia, 1 hour TWA in case of Carbon Monoxide and Ozone, Annual TWA in case of Benzene, Benzo (a) Pyrene, Arsenic and Nickel.

Sampling Equipment ID: AEC/EQ/1649

Calibration Certificate No.: CC342224000001262F

Consent Number & Date: Format 1.0/CAC/UAN No. 0000205124/CR/2502000735 Date 09.02.2025

*Ninad Soundankar*

Ninad Soundankar  
Technical Manager (Chemical)  
Reviewed & Authorised by



End of Report

#### Note:

1. The result listed refer only to the tested sample(s) and applicable parameter(s).
2. This report is not to be reproduced except in full, without written approval of the laboratory.
3. In case sampling is not done by laboratory, the results apply to the sample as received.
4. There are no additions to, deviations or exclusions from the method.





### AMBIENT AIR QUALITY MONITORING REPORT

Sample ID : AA/10/25/5730	Report No. AA/10/25/5730	Report Date	05/11/2025
Name and address of Customer	<b>Mumbai International Airport Ltd.</b> Chhatrapati Shivaji Maharaj International Airport, 1st Floor, Terminal 1-B, Santacruz(E), Mumbai-400099, Maharashtra		
Sampling done by	Laboratory	Sample Description / Type	Ambient Air
Sampling Location	Utility Building Airport T-2	Date - Sampling	23/10/2025 to 24/10/2025
Sample Quantity / Packing	PM <sub>10</sub> , Bap, Metals: 1 x 3 no. filter paper PM <sub>2.5</sub> : 1 x 1 no. filter paper SO <sub>2</sub> , NO <sub>2</sub> : 30 ml x 6 no. plastic bottle each NH <sub>3</sub> : 10 ml x 24 no. plastic bottle Ozone: 10 ml x 1 no. plastic bottle C <sub>6</sub> H <sub>6</sub> : 6 no. charcoal tubes CO: 1 no. bladder	Date - Receipt of Sample	27/10/2025
Sampling Procedure	As per method reference	Date - Start of Analysis	27/10/2025
Order Reference	SO No. 5700370004 dated 19.04.2025	Date - Completion of Analysis	04/11/2025

#### Meteorological Data / Environmental Conditions

Average Wind Velocity 10 km/h	Wind Direction S-W	Relative Humidity (Max./Min.): 75/64%	Temperature (Max./Min.): 32/26°C	Duration of Survey 24 h
----------------------------------	-----------------------	--	-------------------------------------	----------------------------

Parameter	Result	NAAQS# 2009	Unit	Method
-----------	--------	----------------	------	--------

#### Chemical Testing; Group: Atmospheric Pollution

Sulphur Dioxide (SO <sub>2</sub> )	<b>10.9</b>	80	µg/m <sup>3</sup>	IS 5182 (Part 2/Sec I): 2023
Nitrogen Dioxide (NO <sub>2</sub> )	<b>32.6</b>	80	µg/m <sup>3</sup>	IS 5182 (Part 6): 2017
Particulate Matter (size less than 10 µm) or PM <sub>10</sub>	<b>79</b>	100	µg/m <sup>3</sup>	IS 5182 (Part 23): 2017
Particulate Matter (size less than 2.5µm) or PM <sub>2.5</sub>	<b>37</b>	60	µg/m <sup>3</sup>	CPCB Guideline, Volume I.36/2012-13, Page No.15:2013
Ozone (O <sub>3</sub> )	<b>BLQ (LOQ:19.6)</b>	180	µg/m <sup>3</sup>	Methods of Air Sampling and Analysis (AWMA), 3rd Ed., Method 411, Page no. 403 :1988
Lead (as Pb)	<b>BLQ (LOQ:0.02)</b>	1	µg/m <sup>3</sup>	EPA/625/R-96/010 a Compendium Method IO-3.1 G 3.4, Jun: 1999
Carbon Monoxide (CO)	<b>1.32</b>	4	mg/m <sup>3</sup>	CPCB Guidelines, Volume II, 37/2012-13, Page no.16: 2013
Ammonia (NH <sub>3</sub> )	<b>BLQ (LOQ:20)</b>	400	µg/m <sup>3</sup>	CPCB Guidelines, Volume I.36/2012-13, Page No.35: 2013
Benzene (C <sub>6</sub> H <sub>6</sub> )	<b>1.44</b>	5	µg/m <sup>3</sup>	IS 5182 (Part II): 2017
Benzo (a) pyrene (BaP) Particulate Phase only	<b>BLQ (LOQ:0.2)</b>	1	ng/m <sup>3</sup>	IS 5182 (Part 12): 2014
Arsenic (as As)	<b>BLQ (LOQ:0.3)</b>	6	ng/m <sup>3</sup>	EPA/625/R-96/010 a Compendium Method IO-3.1 G 3.4, Jun : 1999







Sample ID : AA/10/25/5730		Report No. AA/10/25/5730		Report Date	05/11/2025
Parameter	Result	NAAQS# 2009	Unit	Method	
Nickel (as Ni)	BLQ (LOQ:3)	20	ng/m³	EPA/625/R-96/D10 a Compendium Method 10-3.1 & 3.4, Jun: 1999	

BLQ: Below Limit of Quantification, LOQ: Limit of Quantification

TWA : Time Weighted Average

# : NAAQS (National Ambient Air Quality Standards (Industrial, Residential, Rural and other Area) specified as: 24 hours TWA in case of Sulphur Dioxide, Nitrogen Dioxide, PM10, PM2.5, Lead and Ammonia, 1 hour TWA in case of Carbon Monoxide and Ozone, Annual TWA in case of Benzene, Benzo (a) Pyrene, Arsenic and Nickel.

Sampling Equipment ID: AEC/EQ/1649

Calibration Certificate No.: CC342224000001262F

Consent Number & Date: Format 1.0/CAC/UAN No. 0000205124/CR/2502000735 Date 09.02.2025

*Ninad Soundankar*

Ninad Soundankar  
Technical Manager (Chemical)  
Reviewed & Authorised by




End of Report

**Note:**

1. The result listed refer only to the tested sample(s) and applicable parameter(s).
2. This report is not to be reproduced except in full, without written approval of the laboratory.
3. In case sampling is not done by laboratory, the results apply to the sample as received.
4. There are no additions to, deviations or exclusions from the method.





### AMBIENT AIR QUALITY MONITORING REPORT

Sample ID : AA/10/25/5753	Report No. AA/10/25/5753	Report Date	05/11/2025
Name and address of Customer	<b>Mumbai International Airport Ltd.</b> Chhatrapati Shivaji Maharaj International Airport, 1st Floor, Terminal 1-B, Santacruz(E), Mumbai-400099, Maharashtra		
Sampling done by	Laboratory	Sample Description / Type	Ambient Air
Sampling Location	Utility Building Airport T-2	Date - Sampling	27/10/2025 to 28/10/2025
Sample Quantity / Packing	PM <sub>10</sub> , Bap, Metals: 1 x 3 no. filter paper PM <sub>2.5</sub> : 1 x 1 no. filter paper SO <sub>2</sub> , NO <sub>2</sub> : 30 ml x 6 no. plastic bottle each NH <sub>3</sub> : 10 ml x 24 no. plastic bottle Ozone: 10 ml x 1 no. plastic bottle C <sub>6</sub> H <sub>6</sub> : 6 no. charcoal tubes CO: 1 no. bladder	Date - Receipt of Sample	29/10/2025
Sampling Procedure	As per method reference	Date - Start of Analysis	29/10/2025
Order Reference	SO No. 5700370004 dated 19.04.2025	Date - Completion of Analysis	04/11/2025

#### Meteorological Data / Environmental Conditions

Average Wind Velocity 10.5 km/h	Wind Direction S-E	Relative Humidity (Max./Min.): 75/67%	Temperature (Max./Min.): 31/26°C	Duration of Survey 24 h
------------------------------------	-----------------------	--	-------------------------------------	----------------------------

Parameter	Result	NAAQS# 2009	Unit	Method
<b>Chemical Testing; Group: Atmospheric Pollution</b>				
Sulphur Dioxide (SO <sub>2</sub> )	<b>12</b>	80	µg/m <sup>3</sup>	IS 5182 (Part 2/Sec I): 2023
Nitrogen Dioxide (NO <sub>2</sub> )	<b>33.7</b>	80	µg/m <sup>3</sup>	IS 5182 (Part 6): 2017
Particulate Matter (size less than 10 µm) or PM <sub>10</sub>	<b>82</b>	100	µg/m <sup>3</sup>	IS 5182 (Part 23): 2017
Particulate Matter (size less than 2.5µm) or PM <sub>2.5</sub>	<b>41</b>	60	µg/m <sup>3</sup>	CPCB Guideline, Volume I.36/2012-13, Page No.15:2013
Ozone (O <sub>3</sub> )	<b>BLQ (LOQ:19.6)</b>	180	µg/m <sup>3</sup>	Methods of Air Sampling and Analysis (AWMA), 3rd Ed., Method 411, Page no. 403-1988
Lead (as Pb)	<b>BLQ (LOQ:0.02)</b>	1	µg/m <sup>3</sup>	EPA/625/R-96/D10 a Compendium Method 10-3.1 & 3.4, Jun: 1999
Carbon Monoxide (CO)	<b>1.41</b>	4	mg/m <sup>3</sup>	CPCB Guidelines, Volume II, 37/2012-13, Page no.16: 2013
Ammonia (NH <sub>3</sub> )	<b>BLQ (LOQ:20)</b>	400	µg/m <sup>3</sup>	CPCB Guidelines, Volume I.36/2012-13, Page No.35: 2013
Benzene (C <sub>6</sub> H <sub>6</sub> )	<b>1.51</b>	5	µg/m <sup>3</sup>	IS 5182 (Part 11): 2017
Benzo (a) pyrene (BaP) Particulate Phase only	<b>BLQ (LOQ:0.2)</b>	1	ng/m <sup>3</sup>	IS 5182 (Part 12): 2014
Arsenic (as As)	<b>BLQ (LOQ:0.3)</b>	6	ng/m <sup>3</sup>	EPA/625/R-96/D10 a Compendium Method 10-3.1 & 3.4, Jun : 1999







Sample ID : AA/10/25/5753		Report No. AA/10/25/5753		Report Date	05/11/2025
Parameter	Result	NAAQS# 2009	Unit	Method	
Nickel (as Ni)	BLQ (LOQ:3)	20	ng/m <sup>3</sup>	EPA/625/R-96/010 a Compendium Method 10-3.1 & 3.4. Jun: 1999	

BLQ: Below Limit of Quantification, LOQ: Limit of Quantification

TWA : Time Weighted Average

# : NAAQS (National Ambient Air Quality Standards (Industrial, Residential, Rural and other Area) specified as: 24 hours TWA in case of Sulphur Dioxide, Nitrogen Dioxide, PM10, PM2.5, Lead and Ammonia, 1 hour TWA in case of Carbon Monoxide and Ozone, Annual TWA in case of Benzene, Benzo (a) Pyrene, Arsenic and Nickel.


Sampling Equipment ID: AEC/EQ/1649

Calibration Certificate No.: CC342224000001262F

Consent Number & Date: Format 1.0/CAC/UAN No. 0000205124/CR/2502000735 Date 09.02.2025

*Ninad Soundankar*

Ninad Soundankar  
Technical Manager (Chemical)  
Reviewed & Authorised by




End of Report

**Note:**

1. The result listed refer only to the tested sample(s) and applicable parameter(s).
2. This report is not to be reproduced except in full, without written approval of the laboratory.
3. In case sampling is not done by laboratory, the results apply to the sample as received.
4. There are no additions to, deviations or exclusions from the method.





### AMBIENT AIR QUALITY MONITORING REPORT

Sample ID : AA/11/25/5014	Report No. AA/11/25/5014	Report Date	06/11/2025
Name and address of Customer	<b>Mumbai International Airport Ltd.</b> Chhatrapati Shivaji Maharaj International Airport, 1st Floor, Terminal 1-B, Santacruz(E), Mumbai-400099, Maharashtra		
Sampling done by	Laboratory	Sample Description / Type	Ambient Air
Sampling Location	Utility Building Airport T-2	Date - Sampling	30/10/2025 to 31/10/2025
Sample Quantity / Packing	PM <sub>10</sub> , Bap, Metals: 1 x 3 no. filter paper PM <sub>2.5</sub> : 1 x 1 no. filter paper SO <sub>2</sub> , NO <sub>2</sub> : 30 ml x 6 no. plastic bottle each NH <sub>3</sub> : 10 ml x 24 no. plastic bottle Ozone: 10 ml x 1 no. plastic bottle C <sub>6</sub> H <sub>6</sub> : 6 no. charcoal tubes CO: 1 no. bladder	Date - Receipt of Sample	01/11/2025
Sampling Procedure	As per method reference	Date - Start of Analysis	01/11/2025
Order Reference	SO No. 5700370004 dated 19.04.2025	Date - Completion of Analysis	05/11/2025

#### Meteorological Data / Environmental Conditions

Average Wind Velocity 11.4 km/h	Wind Direction S-W	Relative Humidity (Max./Min.): 73/66%	Temperature (Max./Min.): 32/28°C	Duration of Survey 24 h
------------------------------------	-----------------------	--	-------------------------------------	----------------------------

Parameter	Result	NAAQS# 2009	Unit	Method
<b>Chemical Testing; Group: Atmospheric Pollution</b>				
Sulphur Dioxide (SO <sub>2</sub> )	<b>13.1</b>	80	µg/m <sup>3</sup>	IS 5182 (Part 2/Sec I): 2023
Nitrogen Dioxide (NO <sub>2</sub> )	<b>34.8</b>	80	µg/m <sup>3</sup>	IS 5182 (Part 6): 2017
Particulate Matter (size less than 10 µm) or PM <sub>10</sub>	<b>84</b>	100	µg/m <sup>3</sup>	IS 5182 (Part 23): 2017
Particulate Matter (size less than 2.5 µm) or PM <sub>2.5</sub>	<b>43</b>	60	µg/m <sup>3</sup>	CPCB Guideline, Volume I.36/2012-13, Page No.15:2013
Ozone (O <sub>3</sub> )	<b>BLQ (LOQ:19.6)</b>	180	µg/m <sup>3</sup>	Methods of Air Sampling and Analysis (AWMA), 3rd Ed., Method 411, Page no. 403 :1988
Lead (as Pb)	<b>BLQ (LOQ:0.02)</b>	1	µg/m <sup>3</sup>	EPA/625/R-96/D10 a Compendium Method IO-3.1 & 3.4, Jun: 1999
Carbon Monoxide (CO)	<b>1.52</b>	4	mg/m <sup>3</sup>	CPCB Guidelines, Volume II, 37/2012-13, Page no.16: 2013
Ammonia (NH <sub>3</sub> )	<b>BLQ (LOQ:20)</b>	400	µg/m <sup>3</sup>	CPCB Guidelines, Volume I.36/2012-13, Page No.35: 2013
Benzene (C <sub>6</sub> H <sub>6</sub> )	<b>1.61</b>	5	µg/m <sup>3</sup>	IS 5182 (Part II): 2017
Benzo (a) pyrene (BaP) Particulate Phase only	<b>BLQ (LOQ:0.2)</b>	1	ng/m <sup>3</sup>	IS 5182 (Part 12): 2014
Arsenic (as As)	<b>BLQ (LOQ:0.3)</b>	6	ng/m <sup>3</sup>	EPA/625/R-96/D10 a Compendium Method IO-3.1 & 3.4, Jun : 1999







**AMBIENT AIR QUALITY MONITORING REPORT**

Sample ID : AA/10/25/5791	Report No. AA/10/25/5791	Report Date	05/11/2025
Name and address of Customer	<b>Mumbai International Airport Ltd.</b> Chhatrapati Shivaji Maharaj International Airport, 1st Floor, Terminal 1-B, Santacruz(E), Mumbai-400099, Maharashtra		
Sampling done by	Laboratory	Sample Description / Type	Ambient Air
Sampling Location	OWC Kurla	Date - Sampling	29/10/2025 to 30/10/2025
Sample Quantity / Packing	PM <sub>10</sub> : Lead: 1 x 3 no. filter paper PM <sub>2.5</sub> : 1 x 1 no. filter paper SO <sub>2</sub> , NO <sub>2</sub> : 30 ml x 6 no. plastic bottle each NH <sub>3</sub> : 10 ml x 24 no. plastic bottle CO: 1 no. bladder	Date - Receipt of Sample	31/10/2025
Sampling Procedure	As per method reference	Date - Start of Analysis	31/10/2025
Order Reference	SO No. 5700370004 dated 19.04.2025	Date - Completion of Analysis	04/11/2025

**Meteorological Data / Environmental Conditions**

Average Wind Velocity 8.13 km/h	Wind Direction S-W	Relative Humidity (Max./Min.): 58/46%	Temperature (Max./Min.): 32/27°C	Duration of Survey 24 h
Parameter	Result	NAAQS# 2009	Unit	Method

**Chemical Testing; Group: Atmospheric Pollution**

Sulphur Dioxide (SO <sub>2</sub> )	13.1	80	µg/m <sup>3</sup>	IS 5182 (Part 2/Sec I): 2023
Nitrogen Dioxide (NO <sub>2</sub> )	33	80	µg/m <sup>3</sup>	IS 5182 (Part 6): 2017
Particulate Matter (size less than 10 µm) or PM <sub>10</sub>	81	100	µg/m <sup>3</sup>	IS 5182 (Part 23): 2017
Particulate Matter (size less than 2.5µm) or PM <sub>2.5</sub>	42	60	µg/m <sup>3</sup>	CPCB Guideline, Volume I,36/2012-13, Page No.15:2013
Lead (as Pb)	BLQ (LOQ:0.02)	1	µg/m <sup>3</sup>	EPA/625/R-96/D10 a Compendium Method 10-3.1 & 3.2, Jun: 1999
Carbon Monoxide (CO)	1.38	4	mg/m <sup>3</sup>	CPCB Guidelines, Volume II, 37/2012-13, Page no.16: 2013
Ammonia (NH <sub>3</sub> )	32.2	400	µg/m <sup>3</sup>	CPCB Guidelines, Volume I,36/2012-13, Page No.35: 2013

BLQ: Below Limit of Quantification, LOQ: Limit of Quantification

TWA : Time Weighted Average

# : NAAQS (National Ambient Air Quality Standards (Industrial, Residential, Rural and other Area) specified as: 24 hours TWA in case of Sulphur Dioxide, Nitrogen Dioxide, PM<sub>10</sub>, PM<sub>2.5</sub>, Lead and Ammonia, 1 hour TWA in case of Carbon Monoxide.


Sampling Equipment ID: AEC/EQ/1647

Calibration Certificate No.: CC342223000001514F

Consent Number & Date: Format 1.0/CAC/UAN No. 0000205124/CR/2502000735 Date 09.02.2025







### AMBIENT AIR QUALITY MONITORING REPORT

Sample ID : AA/10/25/5792	Report No. AA/10/25/5792	Report Date	05/11/2025
Name and address of Customer	<b>Mumbai International Airport Ltd.</b> Chhatrapati Shivaji Maharaj International Airport, 1st Floor, Terminal 1-B, Santacruz(E), Mumbai-400099, Maharashtra		
Sampling done by	Laboratory	Sample Description / Type	Ambient Air
Sampling Location	Sanvodaya Hospital (Ghatkopar)	Date - Sampling	29/10/2025 to 30/10/2025
Sample Quantity / Packing	PM <sub>10</sub> : Lead: 1 x 3 no. filter paper PM <sub>2.5</sub> : 1 x 1 no. filter paper SO <sub>2</sub> , NO <sub>2</sub> : 30 ml x 6 no. plastic bottle each NH <sub>3</sub> : 10 ml x 24 no. plastic bottle CO: 1 no. bladder	Date - Receipt of Sample	31/10/2025
Sampling Procedure	As per method reference	Date - Start of Analysis	31/10/2025
Order Reference	SO No. 5700370004 dated 19.04.2025	Date - Completion of Analysis	04/11/2025

#### Meteorological Data / Environmental Conditions

Average Wind Velocity 8.13 km/h	Wind Direction S-W	Relative Humidity (Max./Min.): 58/46%	Temperature (Max./Min.): 32/27°C	Duration of Survey 24 h
------------------------------------	-----------------------	--	-------------------------------------	----------------------------

Parameter	Result	NAAQS# 2009	Unit	Method
<b>Chemical Testing; Group: Atmospheric Pollution</b>				
Sulphur Dioxide (SO <sub>2</sub> )	<b>14.2</b>	80	µg/m <sup>3</sup>	IS 5182 (Part 2/Sec I): 2023
Nitrogen Dioxide (NO <sub>2</sub> )	<b>30.8</b>	80	µg/m <sup>3</sup>	IS 5182 (Part 6): 2017
Particulate Matter (size less than 10 µm) or PM <sub>10</sub>	<b>75</b>	100	µg/m <sup>3</sup>	IS 5182 (Part 23): 2017
Particulate Matter (size less than 2.5µm) or PM <sub>2.5</sub>	<b>34</b>	60	µg/m <sup>3</sup>	CPCB Guideline, Volume 1.36/2012-13, Page No.15:2013
Lead (as Pb)	<b>BLQ (LOQ:0.02)</b>	1	µg/m <sup>3</sup>	EPA/625/R-96/010 a Compendium Method 10-3.1 & 3.2, Jun: 1999
Carbon Monoxide (CO)	<b>1.24</b>	4	mg/m <sup>3</sup>	CPCB Guidelines, Volume II, 37/2012-13, Page no.16: 2013
Ammonia (NH <sub>3</sub> )	<b>31</b>	400	µg/m <sup>3</sup>	CPCB Guidelines, Volume 1.36/2012-13, Page No.35: 2013

BLQ: Below Limit of Quantification, LOQ: Limit of Quantification

TWA : Time Weighted Average

# : NAAQS (National Ambient Air Quality Standards (Industrial, Residential, Rural and other Area) specified as: 24 hours TWA in case of Sulphur Dioxide, Nitrogen Dioxide, PM<sub>10</sub>, PM<sub>2.5</sub>, Lead and Ammonia, 1 hour TWA in case of Carbon Monoxide.

Sampling Equipment ID: AEC/EQ/1648

Calibration Certificate No.: CC342223000001514F

Consent Number & Date: Format 1.0/CAC/UAN No. 0000205124/CR/2502000735 Date 09.02.2025





**AMBIENT AIR QUALITY MONITORING REPORT**

Sample ID : AA/11/25/5062	Report No. AA/11/25/5062	Report Date	08/11/2025
Name and address of Customer	<b>Mumbai International Airport Ltd.</b> Chhatrapati Shivaji Maharaj International Airport, 1st Floor, Terminal 1-B, Santacruz(E), Mumbai-400099, Maharashtra		
Sampling done by	Laboratory	Sample Description / Type	Ambient Air
Sampling Location	Utility Building Airport T-2	Date - Sampling	03/11/2025 to 04/11/2025
Sample Quantity / Packing	PM <sub>10</sub> : Bap, Metals: 1 x 3 no. filter paper PM <sub>2.5</sub> : 1 x 1 no. filter paper SO <sub>2</sub> , NO <sub>2</sub> : 30 ml x 6 no. plastic bottle each NH <sub>3</sub> : 10 ml x 24 no. plastic bottle Ozone: 10 ml x 1 no. plastic bottle C <sub>6</sub> H <sub>6</sub> : 6 no. charcoal tubes CO: 1 no. bladder	Date - Receipt of Sample	05/11/2025
Sampling Procedure	As per method reference	Date - Start of Analysis	05/11/2025
Order Reference	SO No. 5700370004 dated 19.04.2025	Date - Completion of Analysis	08/11/2025

**Meteorological Data / Environmental Conditions**

Average Wind Velocity 10.9 km/h	Wind Direction S-E	Relative Humidity (Max./Min.): 74/64%	Temperature (Max./Min.): 31/27°C	Duration of Survey 24 h
Parameter	Result	NAAQS# 2009	Unit	Method
<b>Chemical Testing; Group: Atmospheric Pollution</b>				
Sulphur Dioxide (SO <sub>2</sub> )	12	80	µg/m <sup>3</sup>	IS 5182 (Part 2/Sec 0): 2023
Nitrogen Dioxide (NO <sub>2</sub> )	31.5	80	µg/m <sup>3</sup>	IS 5182 (Part 6): 2007
Particulate Matter (size less than 10 µm) or PM <sub>10</sub>	78	100	µg/m <sup>3</sup>	IS 5182 (Part 23): 2007
Particulate Matter (size less than 2.5µm) or PM <sub>2.5</sub>	34	60	µg/m <sup>3</sup>	CPCB Guidelines, Volume 1.38/2012-13, Page No 15-2013
Ozone (O <sub>3</sub> )	BLQ (LOQ:19.6)	180	µg/m <sup>3</sup>	Methods of Air Sampling and Analysis (NAMA), 3rd Ed., Method A1 Page no. 403-1988
Lead (as Pb)	BLQ (LOQ:0.02)	1	µg/m <sup>3</sup>	EPA/625/R-96/010 a Compendium Method 10-3.1 & 3.4, Jun: 1999
Carbon Monoxide (CO)	1.18	4	mg/m <sup>3</sup>	CPCB Guidelines, Volume II, 27/2012-13, Page no.16: 2013
Ammonia (NH <sub>3</sub> )	BLQ (LOQ:20)	400	µg/m <sup>3</sup>	CPCB Guidelines, Volume 1.38/2012-13, Page No.25: 2013
Benzene (C <sub>6</sub> H <sub>6</sub> )	1.33	5	µg/m <sup>3</sup>	IS 5182 (Part 10): 2017
Benzo (a) pyrene (BaP) Particulate Phase only	BLQ (LOQ:0.2)	1	ng/m <sup>3</sup>	IS 5182 (Part 12): 2014
Arsenic (as As)	BLQ (LOQ:0.3)	6	ng/m <sup>3</sup>	EPA/625/R-96/010 a Compendium Method 10-3.1 & 3.4, Jun: 1999







Sample ID : AA/11/25/5062	Report No. AA/11/25/5062	Report Date	08/11/2025	
Parameter	Result	NAAQS# 2009	Unit	Method
Nickel (as Ni)	BLQ (LOQ:3)	20	ng/m³	EPA/625/R-95/DIG a Compendium Method 10-31 & 3.4. Jan. 1999

BLQ: Below Limit of Quantification, LOQ: Limit of Quantification

TWA Time Weighted Average

# NAAQS (National Ambient Air Quality Standards (Industrial, Residential, Rural and other Area) specified as: 24 hours TWA in case of Sulphur Dioxide, Nitrogen Dioxide, PM10, PM2.5, Lead and Ammonia, 1 hour TWA in case of Carbon Monoxide and Ozone, Annual TWA in case of Benzene, Benzo (a) Pyrene, Arsenic and Nickel

Sampling Equipment ID: AEC/EQ/1649

Calibration Certificate No.: CC342224000001262F

Consent Number & Date: Format 1.0/CAC/UAN No. 0000205124/CR/2502000735 Date 09.02.2025

*Ninad Soundankar*

Ninad Soundankar  
Technical Manager (Chemical)  
Reviewed & Authorised by



End of Report

**Note:**

1. The result listed refer only to the tested sample(s) and applicable parameter(s).
2. This report is not to be reproduced except in full, without written approval of the laboratory.
3. In case sampling is not done by laboratory, the results apply to the sample as received.
4. There are no additions to, deviations or exclusions from the method.





**AMBIENT AIR QUALITY MONITORING REPORT**

Sample ID : AA/11/25/5142	Report No. AA/11/25/5142	Report Date	14/11/2025
Name and address of Customer	<b>Mumbai International Airport Ltd.</b> Chhatrapati Shivaji Maharaj International Airport, 1st Floor, Terminal 1-B, Santacruz(E), Mumbai-400099, Maharashtra		
Sampling done by	Laboratory	Sample Description / Type	Ambient Air
Sampling Location	Utility Building Airport T-2	Date - Sampling	06/11/2025 to 07/11/2025
Sample Quantity / Packing	PM <sub>10</sub> : Bap, Metals: 1 x 3 no. filter paper PM <sub>2.5</sub> : 1 x 1 no. filter paper SO <sub>2</sub> , NO <sub>2</sub> : 30 ml x 6 no. plastic bottle each NH <sub>3</sub> : 10 ml x 24 no. plastic bottle Ozone: 10 ml x 1 no. plastic bottle C <sub>6</sub> H <sub>6</sub> : 6 no. charcoal tubes CO: 1 no. bladder	Date - Receipt of Sample	08/11/2025
Sampling Procedure	As per method reference	Date - Start of Analysis	08/11/2025
Order Reference	SO No. 5700370004 dated 19.04.2025	Date - Completion of Analysis	13/11/2025

**Meteorological Data / Environmental Conditions**

Average Wind Velocity 11 km/h	Wind Direction S-E	Relative Humidity (Max./Min.): 79/65%	Temperature (Max./Min.): 31/26°C	Duration of Survey 24 h
----------------------------------	-----------------------	--	-------------------------------------	----------------------------

Parameter	Result	NAAQS# 2009	Unit	Method
<b>Chemical Testing; Group: Atmospheric Pollution</b>				
Sulphur Dioxide (SO <sub>2</sub> )	13.1	80	µg/m <sup>3</sup>	IS 5182 (Part 2/Sec 1): 2017
Nitrogen Dioxide (NO <sub>2</sub> )	32.6	80	µg/m <sup>3</sup>	IS 5182 (Part 6): 2017
Particulate Matter (size less than 10 µm) or PM <sub>10</sub>	81	100	µg/m <sup>3</sup>	IS 5182 (Part 23): 2017
Particulate Matter (size less than 2.5 µm) or PM <sub>2.5</sub>	37	60	µg/m <sup>3</sup>	CPCB Guidelines, Volume I, 36/2012-13, Page No.15: 2013
Ozone (O <sub>3</sub> )	BLQ (LOQ:19.6)	180	µg/m <sup>3</sup>	Methods of Air Sampling and Analysis (MMA), 3rd Ed., Method 40, Page no. 403: 1988
Lead (as Pb)	BLQ (LOQ:0.02)	1	µg/m <sup>3</sup>	EPA/625/R-96/010 a Compendium Method 10-3.1 B 3.4, Jan. 1999
Carbon Monoxide (CO)	1.28	4	mg/m <sup>3</sup>	CPCB Guidelines, Volume II, 37/2012-13, Page no.16: 2013
Ammonia (NH <sub>3</sub> )	BLQ (LOQ:20)	400	µg/m <sup>3</sup>	CPCB Guidelines, Volume I, 36/2012-13, Page No.35: 2013
Benzene (C <sub>6</sub> H <sub>6</sub> )	1.45	5	µg/m <sup>3</sup>	IS 5182 (Part 10): 2017
Benzo (a) pyrene (BaP) Particulate Phase only	BLQ (LOQ:0.2)	1	ng/m <sup>3</sup>	IS 5182 (Part 12): 2014
Arsenic (as As)	BLQ (LOQ:0.3)	6	ng/m <sup>3</sup>	EPA/625/R-96/010 a Compendium Method 10-3.1 B 3.4, Jan. 1999





Sample ID : AA/11/25/5142		Report No. AA/11/25/5142		Report Date		14/11/2025
Parameter	Result	NAAQS#	Unit	Method		
Nickel (as Ni)	BLQ (LOQ:3)	20	ng/m <sup>3</sup>	EPA/625/R-96/010 a Compendium Method (D-3) & 3.4, Jan. 1999		

BLQ: Below Limit of Quantification, LOQ: Limit of Quantification  
TWA : Time Weighted Average  
# : NAAQS (National Ambient Air Quality Standards (Industrial, Residential, Rural and other Area) specified as: 24 hours TWA in case of Sulphur Dioxide, Nitrogen Dioxide, PM10, PM2.5, Lead and Ammonia, 1 hour TWA in case of Carbon Monoxide and Ozone, Annual TWA in case of Benzene, Benzo (a) Pyrene, Arsenic and Nickel.  
Sampling Equipment ID: AEC/EQ/1649  
Calibration Certificate No.: CC342224000001262F  
Consent Number & Date: Format 1.0/CAC/UAN No. 0000205124/CR/2502000735 Date 09.02.2025

*Ninad Soundankar*

Ninad Soundankar  
Technical Manager (Chemical)  
Reviewed & Authorised by



**Note:**

1. The result listed refer only to the tested sample(s) and applicable parameter(s).
2. This report is not to be reproduced except in full, without written approval of the laboratory.
3. In case sampling is not done by laboratory, the results apply to the sample as received.
4. There are no additions to, deviations or exclusions from the method.







TC-5589



**AMBIENT AIR QUALITY MONITORING REPORT**

Sample ID : AA/11/25/5216	Report No. AA/11/25/5216	Report Date	15/11/2025
Name and address of Customer	<b>Mumbai International Airport Ltd.</b> Chhatrapati Shivaji Maharaj International Airport, 1st Floor, Terminal 1-B, Santacruz(E), Mumbai-400099, Maharashtra		
Sampling done by	Laboratory	Sample Description / Type	Ambient Air
Sampling Location	Utility Building Airport T-2	Date - Sampling	10/11/2025 to 11/11/2025
Sample Quantity / Packing	PM <sub>10</sub> : Bap, Metals: 1 x 3 no. filter paper PM <sub>2.5</sub> : 1 x 1 no. filter paper SO <sub>2</sub> , NO <sub>2</sub> : 30 ml x 6 no. plastic bottle each NH <sub>3</sub> : 10 ml x 24 no. plastic bottle Ozone: 10 ml x 1 no. plastic bottle C <sub>6</sub> H <sub>6</sub> : 6 no. charcoal tubes CO: 1 no. bladder	Date - Receipt of Sample	12/11/2025
Sampling Procedure	As per method reference	Date - Start of Analysis	12/11/2025
Order Reference	SO No. 5700370004 dated 19.04.2025	Date - Completion of Analysis	15/11/2025

**Meteorological Data / Environmental Conditions**

Average Wind Velocity 11.7 km/h	Wind Direction S-W	Relative Humidity (Max./Min.): 76/63%	Temperature (Max./Min.): 32/28°C	Duration of Survey 24 h
------------------------------------	-----------------------	--	-------------------------------------	----------------------------

Parameter	Result	NAAQS# 2009	Unit	Method
-----------	--------	----------------	------	--------

**Chemical Testing; Group: Atmospheric Pollution**

Sulphur Dioxide (SO <sub>2</sub> )	10.9	80	µg/m <sup>3</sup>	IS 5182 (Part 2/Sec II): 2023
Nitrogen Dioxide (NO <sub>2</sub> )	30.4	80	µg/m <sup>3</sup>	IS 5182 (Part II): 2017
Particulate Matter (size less than 10 µm) or PM <sub>10</sub>	78	100	µg/m <sup>3</sup>	IS 5182 (Part 23): 2017
Particulate Matter (size less than 2.5µm) or PM <sub>2.5</sub>	35	60	µg/m <sup>3</sup>	CPCB Guidelines, Volume I.36/2012-13, Page No.15/2013
Ozone (O <sub>3</sub> )	BLQ (LOQ:19.6)	180	µg/m <sup>3</sup>	Methods of Air Sampling and Analysis (ANNA), 3rd Ed., Method 40, Page no. 403-1988
Lead (as Pb)	BLQ (LOQ:0.02)	1	µg/m <sup>3</sup>	EPA/625/R-96/010 a Compendium Method 10-31 & 3.4, Jan: 1999
Carbon Monoxide (CO)	1.14	4	mg/m <sup>3</sup>	CPCB Guidelines, Volume II, 37/2012-13, Page no.18, 2013
Ammonia (NH <sub>3</sub> )	BLQ (LOQ:20)	400	µg/m <sup>3</sup>	CPCB Guidelines, Volume I.36/2012-13, Page No.35, 2013
Benzene (C <sub>6</sub> H <sub>6</sub> )	1.27	5	µg/m <sup>3</sup>	IS 5182 (Part II): 2017
Benzo (a) pyrene (BaP) Particulate Phase only	BLQ (LOQ:0.2)	1	ng/m <sup>3</sup>	IS 5182 (Part 12): 2014
Arsenic (as As)	BLQ (LOQ:0.3)	6	ng/m <sup>3</sup>	EPA/625/R-96/010 a Compendium Method 10-31 & 3.4, Jan: 1999





TC-5509



Sample ID : AA/11/25/5216	Report No. AA/11/25/5216	Report Date	15/11/2025
---------------------------	--------------------------	-------------	------------

Parameter	Result	NAAQS# 2009	Unit	Method
Nickel (as Ni)	BLQ (LOQ:3)	20	ng/m <sup>3</sup>	EPA/825/9-96/910 & Compendium Method 16-318.3A Jan 1998

BLQ: Below Limit of Quantification, LOQ: Limit of Quantification

TWA : Time Weighted Average

# : NAAQS (National Ambient Air Quality Standards (Industrial, Residential, Rural and other Area) specified as: 24 hours TWA in case of Sulphur Dioxide, Nitrogen Dioxide, PM10, PM2.5, Lead and Ammonia, 1 hour TWA in case of Carbon Monoxide and Ozone, Annual TWA in case of Benzene, Benzo (a) Pyrene, Arsenic and Nickel.

Sampling Equipment ID: AEC/EQ/1649

Calibration Certificate No.: CC342224000001262F

Consent Number & Date: Format 1.0/CAC/UAN No. 0000205124/CR/2502000735 Date 09.02.2025

*Ninad Soundankar*

Ninad Soundankar  
Technical Manager (Chemical)  
Reviewed & Authorised by



End of Report

**Note:**

1. The result listed refer only to the tested sample(s) and applicable parameter(s).
2. This report is not to be reproduced except in full, without written approval of the laboratory.
3. In case sampling is not done by laboratory, the results apply to the sample as received.
4. There are no additions to, deviations or exclusions from the method.







### AMBIENT AIR QUALITY MONITORING REPORT

Sample ID : AA/11/25/5278	Report No. AA/11/25/5278	Report Date	25/11/2025
Name and address of Customer	<b>Mumbai International Airport Ltd.</b> Chhatrapati Shivaji Maharaj International Airport, 1st Floor, Terminal 1-B, Santacruz(E), Mumbai-400099, Maharashtra		
Sampling done by	Laboratory	Sample Description / Type	Ambient Air
Sampling Location	Utility Building Airport T-2	Date - Sampling	13/11/2025 to 14/11/2025
Sample Quantity / Packing	PM <sub>10</sub> , Bap, Metals: 1 x 3 no. filter paper PM <sub>2.5</sub> : 1 x 1 no. filter paper SO <sub>2</sub> , NO <sub>2</sub> : 30 ml x 6 no. plastic bottle each NH <sub>3</sub> : 10 ml x 24 no. plastic bottle Ozone: 10 ml x 1 no. plastic bottle C <sub>6</sub> H <sub>6</sub> : 6 no. charcoal tubes CO: 1 no. bladder	Date - Receipt of Sample	15/11/2025
Sampling Procedure	As per method reference	Date - Start of Analysis	15/11/2025
Order Reference	SO No. 5700370004 dated 19.04.2025	Date - Completion of Analysis	24/11/2025

#### Meteorological Data / Environmental Conditions

Average Wind Velocity 12.4 km/h	Wind Direction S-E	Relative Humidity (Max./Min.): 74/60%	Temperature (Max./Min.): 30/26°C	Duration of Survey 24 h
------------------------------------	-----------------------	--	-------------------------------------	----------------------------

Parameter	Result	NAAQS# 2009	Unit	Method
-----------	--------	----------------	------	--------

#### Chemical Testing; Group: Atmospheric Pollution

Sulphur Dioxide (SO <sub>2</sub> )	12	80	µg/m <sup>3</sup>	IS 5182 (Part 2/Sec II): 2023
Nitrogen Dioxide (NO <sub>2</sub> )	33.7	80	µg/m <sup>3</sup>	IS 5182 (Part 6): 2017
Particulate Matter (size less than 10 µm) or PM <sub>10</sub>	81	100	µg/m <sup>3</sup>	IS 5182 (Part 23): 2017
Particulate Matter (size less than 2.5µm) or PM <sub>2.5</sub>	40	60	µg/m <sup>3</sup>	CPCB Guidelines, Volume 1.36/2012-13, Page No.15:2013
Ozone (O <sub>3</sub> )	BLQ (LOQ:19.6)	180	µg/m <sup>3</sup>	Methods of Air Sampling and Analysis (ANMA), 3rd Ed., Method 401, Page no. 403 :1988
Lead (as Pb)	BLQ (LOQ:0.02)	1	µg/m <sup>3</sup>	EPA/625/R-95/010 a Compendium Method 10-3.1 & 3.4, Jan: 1995
Carbon Monoxide (CO)	1.42	4	mg/m <sup>3</sup>	CPCB Guidelines, Volume R. 37/2012-13, Page no.16: 2013
Ammonia (NH <sub>3</sub> )	BLQ (LOQ:20)	400	µg/m <sup>3</sup>	CPCB Guidelines, Volume 1.36/2012-13, Page No.35: 2013
Benzene (C <sub>6</sub> H <sub>6</sub> )	1.37	5	µg/m <sup>3</sup>	IS 5182 (Part II): 2017
Benzo (a) pyrene (BaP) Particulate Phase only	BLQ (LOQ:0.2)	1	ng/m <sup>3</sup>	IS 5182 (Part 7): 2014
Arsenic (as As)	BLQ (LOQ:0.3)	6	ng/m <sup>3</sup>	EPA/625/R-95/010 a Compendium Method 10-3.1 & 3.4, Jan : 1995





Sample ID : AA/11/25/5278		Report No. AA/11/25/5278		Report Date	25/11/2025
Parameter	Result	NAAQS# 2009	Unit	Method	
Nickel (as Ni)	BLQ (LOQ:3)	20	ng/m <sup>3</sup>	EPA/825/R-96/DIO a Compendium Method 10-31 & 34 June 1998	

BLQ: Below Limit of Quantification, LOQ: Limit of Quantification

TWA : Time Weighted Average

# : NAAQS (National Ambient Air Quality Standards (Industrial, Residential, Rural and other Area) specified as: 24 hours TWA in case of Sulphur Dioxide, Nitrogen Dioxide, PM10, PM2.5, Lead and Ammonia, 1 hour TWA in case of Carbon Monoxide and Ozone, Annual TWA in case of Benzene, Benzo (a) Pyrene, Arsenic and Nickel.

Sampling Equipment ID: AEC/EQ/1649

Calibration Certificate No.: CC342224000001262F

Consent Number & Date: Format 1.0/CAC/UAN No. 0000205124/CR/2502000735 Date 09.02.2025

*N. Soundankar*

Ninad Soundankar  
Technical Manager (Chemical)  
Reviewed & Authorised by



End of Report

**Note:**

1. The result listed refer only to the tested sample(s) and applicable parameter(s).
2. This report is not to be reproduced except in full, without written approval of the laboratory.
3. In case sampling is not done by laboratory, the results apply to the sample as received.
4. There are no additions to, deviations or exclusions from the method.







### AMBIENT AIR QUALITY MONITORING REPORT

Sample ID : AA/11/25/5365	Report No. AA/11/25/5365	Report Date	28/11/2025
Name and address of Customer	<b>Mumbai International Airport Ltd.</b> Chhatrapati Shivaji Maharaj International Airport, 1st Floor, Terminal 1-B, Santacruz(E), Mumbai-400099, Maharashtra		
Sampling done by	Laboratory	Sample Description / Type	Ambient Air
Sampling Location	Utility Building Airport T-2	Date - Sampling	17/11/2025 to 18/11/2025
Sample Quantity / Packing	PM <sub>10</sub> : Bag, Metals: 1 x 3 no. filter paper PM <sub>2.5</sub> : 1 x 1 no. filter paper SO <sub>2</sub> , NO <sub>2</sub> : 30 ml x 6 no. plastic bottle each NH <sub>3</sub> : 10 ml x 24 no. plastic bottle Ozone: 10 ml x 1 no. plastic bottle C <sub>6</sub> H <sub>6</sub> : 6 no. charcoal tubes CO: 1 no. bladder	Date - Receipt of Sample	19/11/2025
Sampling Procedure	As per method reference	Date - Start of Analysis	19/11/2025
Order Reference	SO No. 5700370004 dated 19.04.2025	Date - Completion of Analysis	27/11/2025

#### Meteorological Data / Environmental Conditions

Average Wind Velocity 11.7 km/h	Wind Direction S-W	Relative Humidity (Max./Min.): 72/61%	Temperature (Max./Min.): 32/27°C	Duration of Survey 24 h
------------------------------------	-----------------------	--	-------------------------------------	----------------------------

Parameter	Result	NAAQS# 2009	Unit	Method
<b>Chemical Testing: Group: Atmospheric Pollution</b>				
Sulphur Dioxide (SO <sub>2</sub> )	10.9	80	µg/m <sup>3</sup>	IS 5182 (Part 2/Sec II): 2023
Nitrogen Dioxide (NO <sub>2</sub> )	31.9	80	µg/m <sup>3</sup>	IS 5182 (Part 6): 2017
Particulate Matter (size less than 10 µm) or PM <sub>10</sub>	78	100	µg/m <sup>3</sup>	IS 5182 (Part 23): 2017
Particulate Matter (size less than 2.5 µm) or PM <sub>2.5</sub>	37	60	µg/m <sup>3</sup>	CPCB Guidelines, Volume I, 36/2012-13, Page No. 6: 2013
Ozone (O <sub>3</sub> )	BLQ (LOQ:19.6)	180	µg/m <sup>3</sup>	Methods of Air Sampling and Analysis (AWMA), 3rd Ed., Method 40, Page no. 403 :1988
Lead (as Pb)	BLQ (LOQ:0.02)	1	µg/m <sup>3</sup>	EPA/825/R-96/010 a Compendium Method 10-3.1.6 3.4, Jan. 1999
Carbon Monoxide (CO)	1.31	4	mg/m <sup>3</sup>	CPCB Guidelines, Volume II, 37/2012-13, Page no. 16: 2013
Ammonia (NH <sub>3</sub> )	BLQ (LOQ:20)	400	µg/m <sup>3</sup>	CPCB Guidelines, Volume I, 35/2012-13, Page No. 35: 2013
Benzene (C <sub>6</sub> H <sub>6</sub> )	1.21	5	µg/m <sup>3</sup>	IS 5182 (Part II): 2017
Benzo (a) pyrene (BaP) Particulate Phase only	BLQ (LOQ:0.2)	1	ng/m <sup>3</sup>	IS 5182 (Part 12): 2014
Arsenic (as As)	BLQ (LOQ:0.3)	6	ng/m <sup>3</sup>	EPA/825/R-96/010 a Compendium Method 10-3.1.6 3.4, Jan. 1999







Sample ID : AA/11/25/5365		Report No. AA/11/25/5365		Report Date	28/11/2025
Parameter	Result	NAAQS# 2009	Unit	Method	
Nickel (as Ni)	BLQ (LOQ:3)	20	ng/m <sup>3</sup>	EPA/625/R-96/010 a Compendium Method ID-318.3.4 Jan. 1999	

BLQ: Below Limit of Quantification, LOQ: Limit of Quantification

TWA Time Weighted Average

# NAAQS (National Ambient Air Quality Standards (Industrial, Residential, Rural and other Area) specified as: 24 hours TWA in case of Sulphur Dioxide, Nitrogen Dioxide, PM10, PM2.5, Lead and Ammonia, 1 hour TWA in case of Carbon Monoxide and Ozone, Annual TWA in case of Benzene, Benzo (a) Pyrene, Arsenic and Nickel

Sampling Equipment ID: AEC/EQ/1649

Calibration Certificate No.: CC342224000001262F

Consent Number & Date: Format 1.0/CAC/UAN No. 0000205124/CR/2502000735 Date 09.02.2025

*Ninad Soundankar*

Ninad Soundankar  
Technical Manager (Chemical)  
Reviewed & Authorised by



End of Report

**Note:**

1. The result listed refer only to the tested sample(s) and applicable parameter(s).
2. This report is not to be reproduced except in full, without written approval of the laboratory.
3. In case sampling is not done by laboratory, the results apply to the sample as received.
4. There are no additions to, deviations or exclusions from the method.





### AMBIENT AIR QUALITY MONITORING REPORT

Sample ID : AA/11/25/5436	Report No. AA/11/25/5436	Report Date	28/11/2025
Name and address of Customer	<b>Mumbai International Airport Ltd.</b> Chhatrapati Shivaji Maharaj International Airport, 1st Floor, Terminal 1-B, Santacruz(E), Mumbai-400099, Maharashtra		
Sampling done by	Laboratory	Sample Description / Type	Ambient Air
Sampling Location	Utility Building Airport T-2	Date - Sampling	20/11/2025 to 21/11/2025
Sample Quantity / Packing	PM <sub>10</sub> : Bap, Metals: 1 x 3 no. filter paper PM <sub>2.5</sub> : 1 x 1 no. filter paper SO <sub>2</sub> , NO <sub>2</sub> : 30 ml x 6 no. plastic bottle each NH <sub>3</sub> : 10 ml x 24 no. plastic bottle Ozone: 10 ml x 1 no. plastic bottle C <sub>6</sub> H <sub>6</sub> : 6 no. charcoal tubes CO: 1 no. bladder	Date - Receipt of Sample	22/11/2025
Sampling Procedure	As per the method reference	Date - Start of Analysis	22/11/2025
Order Reference	SO No. 5700370004 dated 19.04.2025	Date - Completion of Analysis	27/11/2025

#### Meteorological Data / Environmental Conditions

Average Wind Velocity 10 km/h km/h	Wind Direction S-W	Relative Humidity (Max./Min.): 75/64%	Temperature (Max./Min.): 30/26°C	Duration of Survey 24 h
---------------------------------------	-----------------------	--	-------------------------------------	----------------------------

Parameter	Result	NAAQS# 2009	Unit	Method
-----------	--------	----------------	------	--------

#### Chemical Testing; Group: Atmospheric Pollution

Sulphur Dioxide (SO <sub>2</sub> )	12	80	µg/m <sup>3</sup>	IS 5182 (Part 2/Sec I): 2003
Nitrogen Dioxide (NO <sub>2</sub> )	33	80	µg/m <sup>3</sup>	IS 5182 (Part 6): 2017
Particulate Matter (size less than 10 µm) or PM <sub>10</sub>	82	100	µg/m <sup>3</sup>	IS 5182 (Part 73): 2017
Particulate Matter (size less than 2.5µm) or PM <sub>2.5</sub>	41	60	µg/m <sup>3</sup>	CPCB Guidelines, Volume 1,36/2012-13, Page No.15:2013
Ozone (O <sub>3</sub> )	BLQ (LOQ:19.6)	180	µg/m <sup>3</sup>	Methods of Air Sampling and Analysis (AWMA), 3rd Ed., Method 40, Page no. 403 :1983
Lead (as Pb)	BLQ (LOQ:0.02)	1	µg/m <sup>3</sup>	EPA/625/R-96/010 a Compendium Method 10-311 & 3.4, Jan: 1999
Carbon Monoxide (CO)	1.48	4	mg/m <sup>3</sup>	CPCB Guidelines, Volume 6, 37/2012-13, Page no.16: 2013
Ammonia (NH <sub>3</sub> )	BLQ (LOQ:20)	400	µg/m <sup>3</sup>	CPCB Guidelines, Volume 1,36/2012-13, Page No.35: 2013
Benzene (C <sub>6</sub> H <sub>6</sub> )	1.36	5	µg/m <sup>3</sup>	IS 5182 (Part 11): 2017
Benzo (a) pyrene (BaP) Particulate Phase only	BLQ (LOQ:0.2)	1	ng/m <sup>3</sup>	IS 5182 (Part 12): 2014
Arsenic (as As)	BLQ (LOQ:0.3)	6	ng/m <sup>3</sup>	EPA/625/R-96/010 a Compendium Method 10-311 & 3.4, Jan: 1999





Sample ID : AA/11/25/5436		Report No. AA/11/25/5436		Report Date	28/11/2025
Parameter	Result	NAAQS# 2009	Unit	Method	
Nickel (as Ni)	BLQ (LOQ:3)	20	ng/m <sup>3</sup>	EPA/825/R-96/010 s Compendium Method 10-318.3.4 Jun 1998	

BLQ: Below Limit of Quantification, LOQ: Limit of Quantification

TWA Time Weighted Average

# NAAQS (National Ambient Air Quality Standards (Industrial, Residential, Rural and other Area) specified as: 24 hours TWA in case of Sulphur Dioxide, Nitrogen Dioxide, PM10, PM2.5, Lead and Ammonia, 1 hour TWA in case of Carbon Monoxide and Ozone, Annual TWA in case of Benzene, Benzo (a) Pyrene, Arsenic and Nickel

Sampling Equipment ID: AEC/EQ/1649

Calibration Certificate No.: CC342224000001262F

Consent Number & Date: Format 1.0/CAC/UAN No. 0000205124/CR/2502000735 Date 09.02.2025

*H. Soundankar*

Ninad Soundankar  
Technical Manager (Chemical)  
Reviewed & Authorised by



End of Report

**Note:**

1. The result listed refer only to the tested sample(s) and applicable parameter(s).
2. This report is not to be reproduced except in full, without written approval of the laboratory.
3. In case sampling is not done by laboratory, the results apply to the sample as received.
4. There are no additions to, deviations or exclusions from the method.







### AMBIENT AIR QUALITY MONITORING REPORT

Sample ID : AA/11/25/5619	Report No. AA/11/25/5619	Report Date	04/12/2025
Name and address of Customer	<b>Mumbai International Airport Ltd.</b> Chhatrapati Shivaji Maharaj International Airport, 1st Floor, Terminal 1-B, Santacruz(E), Mumbai-400099, Maharashtra		
Sampling done by	Laboratory	Sample Description / Type	Ambient Air
Sampling Location	Utility Building Airport T-2	Date - Sampling	24/11/2025 to 25/11/2025
Sample Quantity / Packing	PM <sub>10</sub> , Bap, Metals: 1 x 3 no. filter paper PM <sub>2.5</sub> : 1 x 1 no. filter paper SO <sub>2</sub> , NO <sub>2</sub> : 30 ml x 6 no. plastic bottle each NH <sub>3</sub> : 10 ml x 24 no. plastic bottle Ozone: 10 ml x 1 no. plastic bottle C <sub>6</sub> H <sub>6</sub> : 6 no. charcoal tubes CO: 1 no. bladder	Date - Receipt of Sample	27/11/2025
Sampling Procedure	As per method reference	Date - Start of Analysis	27/11/2025
Order Reference	SO No. 5700370004 dated 19.04.2025	Date - Completion of Analysis	03/12/2025

#### Meteorological Data / Environmental Conditions

Average Wind Velocity 10.9 km/h	Wind Direction S-E	Relative Humidity (Max./Min.): 74/63%	Temperature (Max./Min.): 32/27°C	Duration of Survey 24 h
------------------------------------	-----------------------	--	-------------------------------------	----------------------------

Parameter	Result	NAAQS# 2009	Unit	Method
<b>Chemical Testing; Group: Atmospheric Pollution</b>				
Sulphur Dioxide (SO <sub>2</sub> )	13.1	80	µg/m <sup>3</sup>	IS 5182 (Part 2/Sec 0: 2023
Nitrogen Dioxide (NO <sub>2</sub> )	33.7	80	µg/m <sup>3</sup>	IS 5182 (Part 6): 2017
Particulate Matter (size less than 10 µm) or PM <sub>10</sub>	86	100	µg/m <sup>3</sup>	IS 5182 (Part 23): 2017
Particulate Matter (size less than 2.5µm) or PM <sub>2.5</sub>	48	60	µg/m <sup>3</sup>	CPCB Guidelines, Volume I 35/2012-13, Page No.15: 2013
Ozone (O <sub>3</sub> )	BLQ (LOQ:19.6)	180	µg/m <sup>3</sup>	Methods of Air Sampling and Analysis (ANNA), 3rd Ed., Method 40, Page no. 403 :1988
Lead (as Pb)	BLQ (LOQ:0.02)	1	µg/m <sup>3</sup>	EPA/625/R-95/010 a Compendium Method 10-3.1 & 3.4, Jan: 1999
Carbon Monoxide (CO)	1.54	4	mg/m <sup>3</sup>	CPCB Guidelines, Volume I, 37/2012-13, Page no.16: 2013
Ammonia (NH <sub>3</sub> )	BLQ (LOQ:20)	400	µg/m <sup>3</sup>	CPCB Guidelines, Volume I 35/2012-13, Page No.35: 2013
Benzene (C <sub>6</sub> H <sub>6</sub> )	1.43	5	µg/m <sup>3</sup>	IS 5182 (Part 8): 2017
Benzo (a) pyrene (BaP) Particulate Phase only	BLQ (LOQ:0.2)	1	ng/m <sup>3</sup>	IS 5182 (Part 12): 2014
Arsenic (as As)	BLQ (LOQ:0.3)	6	ng/m <sup>3</sup>	EPA/625/R-95/010 a Compendium Method 10-3.1 & 3.4, Jan: 1999





Sample ID : AA/11/25/5619		Report No. AA/11/25/5619		Report Date	04/12/2025
Parameter	Result	NAAQS# 2009	Unit	Method	
Nickel (as Ni)	BLQ (LOQ:3)	20	ng/m <sup>3</sup>	(PA/825/R-96/DIO a Compendium Method ID-31.6.3.4. Jun 1999	

BLQ: Below Limit of Quantification, LOQ: Limit of Quantification

TWA Time Weighted Average

# NAAQS (National Ambient Air Quality Standards (Industrial, Residential, Rural and other Area) specified as: 24 hours TWA in case of Sulphur Dioxide, Nitrogen Dioxide, PM10, PM2.5, Lead and Ammonia, 1 hour TWA in case of Carbon Monoxide and Ozone, Annual TWA in case of Benzene, Benzo (a) Pyrene, Arsenic and Nickel

Sampling Equipment ID: AEC/EQ/1649

Calibration Certificate No.: CC342224000001262F

Consent Number & Date: Format 1.0/CAC/UAN No. 0000205124/CR/2502000735 Date 09.02.2025

*Ninad Soundankar*

Ninad Soundankar  
Technical Manager (Chemical)  
Reviewed & Authorised by



End of Report

**Note:**

1. The result listed refer only to the tested sample(s) and applicable parameter(s).
2. This report is not to be reproduced except in full, without written approval of the laboratory.
3. In case sampling is not done by laboratory, the results apply to the sample as received.
4. There are no additions to, deviations or exclusions from the method.







### AMBIENT AIR QUALITY MONITORING REPORT

Sample ID : AA/11/25/5620	Report No. AA/11/25/5620	Report Date	06/12/2025
Name and address of Customer	<b>Mumbai International Airport Ltd.</b> Chhatrapati Shivaji Maharaj International Airport, 1st Floor, Terminal 1-B, Santacruz(E), Mumbai-400099, Maharashtra		
Sampling done by	Laboratory	Sample Description / Type	Ambient Air
Sampling Location	Utility Building Airport T-2	Date - Sampling	27/11/2025 to 28/11/2025
Sample Quantity / Packing	PM <sub>10</sub> : Bap, Metals: 1 x 3 no. filter paper PM <sub>2.5</sub> : 1 x 1 no. filter paper SO <sub>2</sub> , NO <sub>2</sub> : 30 ml x 6 no. plastic bottle each NH <sub>3</sub> : 10 ml x 24 no. plastic bottle Ozone: 10 ml x 1 no. plastic bottle C <sub>6</sub> H <sub>6</sub> : 6 no. charcoal tubes CO: 1 no. bladder	Date - Receipt of Sample	29/11/2025
Sampling Procedure	As per method reference	Date - Start of Analysis	29/11/2025
Order Reference	SO No. 5700370004 dated 19.04.2025	Date - Completion of Analysis	05/12/2025

#### Meteorological Data / Environmental Conditions

Average Wind Velocity 11.7 km/h	Wind Direction S-W	Relative Humidity (Max./Min.): 72/61%	Temperature (Max./Min.): 33/29°C	Duration of Survey 24 h
Parameter	Result	NAAQS# 2009	Unit	Method
<b>Chemical Testing; Group: Atmospheric Pollution</b>				
Sulphur Dioxide (SO <sub>2</sub> )	<b>14.2</b>	80	µg/m <sup>3</sup>	IS 5182 (Part 2/Sec II): 2023
Nitrogen Dioxide (NO <sub>2</sub> )	<b>34.1</b>	80	µg/m <sup>3</sup>	IS 5182 (Part 6): 2017
Particulate Matter (size less than 10 µm) or PM <sub>10</sub>	<b>82</b>	100	µg/m <sup>3</sup>	IS 5182 (Part 23): 2017
Particulate Matter (size less than 2.5µm) or PM <sub>2.5</sub>	<b>41</b>	60	µg/m <sup>3</sup>	CPCB Guidelines, Volume I:26/2012-13, Page No.15:2013
Ozone (O <sub>3</sub> )	<b>BLQ</b> (LOQ:19.6)	180	µg/m <sup>3</sup>	Methods of Air Sampling and Analysis (IAPMA), 3rd Ed., Method 48, Page no. 403:1988
Lead (as Pb)	<b>BLQ</b> (LOQ:0.02)	1	µg/m <sup>3</sup>	EPA/625/R-95/010 a Compendium Method 10-318 3.4, Jun 1995
Carbon Monoxide (CO)	<b>1.42</b>	4	mg/m <sup>3</sup>	CPCB Guidelines, Volume II, 37/2012-13, Page no.16: 2013
Ammonia (NH <sub>3</sub> )	<b>BLQ (LOQ:20)</b>	400	µg/m <sup>3</sup>	CPCB Guidelines, Volume I:26/2012-13, Page No.35: 2013
Benzene (C <sub>6</sub> H <sub>6</sub> )	<b>1.35</b>	5	µg/m <sup>3</sup>	IS 5182 (Part III): 2017
Benzo (a) pyrene (BaP) Particulate Phase only	<b>BLQ</b> (LOQ:0.2)	1	ng/m <sup>3</sup>	IS 5182 (Part 12): 2014
Arsenic (as As)	<b>BLQ</b> (LOQ:0.3)	6	ng/m <sup>3</sup>	EPA/625/R-95/010 a Compendium Method 10-318 3.4, Jun 1995





Sample ID : AA/11/25/5620		Report No. AA/11/25/5620		Report Date	06/12/2025
Parameter	Result	NAAQS# 2009	Unit	Method	
Nickel (as Ni)	BLQ (LOQ:3)	20	ng/m <sup>3</sup>	EPA/825/R-96/010 a Compendium Method ID-31634 Jan 1998	

BLQ: Below Limit of Quantification, LOQ: Limit of Quantification

TWA Time Weighted Average

# NAAQS (National Ambient Air Quality Standards (Industrial, Residential, Rural and other Area) specified as: 24 hours TWA in case of Sulphur Dioxide, Nitrogen Dioxide, PM10, PM2.5, Lead and Ammonia, 1 hour TWA in case of Carbon Monoxide and Ozone, Annual TWA in case of Benzene, Benzo (a) Pyrene, Arsenic and Nickel

Sampling Equipment ID: AEC/EQ/1649

Calibration Certificate No.: CC342224000001262F

Consent Number & Date: Format 1.0/CAC/UAN No. 0000205124/CR/2502000735 Date 09.02.2025

*Ninad Soundankar*

Ninad Soundankar  
Technical Manager (Chemical)  
Reviewed & Authorised by



End of Report

**Note:**

1. The result listed refer only to the tested sample(s) and applicable parameter(s).
2. This report is not to be reproduced except in full, without written approval of the laboratory.
3. In case sampling is not done by laboratory, the results apply to the sample as received.
4. There are no additions to, deviations or exclusions from the method.







### AMBIENT AIR QUALITY MONITORING REPORT

Sample ID : AA/11/25/5653	Report No. AA/11/25/5653	Report Date	05/12/2025
Name and address of Customer	<b>Mumbai International Airport Ltd.</b> Chhatrapati Shivaji Maharaj International Airport, 1st Floor, Terminal 1-B, Santacruz(E), Mumbai-400099, Maharashtra		
Sampling done by	Laboratory	Sample Description / Type	Ambient Air
Sampling Location	Project Office Sahar	Date - Sampling	26/11/2025 to 27/11/2025
Sample Quantity / Packing	PM <sub>10</sub> : Lead: 1 x 3 no. filter paper PM <sub>2.5</sub> : 1 x 1 no. filter paper SO <sub>2</sub> , NO <sub>2</sub> : 30 ml x 6 no. plastic bottle each NH <sub>3</sub> : 10 ml x 24 no. plastic bottle CO: 1 no. bladder	Date - Receipt of Sample	29/11/2025
Sampling Procedure	As per method reference	Date - Start of Analysis	29/11/2025
Order Reference	SO No. 5700370004 dated 19.04.2025	Date - Completion of Analysis	04/12/2025

#### Meteorological Data / Environmental Conditions

Average Wind Velocity 8.4 km/h	Wind Direction S-W	Relative Humidity (Max./Min.): 85/69%	Temperature (Max./Min.): 32/30°C	Duration of Survey 24 h
-----------------------------------	-----------------------	--	-------------------------------------	----------------------------

Parameter	Result	NAAQS# 2009	Unit	Method
<b>Chemical Testing; Group: Atmospheric Pollution</b>				
Sulphur Dioxide (SO <sub>2</sub> )	<b>13.1</b>	80	µg/m <sup>3</sup>	IS 5182 (Part 2/Sec II): 2023
Nitrogen Dioxide (NO <sub>2</sub> )	<b>33</b>	80	µg/m <sup>3</sup>	IS 5182 (Part 6): 2017
Particulate Matter (size less than 10 µm) or PM <sub>10</sub>	<b>81</b>	100	µg/m <sup>3</sup>	IS 5182 (Part 23): 2017
Particulate Matter (size less than 2.5 µm) or PM <sub>2.5</sub>	<b>40</b>	60	µg/m <sup>3</sup>	CPCB Guidelines, Volume I.36/2012-13, Page No.15:2013
Lead (as Pb)	<b>BLQ (LOQ:0.02)</b>	1	µg/m <sup>3</sup>	EPA/625/R-96/010 a Compendium Method 10-318 3.4 Jan 1999
Carbon Monoxide (CO)	<b>1.36</b>	4	mg/m <sup>3</sup>	CPCB Guidelines, Volume II. 27/2012-13, Page no.16: 2013
Ammonia (NH <sub>3</sub> )	<b>32.7</b>	400	µg/m <sup>3</sup>	CPCB Guidelines, Volume I.36/2012-13, Page No.35: 2013

BLQ: Below Limit of Quantification, LOQ: Limit of Quantification

TWA Time Weighted Average

# NAAQS (National Ambient Air Quality Standards (Industrial, Residential, Rural and other Area) specified as: 24 hours TWA in case of Sulphur Dioxide, Nitrogen Dioxide, PM<sub>10</sub>, PM<sub>2.5</sub>, Lead and Ammonia, 1 hour TWA in case of Carbon Monoxide

Sampling Equipment ID: AEC/EQ/1645

Calibration Certificate No.: CC342223000001514F

Consent Number & Date: Format 1.0/CAC/UAN No. 0000205124/CR/2502000735 Date 09.02.2025





**AMBIENT AIR QUALITY MONITORING REPORT**

Sample ID : AA/11/25/5654	Report No. AA/11/25/5654	Report Date	05/12/2025
Name and address of Customer	<b>Mumbai International Airport Ltd.</b> Chhatrapati Shivaji Maharaj International Airport, 1st Floor, Terminal 1-B, Santacruz(E), Mumbai-400099, Maharashtra		
Sampling done by	Laboratory	Sample Description / Type	Ambient Air
Sampling Location	OWC ( Kurla)	Date - Sampling	26/11/2025 to 27/11/2025
Sample Quantity / Packing	PM <sub>10</sub> : Lead: 1 x 3 no. filter paper PM <sub>2.5</sub> : 1 x 1 no. filter paper SO <sub>2</sub> , NO <sub>2</sub> : 30 ml x 6 no. plastic bottle each NH <sub>3</sub> : 10 ml x 24 no. plastic bottle CO: 1 no. bladder	Date - Receipt of Sample	29/11/2025
Sampling Procedure	As per method reference	Date - Start of Analysis	29/11/2025
Order Reference	SO No. 5700370004 dated 19.04.2025	Date - Completion of Analysis	04/12/2025

**Meteorological Data / Environmental Conditions**

Average Wind Velocity 8.6 km/h	Wind Direction S-W	Relative Humidity (Max./Min.): 86/74%	Temperature (Max./Min.): 32/30°C	Duration of Survey 24 h
-----------------------------------	-----------------------	--	-------------------------------------	----------------------------

Parameter	Result	NAAQS# 2009	Unit	Method
<b>Chemical Testing; Group: Atmospheric Pollution</b>				
Sulphur Dioxide (SO <sub>2</sub> )	<b>15.2</b>	80	µg/m <sup>3</sup>	IS 5182 (Part 2/Sec 1): 2013
Nitrogen Dioxide (NO <sub>2</sub> )	<b>33.7</b>	80	µg/m <sup>3</sup>	IS 5182 (Part 6): 2007
Particulate Matter (size less than 10 µm) or PM <sub>10</sub>	<b>85</b>	100	µg/m <sup>3</sup>	IS 5182 (Part 23): 2017
Particulate Matter (size less than 2.5 µm) or PM <sub>2.5</sub>	<b>44</b>	60	µg/m <sup>3</sup>	CPCB Guidelines, Volume I, 36/2012-13, Page No 15: 2013
Lead (as Pb)	<b>BLQ (LOQ:0.02)</b>	1	µg/m <sup>3</sup>	EPA/825/R-96/010 a Compendium Method ID-318 3.4, Jan. 1999
Carbon Monoxide (CO)	<b>1.48</b>	4	mg/m <sup>3</sup>	CPCB Guidelines, Volume II, 37/2012-13, Page no.16: 2013
Ammonia (NH <sub>3</sub> )	<b>34.4</b>	400	µg/m <sup>3</sup>	CPCB Guidelines, Volume I, 35/2012-13, Page No.35: 2013

BLQ: Below Limit of Quantification, LOQ: Limit of Quantification

TWA Time Weighted Average

# NAAQS (National Ambient Air Quality Standards (Industrial, Residential, Rural and other Area) specified as: 24 hours TWA in case of Sulphur Dioxide, Nitrogen Dioxide, PM<sub>10</sub>, PM<sub>2.5</sub>, Lead and Ammonia, 1 hour TWA in case of Carbon Monoxide

Sampling Equipment ID: AEC/EQ/1647

Calibration Certificate No.: CC342223000001514F

Consent Number & Date: Format 1.0/CAC/UAN No. 0000205124/CR/2502000735 Date 09.02.2025







### AMBIENT AIR QUALITY MONITORING REPORT

Sample ID: AA/11/25/5655	Report No. AA/11/25/5655	Report Date	05/12/2025
Name and address of Customer	<b>Mumbai International Airport Ltd.</b> Chhatrapati Shivaji Maharaj International Airport, 1st Floor, Terminal 1-B, Santacruz(E), Mumbai-400099, Maharashtra		
Sampling done by	Laboratory	Sample Description / Type	Ambient Air
Sampling Location	Terminal 1 MLCP (Santacruz)	Date - Sampling	26/11/2025 to 27/11/2025
Sample Quantity / Packing	PM <sub>10</sub> , Lead: 1 x 3 no. filter paper PM <sub>2.5</sub> : 1 x 1 no. filter paper SO <sub>2</sub> , NO <sub>2</sub> : 30 ml x 6 no. plastic bottle each NH <sub>3</sub> : 10 ml x 24 no. plastic bottle CO: 1 no. bladder	Date - Receipt of Sample	29/11/2025
Sampling Procedure	As per method reference	Date - Start of Analysis	29/11/2025
Order Reference	SO No. 5700370004 dated 19.04.2025	Date - Completion of Analysis	04/12/2025

### Meteorological Data / Environmental Conditions

Average Wind Velocity 8.2 km/h	Wind Direction S-E	Relative Humidity (Max./Min.): 85/76%	Temperature (Max./Min.): 32/30°C	Duration of Survey 24 h
Parameter	Result	NAAQS# 2009	Unit	Method

### Chemical Testing; Group: Atmospheric Pollution

Sulphur Dioxide (SO <sub>2</sub> )	10.9	80	µg/m <sup>3</sup>	IS 5182 (Part 2/Sec I): 2023
Nitrogen Dioxide (NO <sub>2</sub> )	30.8	80	µg/m <sup>3</sup>	IS 5182 (Part 6): 2017
Particulate Matter (size less than 10 µm) or PM <sub>10</sub>	70	100	µg/m <sup>3</sup>	IS 5182 (Part 23): 2017
Particulate Matter (size less than 2.5 µm) or PM <sub>2.5</sub>	28	60	µg/m <sup>3</sup>	CPCB Guidelines, Volume I.35/2012-13, Page No.15/2013
Lead (as Pb)	BLQ (LOQ:0.02)	1	µg/m <sup>3</sup>	EPA/625/R-95/010 a Compendium Method 10-318 3.4, Jan. 1999
Carbon Monoxide (CO)	0.96	4	mg/m <sup>3</sup>	CPCB Guidelines, Volume II, 37/2012-13, Page no.16/ 2013
Ammonia (NH <sub>3</sub> )	27.6	400	µg/m <sup>3</sup>	CPCB Guidelines, Volume I.35/2012-13, Page No.35/ 2013

BLQ: Below Limit of Quantification, LOQ: Limit of Quantification

TWA Time Weighted Average

# NAAQS (National Ambient Air Quality Standards (Industrial, Residential, Rural and other Area) specified as: 24 hours TWA in case of Sulphur Dioxide, Nitrogen Dioxide, PM<sub>10</sub>, PM<sub>2.5</sub>, Lead and Ammonia, 1 hour TWA in case of Carbon Monoxide

Sampling Equipment ID: AEC/EQ/1646

Calibration Certificate No.: CC342223000001514F

Consent Number & Date: Format 1.0/CAC/UAN No. 0000205124/CR/2502000735 Date 09.02.2025







**AMBIENT AIR QUALITY MONITORING REPORT**

Sample ID : AA/11/25/5656	Report No. AA/11/25/5656	Report Date	05/12/2025
Name and address of Customer	<b>Mumbai International Airport Ltd.</b> Chhatrapati Shivaji Maharaj International Airport, 1st Floor, Terminal 1-B, Santacruz(E), Mumbai-400099, Maharashtra		
Sampling done by	Laboratory	Sample Description / Type	Ambient Air
Sampling Location	Sarvodaya Hospital (Ghatkopar )	Date - Sampling	26/11/2025 to 27/11/2025
Sample Quantity / Packing	PM <sub>10</sub> : Lead: 1 x 3 no. filter paper PM <sub>2.5</sub> : 1 x 1 no. filter paper SO <sub>2</sub> , NO <sub>2</sub> : 30 ml x 6 no. plastic bottle each NH <sub>3</sub> : 10 ml x 24 no. plastic bottle CO: 1 no. bladder	Date - Receipt of Sample	29/11/2025
Sampling Procedure	As per method reference	Date - Start of Analysis	29/11/2025
Order Reference	SO No. 5700370004 dated 19.04.2025	Date - Completion of Analysis	04/12/2025

**Meteorological Data / Environmental Conditions**

Average Wind Velocity 8.3 km/h	Wind Direction S-W	Relative Humidity (Max./Min.): 86/76%	Temperature (Max./Min.): 32/30°C	Duration of Survey 24 h
-----------------------------------	-----------------------	--	-------------------------------------	----------------------------

Parameter	Result	NAAQS# 2009	Unit	Method
<b>Chemical Testing; Group: Atmospheric Pollution</b>				
Sulphur Dioxide (SO <sub>2</sub> )	<b>12</b>	80	µg/m <sup>3</sup>	IS 5182 (Part 2/Sec II): 2013
Nitrogen Dioxide (NO <sub>2</sub> )	<b>32.6</b>	80	µg/m <sup>3</sup>	IS 5182 (Part 6): 2017
Particulate Matter (size less than 10 µm) or PM <sub>10</sub>	<b>78</b>	100	µg/m <sup>3</sup>	IS 5182 (Part 23): 2017
Particulate Matter (size less than 2.5µm) or PM <sub>2.5</sub>	<b>37</b>	60	µg/m <sup>3</sup>	CPCB Guidelines, Volume I:36/2012-13, Page No.15:2013
Lead (as Pb)	<b>BLQ (LOQ:0.02)</b>	1	µg/m <sup>3</sup>	EPA/625/R-96/010 a Compendium Method 10-31B 3.4, Jan. 1999
Carbon Monoxide (CO)	<b>1.25</b>	4	mg/m <sup>3</sup>	CPCB Guidelines, Volume II, 37/2012-13, Page no.16: 2013
Ammonia (NH <sub>3</sub> )	<b>31.6</b>	400	µg/m <sup>3</sup>	CPCB Guidelines, Volume I:35/2012-13, Page No.35: 2013

BLQ: Below Limit of Quantification, LOQ: Limit of Quantification

TWA Time Weighted Average

# NAAQS (National Ambient Air Quality Standards (Industrial, Residential, Rural and other Area) specified as: 24 hours TWA in case of Sulphur Dioxide, Nitrogen Dioxide, PM<sub>10</sub>, PM<sub>2.5</sub>, Lead and Ammonia, 1 hour TWA in case of Carbon Monoxide

Sampling Equipment ID: AEC/EQ/1648

Calibration Certificate No.: CC342223000001514F

Consent Number & Date: Format 1.0/CAC/UAN No. 0000205124/CR/2502000735 Date 09.02.2025





### AMBIENT AIR QUALITY MONITORING REPORT

Sample ID : AA/12/25/5519	Report No. AA/12/25/5519	Report Date	31/12/2025
Name and address of Customer	<b>Mumbai International Airport Ltd.</b> Chhatrapati Shivaji Maharaj International Airport, 1st Floor, Terminal 1-B, Santacruz(E), Mumbai-400099, Maharashtra		
Sampling done by	Laboratory	Sample Description / Type	Ambient Air
Sampling Location	Project Office Sahar	Date - Sampling	19/12/2025 to 20/12/2025
Sample Quantity / Packing	PM <sub>10</sub> , Lead: 1 x 3 no. filter paper PM <sub>2.5</sub> : 1 x 1 no. filter paper SO <sub>2</sub> , NO <sub>2</sub> : 30 ml x 6 no. plastic bottle each NH <sub>3</sub> : 10 ml x 24 no. plastic bottle CO: 1 no. bladder	Date - Receipt of Sample	22/12/2025
Sampling Procedure	As per method reference	Date - Start of Analysis	22/12/2025
Order Reference	SO No. 5700370004 dated 19.04.2025	Date - Completion of Analysis	30/12/2025

#### Meteorological Data / Environmental Conditions

Average Wind Velocity 8.3 km/h	Wind Direction S-W	Relative Humidity (Max./Min.): 86/66%	Temperature (Max./Min.): 31/21°C	Duration of Survey 24 h
-----------------------------------	-----------------------	--	-------------------------------------	----------------------------

Parameter	Result	NAAQS# 2009	Unit	Method
-----------	--------	----------------	------	--------

#### Chemical Testing; Group: Atmospheric Pollution

Sulphur Dioxide (SO <sub>2</sub> )	<b>12.8</b>	80	µg/m <sup>3</sup>	IS 5182 (Part 2/Sec I): 2023
Nitrogen Dioxide (NO <sub>2</sub> )	<b>32.2</b>	80	µg/m <sup>3</sup>	IS 5182 (Part 6): 2017
Particulate Matter (size less than 10 µm) or PM <sub>10</sub>	<b>84</b>	100	µg/m <sup>3</sup>	IS 5182 (Part 23): 2017
Particulate Matter (size less than 2.5 µm) or PM <sub>2.5</sub>	<b>43</b>	60	µg/m <sup>3</sup>	CPCB Guideline, Volume I, 36/2012-13, Page No.15:2013
Lead (as Pb)	<b>BLQ (LOQ:0.02)</b>	1	µg/m <sup>3</sup>	EPA/625/R-96/D10 a Compendium Method IO-3.1 & 3.4, Jun: 1999
Carbon Monoxide (CO)	<b>1.48</b>	4	mg/m <sup>3</sup>	CPCB Guidelines, Volume II, 37/2012-13, Page no.16: 2013
Ammonia (NH <sub>3</sub> )	<b>33.9</b>	400	µg/m <sup>3</sup>	CPCB Guidelines, Volume I, 36/2012-13, Page No.35: 2013

BLQ: Below Limit of Quantification, LOQ: Limit of Quantification

TWA Time Weighted Average

# NAAQS (National Ambient Air Quality Standards (Industrial, Residential, Rural and other Area) specified as: 24 hours TWA in case of Sulphur Dioxide, Nitrogen Dioxide, PM<sub>10</sub>, PM<sub>2.5</sub>, Lead and Ammonia, 1 hour TWA in case of Carbon Monoxide

Sampling Equipment ID: AEC/EQ/1645

Calibration Certificate No.: CC342223000001514F

Consent Number & Date: Format 1.0/CAC/UAN No. 0000205124/CR/2502000735 Date 09.02.2025





### AMBIENT AIR QUALITY MONITORING REPORT

Sample ID : AA/12/25/5520	Report No. AA/12/25/5520	Report Date	31/12/2025
Name and address of Customer	<b>Mumbai International Airport Ltd.</b> Chhatrapati Shivaji Maharaj International Airport, 1st Floor, Terminal 1-B, Santacruz(E), Mumbai-400099, Maharashtra		
Sampling done by	Laboratory	Sample Description / Type	Ambient Air
Sampling Location	Terminal-1 MLCP Santacruz	Date - Sampling	19/12/2025 to 20/12/2025
Sample Quantity / Packing	PM <sub>10</sub> : Lead: 1 x 3 no. filter paper PM <sub>2.5</sub> : 1 x 1 no. filter paper SO <sub>2</sub> , NO <sub>2</sub> : 30 ml x 6 no. plastic bottle each NH <sub>3</sub> : 10 ml x 24 no. plastic bottle CO: 1 no. bladder	Date - Receipt of Sample	22/12/2025
Sampling Procedure	As per method reference	Date - Start of Analysis	22/12/2025
Order Reference	SO No. 5700370004 dated 19.04.2025	Date - Completion of Analysis	30/12/2025

#### Meteorological Data / Environmental Conditions

Average Wind Velocity 7.8 km/h	Wind Direction S-W	Relative Humidity (Max./Min.): 83/63%	Temperature (Max./Min.): 32/21°C	Duration of Survey 24 h
-----------------------------------	-----------------------	--	-------------------------------------	----------------------------

Parameter	Result	NAAQS# 2009	Unit	Method
-----------	--------	----------------	------	--------

#### Chemical Testing; Group: Atmospheric Pollution

Sulphur Dioxide (SO <sub>2</sub> )	<b>9.8</b>	80	µg/m <sup>3</sup>	IS 5182 (Part 2/Sec 1): 2023
Nitrogen Dioxide (NO <sub>2</sub> )	<b>29.7</b>	80	µg/m <sup>3</sup>	IS 5182 (Part 6): 2017
Particulate Matter (size less than 10 µm) or PM <sub>10</sub>	<b>67</b>	100	µg/m <sup>3</sup>	IS 5182 (Part 23): 2017
Particulate Matter (size less than 2.5 µm) or PM <sub>2.5</sub>	<b>26</b>	60	µg/m <sup>3</sup>	CPCB Guideline, Volume 1,36/2012-13, Page No.15:2013
Lead (as Pb)	<b>BLQ</b> <b>(LOQ:0.02)</b>	1	µg/m <sup>3</sup>	EPA/625/R-96/D10 a Compendium Method 10-3.1 & 3.4, Jun: 1999
Carbon Monoxide (CO)	<b>0.89</b>	4	mg/m <sup>3</sup>	CPCB Guidelines, Volume II, 37/2012-13, Page no.16: 2013
Ammonia (NH <sub>3</sub> )	<b>28.7</b>	400	µg/m <sup>3</sup>	CPCB Guidelines, Volume 1,36/2012-13, Page No.35: 2013

BLQ: Below Limit of Quantification, LOQ: Limit of Quantification

TWA Time Weighted Average

# NAAQS (National Ambient Air Quality Standards (Industrial, Residential, Rural and other Area) specified as: 24 hours TWA in case of Sulphur Dioxide, Nitrogen Dioxide, PM<sub>10</sub>, PM<sub>2.5</sub>, Lead and Ammonia, 1 hour TWA in case of Carbon Monoxide

Sampling Equipment ID: AEC/EQ/1646

Calibration Certificate No.: CC342223000001514F

Consent Number & Date: Format 1.0/CAC/UAN No. 0000205124/CR/2502000735 Date 09.02.2025





### AMBIENT AIR QUALITY MONITORING REPORT

Sample ID : AA/12/25/5521	Report No. AA/12/25/5521	Report Date	31/12/2025
Name and address of Customer	<b>Mumbai International Airport Ltd.</b> Chhatrapati Shivaji Maharaj International Airport, 1st Floor, Terminal 1-B, Santacruz(E), Mumbai-400099, Maharashtra		
Sampling done by	Laboratory	Sample Description / Type	Ambient Air
Sampling Location	OWC Kurla	Date - Sampling	19/12/2025 to 20/12/2025
Sample Quantity / Packing	PM <sub>10</sub> : Lead: 1 x 3 no. filter paper PM <sub>2.5</sub> : 1 x 1 no. filter paper SO <sub>2</sub> , NO <sub>2</sub> : 30 ml x 6 no. plastic bottle each NH <sub>3</sub> : 10 ml x 24 no. plastic bottle CO: 1 no. bladder	Date - Receipt of Sample	22/12/2025
Sampling Procedure	As per method reference	Date - Start of Analysis	22/12/2025
Order Reference	SO No. 5700370004 dated 19.04.2025	Date - Completion of Analysis	30/12/2025

#### Meteorological Data / Environmental Conditions

Average Wind Velocity 7.6 km/h	Wind Direction S-W	Relative Humidity (Max./Min.): 86/60%	Temperature (Max./Min.): 32/21°C	Duration of Survey 24 h
-----------------------------------	-----------------------	--	-------------------------------------	----------------------------

Parameter	Result	NAAQS# 2009	Unit	Method
-----------	--------	----------------	------	--------

#### Chemical Testing; Group: Atmospheric Pollution

Sulphur Dioxide (SO <sub>2</sub> )	<b>13.7</b>	80	µg/m <sup>3</sup>	IS 5182 (Part 2/Sec I): 2023
Nitrogen Dioxide (NO <sub>2</sub> )	<b>33.8</b>	80	µg/m <sup>3</sup>	IS 5182 (Part 6): 2017
Particulate Matter (size less than 10 µm) or PM <sub>10</sub>	<b>88</b>	100	µg/m <sup>3</sup>	IS 5182 (Part 23): 2017
Particulate Matter (size less than 2.5 µm) or PM <sub>2.5</sub>	<b>46</b>	60	µg/m <sup>3</sup>	CPCB Guideline, Volume I, 36/2012-13, Page No.15:2013
Lead (as Pb)	<b>BLQ (LOQ:0.02)</b>	1	µg/m <sup>3</sup>	EPA/625/R-96/D10 a Compendium Method IO-3.1 & 3.4, Jun: 1999
Carbon Monoxide (CO)	<b>1.56</b>	4	mg/m <sup>3</sup>	CPCB Guidelines, Volume II, 37/2012-13, Page no.16: 2013
Ammonia (NH <sub>3</sub> )	<b>36.3</b>	400	µg/m <sup>3</sup>	CPCB Guidelines, Volume I, 36/2012-13, Page No.35: 2013

BLQ: Below Limit of Quantification, LOQ: Limit of Quantification

TWA Time Weighted Average

# NAAQS (National Ambient Air Quality Standards (Industrial, Residential, Rural and other Area) specified as: 24 hours TWA in case of Sulphur Dioxide, Nitrogen Dioxide, PM<sub>10</sub>, PM<sub>2.5</sub>, Lead and Ammonia, 1 hour TWA in case of Carbon Monoxide

Sampling Equipment ID: AEC/EQ/1647

Calibration Certificate No.: CC342223000001514F

Consent Number & Date: Format 1.0/CAC/UAN No. 0000205124/CR/2502000735 Date 09.02.2025







### AMBIENT AIR QUALITY MONITORING REPORT

Sample ID : AA/12/25/5522	Report No. AA/12/25/5522	Report Date	31/12/2025
Name and address of Customer	<b>Mumbai International Airport Ltd.</b> Chhatrapati Shivaji Maharaj International Airport, 1st Floor, Terminal 1-B, Santacruz(E), Mumbai-400099, Maharashtra		
Sampling done by	Laboratory	Sample Description / Type	Ambient Air
Sampling Location	Sarvodaya Hospital Ghatkopar	Date - Sampling	19/12/2025 to 20/12/2025
Sample Quantity / Packing	PM <sub>10</sub> , Lead: 1 x 3 no. filter paper PM <sub>2.5</sub> : 1 x 1 no. filter paper SO <sub>2</sub> , NO <sub>2</sub> : 30 ml x 6 no. plastic bottle each NH <sub>3</sub> : 10 ml x 24 no. plastic bottle CO: 1 no. bladder	Date - Receipt of Sample	22/12/2025
Sampling Procedure	As per method reference	Date - Start of Analysis	22/12/2025
Order Reference	SO No. 5700370004 dated 19.04.2025	Date - Completion of Analysis	30/12/2025

#### Meteorological Data / Environmental Conditions

Average Wind Velocity 7.6 km/h	Wind Direction S-W	Relative Humidity (Max./Min.): 86/59%	Temperature (Max./Min.): 32/22°C	Duration of Survey 24 h
-----------------------------------	-----------------------	--	-------------------------------------	----------------------------

Parameter	Result	NAAQS# 2009	Unit	Method
-----------	--------	----------------	------	--------

#### Chemical Testing; Group: Atmospheric Pollution

Sulphur Dioxide (SO <sub>2</sub> )	<b>11.8</b>	80	µg/m <sup>3</sup>	IS 5182 (Part 2/Sec I): 2023
Nitrogen Dioxide (NO <sub>2</sub> )	<b>31.4</b>	80	µg/m <sup>3</sup>	IS 5182 (Part 6): 2017
Particulate Matter (size less than 10 µm) or PM <sub>10</sub>	<b>75</b>	100	µg/m <sup>3</sup>	IS 5182 (Part 23): 2017
Particulate Matter (size less than 2.5 µm) or PM <sub>2.5</sub>	<b>34</b>	60	µg/m <sup>3</sup>	CPCB Guideline, Volume I, 36/2012-13, Page No.15:2013
Lead (as Pb)	<b>BLQ</b> <b>(LOQ:0.02)</b>	1	µg/m <sup>3</sup>	EPA/625/R-96/D10 a Compendium Method IO-3.1 & 3.4, Jun: 1999
Carbon Monoxide (CO)	<b>1.19</b>	4	mg/m <sup>3</sup>	CPCB Guidelines, Volume II, 37/2012-13, Page no.16: 2013
Ammonia (NH <sub>3</sub> )	<b>30.1</b>	400	µg/m <sup>3</sup>	CPCB Guidelines, Volume I, 36/2012-13, Page No.35: 2013

BLQ: Below Limit of Quantification, LOQ: Limit of Quantification

TWA Time Weighted Average

# NAAQS (National Ambient Air Quality Standards (Industrial, Residential, Rural and other Area) specified as: 24 hours TWA in case of Sulphur Dioxide, Nitrogen Dioxide, PM<sub>10</sub>, PM<sub>2.5</sub>, Lead and Ammonia, 1 hour TWA in case of Carbon Monoxide

Sampling Equipment ID: AEC/EQ/1648

Calibration Certificate No.: CC342223000001514F

Consent Number & Date: Format 1.0/CAC/UAN No. 0000205124/CR/2502000735 Date 09.02.2025





### AMBIENT AIR QUALITY MONITORING REPORT

Sample ID : AA/01/26/5756	Report No. AA/01/26/5756	Report Date	06/02/2026
Name and address of Customer	<b>Mumbai International Airport Ltd.</b> Chhatrapati Shivaji Maharaj International Airport, 1st Floor, Terminal 1-B, Santacruz(E), Mumbai-400099, Maharashtra		
Sampling done by	Laboratory	Sample Description / Type	Ambient Air
Sampling Location	Project Office Sahar	Date - Sampling	29/01/2026 to 30/01/2026
Sample Quantity / Packing	PM <sub>10</sub> : Lead: 1 x 3 no. filter paper PM <sub>2.5</sub> : 1 x 1 no. filter paper SO <sub>2</sub> , NO <sub>2</sub> : 30 ml x 6 no. plastic bottle each NH <sub>3</sub> : 10 ml x 24 no. plastic bottle CO: 1 no. bladder	Date - Receipt of Sample	31/01/2026
Sampling Procedure	As per method reference	Date - Start of Analysis	31/01/2026
Order Reference	SO No. 5700370004 dated 19.04.2025	Date - Completion of Analysis	05/02/2026

#### Meteorological Data / Environmental Conditions

Average Wind Velocity 11.6 km/h	Wind Direction S-W	Relative Humidity (Max./Min.): 75/51%	Temperature (Max./Min.): 33/22°C	Duration of Survey 24 h
------------------------------------	-----------------------	--	-------------------------------------	----------------------------

Parameter	Result	NAAQS# 2009	Unit	Method
-----------	--------	----------------	------	--------

#### Chemical Testing; Group: Atmospheric Pollution

Sulphur Dioxide (SO <sub>2</sub> )	<b>13.7</b>	80	µg/m <sup>3</sup>	IS 5182 (Part 2/Sec I): 2023
Nitrogen Dioxide (NO <sub>2</sub> )	<b>33.8</b>	80	µg/m <sup>3</sup>	IS 5182 (Part 6): 2017
Particulate Matter (size less than 10 µm) or PM <sub>10</sub>	<b>87</b>	100	µg/m <sup>3</sup>	IS 5182 (Part 23): 2017
Particulate Matter (size less than 2.5µm) or PM <sub>2.5</sub>	<b>46</b>	60	µg/m <sup>3</sup>	CPCB Guideline, Volume 1.36/2012-13, Page No.15:2013
Lead (as Pb)	<b>BLQ (LOQ:0.02)</b>	1	µg/m <sup>3</sup>	EPA/625/R-96/010 a Compendium Method IO-3.1 & 3.4, Jun: 1999
Carbon Monoxide (CO)	<b>1.56</b>	4	mg/m <sup>3</sup>	CPCB Guidelines, Volume II, 37/2012-13, Page no.16: 2013
Ammonia (NH <sub>3</sub> )	<b>34.9</b>	400	µg/m <sup>3</sup>	CPCB Guidelines, Volume 1.36/2012-13, Page No.35: 2013

BLQ: Below Limit of Quantification, LOQ: Limit of Quantification

TWA Time Weighted Average

# NAAQS (National Ambient Air Quality Standards (Industrial, Residential, Rural and other Area) specified as: 24 hours TWA in case of Sulphur Dioxide, Nitrogen Dioxide, PM<sub>10</sub>, PM<sub>2.5</sub>, Lead and Ammonia, 1 hour TWA in case of Carbon Monoxide

Sampling Equipment ID: AEC/EQ/1645

Calibration Certificate No.: CC342223000001514F

Consent Number & Date: Format 1.0/CAC/UAN No. 0000205124/CR/2502000735 Date 09.02.2025







TC-5509



### AMBIENT AIR QUALITY MONITORING REPORT

Sample ID : AA/01/26/5757	Report No. AA/01/26/5757	Report Date	06/02/2026
Name and address of Customer	<b>Mumbai International Airport Ltd.</b> Chhatrapati Shivaji Maharaj International Airport, 1st Floor, Terminal 1-B, Santacruz(E), Mumbai-400099, Maharashtra		
Sampling done by	Laboratory	Sample Description / Type	Ambient Air
Sampling Location	Terminal-1 MLCP Santacruz	Date - Sampling	29/01/2026 to 30/01/2026
Sample Quantity / Packing	PM <sub>10</sub> , Lead: 1 x 3 no. filter paper PM <sub>2.5</sub> : 1 x 1 no. filter paper SO <sub>2</sub> , NO <sub>2</sub> : 30 ml x 6 no. plastic bottle each NH <sub>3</sub> : 10 ml x 24 no. plastic bottle CO: 1 no. bladder	Date - Receipt of Sample	31/01/2026
Sampling Procedure	As per method reference	Date - Start of Analysis	31/01/2026
Order Reference	SO No. 5700370004 dated 19.04.2025	Date - Completion of Analysis	05/02/2026

#### Meteorological Data / Environmental Conditions

Average Wind Velocity 11.6 km/h	Wind Direction S-W	Relative Humidity (Max./Min.): 75/51%	Temperature (Max./Min.): 33/22°C	Duration of Survey 24 h
------------------------------------	-----------------------	--	-------------------------------------	----------------------------

Parameter	Result	NAAQS# 2009	Unit	Method
<b>Chemical Testing; Group: Atmospheric Pollution</b>				
Sulphur Dioxide (SO <sub>2</sub> )	<b>10.8</b>	80	µg/m <sup>3</sup>	IS 5182 (Part 2/Sec I): 2023
Nitrogen Dioxide (NO <sub>2</sub> )	<b>30.5</b>	80	µg/m <sup>3</sup>	IS 5182 (Part 6): 2017
Particulate Matter (size less than 10 µm) or PM <sub>10</sub>	<b>71</b>	100	µg/m <sup>3</sup>	IS 5182 (Part 23): 2017
Particulate Matter (size less than 2.5µm) or PM <sub>2.5</sub>	<b>30</b>	60	µg/m <sup>3</sup>	CPCB Guideline, Volume I,36/2012-13, Page No.15:2013
Lead (as Pb)	<b>BLQ (LOQ:0.02)</b>	1	µg/m <sup>3</sup>	EPA/625/R-96/D10 a Compendium Method 10-3.1 & 3.4, Jun: 1999
Carbon Monoxide (CO)	<b>1</b>	4	mg/m <sup>3</sup>	CPCB Guidelines, Volume II, 37/2012-13, Page no.16: 2013
Ammonia (NH <sub>3</sub> )	<b>31.5</b>	400	µg/m <sup>3</sup>	CPCB Guidelines, Volume I,36/2012-13, Page No.35: 2013

BLQ: Below Limit of Quantification, LOQ: Limit of Quantification

TWA Time Weighted Average


# NAAQS (National Ambient Air Quality Standards (Industrial, Residential, Rural and other Area) specified as: 24 hours TWA in case of Sulphur Dioxide, Nitrogen Dioxide, PM<sub>10</sub>, PM<sub>2.5</sub>, Lead and Ammonia, 1 hour TWA in case of Carbon Monoxide

Sampling Equipment ID: AEC/EQ/1646

Calibration Certificate No.: CC342223000001514F

Consent Number & Date: Format 1.0/CAC/UAN No. 0000205124/CR/2502000735 Date 09.02.2025





### AMBIENT AIR QUALITY MONITORING REPORT

Sample ID : AA/01/26/5758	Report No. AA/01/26/5758	Report Date	06/02/2026
Name and address of Customer	<b>Mumbai International Airport Ltd.</b> Chhatrapati Shivaji Maharaj International Airport, 1st Floor, Terminal 1-B, Santacruz(E), Mumbai-400099, Maharashtra		
Sampling done by	Laboratory	Sample Description / Type	Ambient Air
Sampling Location	OWC Kurla	Date - Sampling	29/01/2026 to 30/01/2026
Sample Quantity / Packing	PM <sub>10</sub> : Lead: 1 x 3 no. filter paper PM <sub>2.5</sub> : 1 x 1 no. filter paper SO <sub>2</sub> , NO <sub>2</sub> : 30 ml x 6 no. plastic bottle each NH <sub>3</sub> : 10 ml x 24 no. plastic bottle CO: 1 no. bladder	Date - Receipt of Sample	31/01/2026
Sampling Procedure	As per method reference	Date - Start of Analysis	31/01/2026
Order Reference	SO No. 5700370004 dated 19.04.2025	Date - Completion of Analysis	05/02/2026

#### Meteorological Data / Environmental Conditions

Average Wind Velocity 11.6 km/h	Wind Direction S-W	Relative Humidity (Max./Min.): 75/51%	Temperature (Max./Min.): 33/22°C	Duration of Survey 24 h
------------------------------------	-----------------------	--	-------------------------------------	----------------------------

Parameter	Result	NAAQS# 2009	Unit	Method
<b>Chemical Testing; Group: Atmospheric Pollution</b>				
Sulphur Dioxide (SO <sub>2</sub> )	<b>14.7</b>	80	µg/m <sup>3</sup>	IS 5182 (Part 2/Sec I): 2023
Nitrogen Dioxide (NO <sub>2</sub> )	<b>34.7</b>	80	µg/m <sup>3</sup>	IS 5182 (Part 6): 2017
Particulate Matter (size less than 10 µm) or PM <sub>10</sub>	<b>88</b>	100	µg/m <sup>3</sup>	IS 5182 (Part 23): 2017
Particulate Matter (size less than 2.5µm) or PM <sub>2.5</sub>	<b>47</b>	60	µg/m <sup>3</sup>	CPCB Guideline, Volume I,36/2012-13, Page No.15:2013
Lead (as Pb)	<b>BLQ (LOQ:0.02)</b>	1	µg/m <sup>3</sup>	EPA/625/R-96/D10 a Compendium Method IO-3.1 & 3.4, Jun: 1999
Carbon Monoxide (CO)	<b>1.61</b>	4	mg/m <sup>3</sup>	CPCB Guidelines, Volume II, 37/2012-13, Page no.16: 2013
Ammonia (NH <sub>3</sub> )	<b>35.8</b>	400	µg/m <sup>3</sup>	CPCB Guidelines, Volume I,36/2012-13, Page No.35: 2013

BLQ: Below Limit of Quantification, LOQ: Limit of Quantification

TWA Time Weighted Average

# NAAQS (National Ambient Air Quality Standards (Industrial, Residential, Rural and other Area) specified as: 24 hours TWA in case of Sulphur Dioxide, Nitrogen Dioxide, PM<sub>10</sub>, PM<sub>2.5</sub>, Lead and Ammonia, 1 hour TWA in case of Carbon Monoxide

Sampling Equipment ID: AEC/EQ/1647

Calibration Certificate No.: CC342223000001514F

Consent Number & Date: Format 1.0/CAC/UAN No. 0000205124/CR/2502000735 Date 09.02.2025







### AMBIENT AIR QUALITY MONITORING REPORT

Sample ID : AA/01/26/5759	Report No. AA/01/26/5759	Report Date	06/02/2026
Name and address of Customer	<b>Mumbai International Airport Ltd.</b> Chhatrapati Shivaji Maharaj International Airport, 1st Floor, Terminal 1-B, Santacruz(E), Mumbai-400099, Maharashtra		
Sampling done by	Laboratory	Sample Description / Type	Ambient Air
Sampling Location	Sarvodaya Hospital Ghatkopar	Date - Sampling	29/01/2026 to 30/01/2026
Sample Quantity / Packing	PM <sub>10</sub> , Lead: 1 x 3 no. filter paper PM <sub>2.5</sub> : 1 x 1 no. filter paper SO <sub>2</sub> , NO <sub>2</sub> : 30 ml x 6 no. plastic bottle each NH <sub>3</sub> : 10 ml x 24 no. plastic bottle CO: 1 no. bladder	Date - Receipt of Sample	31/01/2026
Sampling Procedure	As per method reference	Date - Start of Analysis	31/01/2026
Order Reference	SO No. 5700370004 dated 19.04.2025	Date - Completion of Analysis	05/02/2026

#### Meteorological Data / Environmental Conditions

Average Wind Velocity 11.6 km/h	Wind Direction S-W	Relative Humidity (Max./Min.): 75/51%	Temperature (Max./Min.): 33/22°C	Duration of Survey 24 h
------------------------------------	-----------------------	--	-------------------------------------	----------------------------

Parameter	Result	NAAQS# 2009	Unit	Method
<b>Chemical Testing; Group: Atmospheric Pollution</b>				
Sulphur Dioxide (SO <sub>2</sub> )	<b>11.8</b>	80	µg/m <sup>3</sup>	IS 5182 (Part 2/Sec I): 2023
Nitrogen Dioxide (NO <sub>2</sub> )	<b>31.4</b>	80	µg/m <sup>3</sup>	IS 5182 (Part 6): 2017
Particulate Matter (size less than 10 µm) or PM <sub>10</sub>	<b>74</b>	100	µg/m <sup>3</sup>	IS 5182 (Part 23): 2017
Particulate Matter (size less than 2.5µm) or PM <sub>2.5</sub>	<b>33</b>	60	µg/m <sup>3</sup>	CPCB Guideline, Volume I.36/2012-13, Page No.15:2013
Lead (as Pb)	<b>BLQ (LOQ:0.02)</b>	1	µg/m <sup>3</sup>	EPA/625/R-96/010 a Compendium Method IO-3.1 & 3.4, Jun: 1999
Carbon Monoxide (CO)	<b>1.1</b>	4	mg/m <sup>3</sup>	CPCB Guidelines, Volume II, 37/2012-13, Page no.16: 2013
Ammonia (NH <sub>3</sub> )	<b>32.5</b>	400	µg/m <sup>3</sup>	CPCB Guidelines, Volume I.36/2012-13, Page No.35: 2013

BLQ: Below Limit of Quantification, LOQ: Limit of Quantification

TWA Time Weighted Average

# NAAQS (National Ambient Air Quality Standards (Industrial, Residential, Rural and other Area) specified as: 24 hours TWA in case of Sulphur Dioxide, Nitrogen Dioxide, PM<sub>10</sub>, PM<sub>2.5</sub>, Lead and Ammonia, 1 hour TWA in case of Carbon Monoxide

Sampling Equipment ID: AEC/EQ/1648

Calibration Certificate No.: CC342223000001514F

Consent Number & Date: Format 1.0/CAC/UAN No. 0000205124/CR/2502000735 Date 09.02.2025





### AMBIENT AIR QUALITY MONITORING REPORT

Sample ID : AA/02/26/5043	Report No. AA/02/26/5043	Report Date	10/02/2026
Name and address of Customer	<b>Mumbai International Airport Ltd.</b> Chhatrapati Shivaji Maharaj International Airport, 1st Floor, Terminal 1-B, Santacruz(E), Mumbai-400099, Maharashtra		
Sampling done by	Laboratory	Sample Description / Type	Ambient Air
Sampling Location	Utility Building Airport T2	Date - Sampling	02/02/2026 to 03/02/2026
Sample Quantity / Packing	PM <sub>10</sub> , Bap, Metals: 1 x 3 no. filter paper PM <sub>2.5</sub> : 1 x 1 no. filter paper SO <sub>2</sub> , NO <sub>2</sub> : 30 ml x 6 no. plastic bottle each NH <sub>3</sub> : 10 ml x 24 no. plastic bottle Ozone: 10 ml x 1 no. plastic bottle C <sub>6</sub> H <sub>6</sub> : 6 no. charcoal tubes CO: 1 no. bladder	Date - Receipt of Sample	04/02/2026
Sampling Procedure	As per method reference	Date - Start of Analysis	04/02/2026
Order Reference	P.O. No. 5700370004 dated 19.04.2025	Date - Completion of Analysis	09/02/2026

#### Meteorological Data / Environmental Conditions

Average Wind Velocity 10 km/h	Wind Direction S-W	Relative Humidity (Max./Min.): 75/60%	Temperature (Max./Min.): 30/26°C	Duration of Survey 24 h
----------------------------------	-----------------------	--	-------------------------------------	----------------------------

Parameter	Result	NAAQS# 2009	Unit	Method
-----------	--------	----------------	------	--------

#### Chemical Testing; Group: Atmospheric Pollution

Sulphur Dioxide (SO <sub>2</sub> )	11.8	80	µg/m <sup>3</sup>	IS 5182 (Part 2/Sec I): 2023
Nitrogen Dioxide (NO <sub>2</sub> )	31.4	80	µg/m <sup>3</sup>	IS 5182 (Part 6): 2017
Particulate Matter (size less than 10 µm) or PM <sub>10</sub>	78	100	µg/m <sup>3</sup>	IS 5182 (Part 23): 2006
Particulate Matter (size less than 2.5µm) or PM <sub>2.5</sub>	40	60	µg/m <sup>3</sup>	CPCB Guideline, Volume I.36/2012-13, Page No.15:2013
Ozone (O <sub>3</sub> )	BLQ (LOQ:19.6)	180	µg/m <sup>3</sup>	Methods of Air Sampling and Analysis (AWMA), 3rd Ed., Method 411, Page no. 403 :1988
Lead (as Pb)	BLQ (LOQ:0.02)	1	µg/m <sup>3</sup>	EPA/625/R-96/D10 a Compendium Method 10-3.1 & 3.4, Jun: 1999
Carbon Monoxide (CO)	1.32	4	mg/m <sup>3</sup>	CPCB Guidelines, Volume II, 37/2012-13, Page no.16: 2013
Ammonia (NH <sub>3</sub> )	BLQ (LOQ:20)	400	µg/m <sup>3</sup>	CPCB Guidelines, Volume I.36/2012-13, Page No.35: 2013
Benzene (C <sub>6</sub> H <sub>6</sub> )	1.48	5	µg/m <sup>3</sup>	IS 5182 (Part II):2006
Benzo (a) pyrene (BaP) Particulate Phase only	BLQ (LOQ:0.2)	1	ng/m <sup>3</sup>	IS 5182 (Part I2) : 2004
Arsenic (as As)	BLQ (LOQ:0.3)	6	ng/m <sup>3</sup>	EPA/625/R-96/D10 a Compendium Method 10-3.1 & 3.4, Jun : 1999







### AMBIENT AIR QUALITY MONITORING REPORT

Sample ID : AA/02/26/5105	Report No. AA/02/26/5105	Report Date	17/02/2026
Name and address of Customer	<b>Mumbai International Airport Ltd.</b> Chhatrapati Shivaji Maharaj International Airport, 1st Floor, Terminal 1-B, Santacruz(E), Mumbai-400099, Maharashtra		
Sampling done by	Laboratory	Sample Description / Type	Ambient Air
Sampling Location	Utility Building Airport T2	Date - Sampling	05/02/2026 to 06/02/2026
Sample Quantity / Packing	PM <sub>10</sub> , Bap, Metals: 1 x 3 no. filter paper PM <sub>2.5</sub> : 1 x 1 no. filter paper SO <sub>2</sub> , NO <sub>2</sub> : 30 ml x 6 no. plastic bottle each NH <sub>3</sub> : 10 ml x 24 no. plastic bottle Ozone: 10 ml x 1 no. plastic bottle C <sub>6</sub> H <sub>6</sub> : 6 no. charcoal tubes CO: 1 no. bladder	Date - Receipt of Sample	07/02/2026
Sampling Procedure	As per method reference	Date - Start of Analysis	07/02/2026
Order Reference	SO No. 5700370004 dated 19.04.2025	Date - Completion of Analysis	16/02/2026

#### Meteorological Data / Environmental Conditions

Average Wind Velocity 10 km/h	Wind Direction S-W	Relative Humidity (Max./Min.): 75/65%	Temperature (Max./Min.): 30/26°C	Duration of Survey 24 h
----------------------------------	-----------------------	--	-------------------------------------	----------------------------

Parameter	Result	NAAQS# 2009	Unit	Method
<b>Chemical Testing; Group: Atmospheric Pollution</b>				
Sulphur Dioxide (SO <sub>2</sub> )	12.8	80	µg/m <sup>3</sup>	IS 5182 (Part 2/Sec I): 2023
Nitrogen Dioxide (NO <sub>2</sub> )	34.7	80	µg/m <sup>3</sup>	IS 5182 (Part 6): 2017
Particulate Matter (size less than 10 µm) or PM <sub>10</sub>	83	100	µg/m <sup>3</sup>	IS 5182 (Part 23): 2006
Particulate Matter (size less than 2.5µm) or PM <sub>2.5</sub>	44	60	µg/m <sup>3</sup>	CPCB Guideline, Volume I.36/2012-13, Page No.15:2013
Ozone (O <sub>3</sub> )	BLQ (LOQ:19.6)	180	µg/m <sup>3</sup>	Methods of Air Sampling and Analysis (AWMA), 3rd Ed., Method 411, Page no. 403 :1988
Lead (as Pb)	BLQ (LOQ:0.02)	1	µg/m <sup>3</sup>	EPA/625/R-96/010 a Compendium Method IO-3.1 & 3.4, Jun: 1999
Carbon Monoxide (CO)	1.52	4	mg/m <sup>3</sup>	CPCB Guidelines, Volume II, 37/2012-13, Page no.16: 2013
Ammonia (NH <sub>3</sub> )	BLQ (LOQ:20)	400	µg/m <sup>3</sup>	CPCB Guidelines, Volume I.36/2012-13, Page No.35: 2013
Benzene (C <sub>6</sub> H <sub>6</sub> )	1.66	5	µg/m <sup>3</sup>	IS 5182 (Part II):2006
Benzo (a) pyrene (BaP) Particulate Phase only	BLQ (LOQ:0.2)	1	ng/m <sup>3</sup>	IS 5182 (Part I2) : 2004
Arsenic (as As)	BLQ (LOQ:0.3)	6	ng/m <sup>3</sup>	EPA/625/R-96/010 a Compendium Method IO-3.1 & 3.4, Jun : 1999





TC-5509



Sample ID : AA/02/26/5105	Report No. AA/02/26/5105	Report Date	17/02/2026
---------------------------	--------------------------	-------------	------------

Parameter	Result	NAAQS# 2009	Unit	Method
Nickel (as Ni)	BLQ (LOQ:3)	20	ng/m <sup>3</sup>	EPA/825/R-96/D10 a Compendium Method 10-3.1 & 3.4, Jun: 1999

BLQ: Below Limit of Quantification, LOQ: Limit of Quantification

TWA Time Weighted Average

# NAAQS (National Ambient Air Quality Standards (Industrial, Residential, Rural and other Area) specified as: 24 hours TWA in case of Sulphur Dioxide, Nitrogen Dioxide, PM10, PM2.5, Lead and Ammonia, 1 hour TWA in case of Carbon Monoxide and Ozone, Annual TWA in case of Benzene, Benzo (a) Pyrene, Arsenic and Nickel


Sampling Equipment ID: AEC/EQ/1649

Calibration Certificate No.: CC342224000001262F

Consent Number & Date: Format 1.0/CAC/UAN No. 0000205124/CR/2502000735 Date 09.02.2025

*Ninad Soundankar*

Ninad Soundankar  
Technical Manager (Chemical)  
Reviewed & Authorised by



End of Report

**Note:**

1. The result listed refer only to the tested sample(s) and applicable parameter(s).
2. This report is not to be reproduced except in full, without written approval of the laboratory.
3. In case sampling is not done by laboratory, the results apply to the sample as received.
4. There are no additions to, deviations or exclusions from the method.







### AMBIENT AIR QUALITY MONITORING REPORT

Sample ID : AA/02/26/5155	Report No. AA/02/26/5155	Report Date	18/02/2026
Name and address of Customer	<b>Mumbai International Airport Ltd.</b> Chhatrapati Shivaji Maharaj International Airport, 1st Floor, Terminal 1-B, Santacruz(E), Mumbai-400099, Maharashtra		
Sampling done by	Laboratory	Sample Description / Type	Ambient Air
Sampling Location	Utility Building Airport T 2	Date - Sampling	09/02/2026 to 10/02/2026
Sample Quantity / Packing	PM <sub>10</sub> : Bap, Metals: 1 x 3 no. filter paper PM <sub>2.5</sub> : 1 x 1 no. filter paper SO <sub>2</sub> , NO <sub>2</sub> : 30 ml x 6 no. plastic bottle each NH <sub>3</sub> : 10 ml x 24 no. plastic bottle Ozone: 10 ml x 1 no. plastic bottle C <sub>6</sub> H <sub>6</sub> : 6 no. charcoal tubes CO: 1 no. bladder	Date - Receipt of Sample	11/02/2026
Sampling Procedure	As per method reference	Date - Start of Analysis	11/02/2026
Order Reference	SO No. 5700370004 dated 19.04.2025	Date - Completion of Analysis	17/02/2026

#### Meteorological Data / Environmental Conditions

Average Wind Velocity 11.8 km/h	Wind Direction S-E	Relative Humidity (Max./Min.): 58/42%	Temperature (Max./Min.): 33/28°C	Duration of Survey 24 h
------------------------------------	-----------------------	--	-------------------------------------	----------------------------

Parameter	Result	NAAQS# 2009	Unit	Method
-----------	--------	----------------	------	--------

#### Chemical Testing; Group: Atmospheric Pollution

Sulphur Dioxide (SO <sub>2</sub> )	<b>16.7</b>	80	µg/m <sup>3</sup>	IS 5182 (Part 2/Sec I): 2023
Nitrogen Dioxide (NO <sub>2</sub> )	<b>36.3</b>	80	µg/m <sup>3</sup>	IS 5182 (Part 6): 2017
Particulate Matter (size less than 10 µm) or PM <sub>10</sub>	<b>86</b>	100	µg/m <sup>3</sup>	IS 5182 (Part 23): 2006
Particulate Matter (size less than 2.5µm) or PM <sub>2.5</sub>	<b>47</b>	60	µg/m <sup>3</sup>	CPCB Guideline, Volume I,36/2012-13, Page No.15:2013
Ozone (O <sub>3</sub> )	<b>BLQ (LOQ:19.6)</b>	180	µg/m <sup>3</sup>	Methods of Air Sampling and Analysis (AWMA), 3rd Ed., Method 411,Page no. 403 :1988
Lead (as Pb)	<b>BLQ (LOQ:0.02)</b>	1	µg/m <sup>3</sup>	EPA/625/R-96/010 a Compendium Method 10-3.1 & 3.4, Jun: 1999
Carbon Monoxide (CO)	<b>1.68</b>	4	mg/m <sup>3</sup>	CPCB Guidelines, Volume II, 37/2012-13, Page no.16: 2013
Ammonia (NH <sub>3</sub> )	<b>BLQ (LOQ:20)</b>	400	µg/m <sup>3</sup>	CPCB Guidelines, Volume I,36/2012-13, Page No.35: 2013
Benzene (C <sub>6</sub> H <sub>6</sub> )	<b>1.74</b>	5	µg/m <sup>3</sup>	IS 5182 (Part II):2006
Benzo (a) pyrene (BaP) Particulate Phase only	<b>BLQ (LOQ:0.2)</b>	1	ng/m <sup>3</sup>	IS 5182 (Part 12): 2004
Arsenic (as As)	<b>BLQ (LOQ:0.3)</b>	6	ng/m <sup>3</sup>	EPA/625/R-96/010 a Compendium Method 10-3.1 & 3.4, Jun : 1999





Sample ID : AA/02/26/5155		Report No. AA/02/26/5155		Report Date	18/02/2026
Parameter	Result	NAAQS# 2009	Unit	Method	
Nickel (as Ni)	BLQ (LOQ:3)	20	ng/m <sup>3</sup>	EPA/625/R-96/010 a Compendium Method IO-3.1 6 3.4, Jun: 1999	

BLQ: Below Limit of Quantification, LOQ: Limit of Quantification

TWA Time Weighted Average

# NAAQS (National Ambient Air Quality Standards (Industrial, Residential, Rural and other Area) specified as: 24 hours TWA in case of Sulphur Dioxide, Nitrogen Dioxide, PM10, PM2.5, Lead and Ammonia, 1 hour TWA in case of Carbon Monoxide and Ozone, Annual TWA in case of Benzene, Benzo (a) Pyrene, Arsenic and Nickel

Sampling Equipment ID: AEC/EQ/1649

Calibration Certificate No.: CC342224000001262F

Consent Number & Date: Format 1.0/CAC/UAN No. 0000205124/CR/2502000735 Date 09.02.2025

*Ninad Soundankar*

Ninad Soundankar  
Technical Manager (Chemical)  
Reviewed & Authorised by



End of Report


**Note:**

1. The result listed refer only to the tested sample(s) and applicable parameter(s).
2. This report is not to be reproduced except in full, without written approval of the laboratory.
3. In case sampling is not done by laboratory, the results apply to the sample as received.
4. There are no additions to, deviations or exclusions from the method.



AEC/F/REP/1-B





### AMBIENT AIR QUALITY MONITORING REPORT

Sample ID : AA/02/26/5276	Report No. AA/02/26/5276	Report Date	20/02/2026
Name and address of Customer	<b>Mumbai International Airport Ltd.</b> Chhatrapati Shivaji Maharaj International Airport, 1st Floor, Terminal 1-B, Santacruz(E), Mumbai-400099, Maharashtra		
Sampling done by	Laboratory	Sample Description / Type	Ambient Air
Sampling Location	Utility Building Airport T2	Date - Sampling	12/02/2026 to 13/02/2026
Sample Quantity / Packing	PM <sub>10</sub> : Bap, Metals: 1 x 3 no. filter paper PM <sub>2.5</sub> : 1 x 1 no. filter paper SO <sub>2</sub> , NO <sub>2</sub> : 30 ml x 6 no. plastic bottle each NH <sub>3</sub> : 10 ml x 24 no. plastic bottle Ozone: 10 ml x 1 no. plastic bottle C <sub>6</sub> H <sub>6</sub> : 6 no. charcoal tubes CO: 1 no. bladder	Date - Receipt of Sample	14/02/2026
Sampling Procedure	As per method reference	Date - Start of Analysis	14/02/2026
Order Reference	SO No. 5700370004 dated 19.04.2025	Date - Completion of Analysis	19/02/2026

#### Meteorological Data / Environmental Conditions

Average Wind Velocity 10 km/h	Wind Direction S-W	Relative Humidity (Max./Min.): 75/65%	Temperature (Max./Min.): 30/25°C	Duration of Survey 24 h
Parameter	Result	NAAQS# 2009	Unit	Method
<b>Chemical Testing; Group: Atmospheric Pollution</b>				
Sulphur Dioxide (SO <sub>2</sub> )	<b>11.8</b>	80	µg/m <sup>3</sup>	IS 5182 (Part 2/Sec I): 2023
Nitrogen Dioxide (NO <sub>2</sub> )	<b>31.4</b>	80	µg/m <sup>3</sup>	IS 5182 (Part 6): 2017
Particulate Matter (size less than 10 µm) or PM <sub>10</sub>	<b>81</b>	100	µg/m <sup>3</sup>	IS 5182 (Part 23): 2006
Particulate Matter (size less than 2.5µm) or PM <sub>2.5</sub>	<b>40</b>	60	µg/m <sup>3</sup>	CPCB Guideline, Volume I,36/2012-13, Page No.15:2013
Ozone (O <sub>3</sub> )	<b>BLQ (LOQ:19.6)</b>	180	µg/m <sup>3</sup>	Methods of Air Sampling and Analysis (AWMA), 3rd Ed., Method 411, Page no. 403 :1988
Lead (as Pb)	<b>BLQ (LOQ:0.02)</b>	1	µg/m <sup>3</sup>	EPA/625/R-96/D10 a Compendium Method 10-3.1 & 3.4, Jun: 1999
Carbon Monoxide (CO)	<b>1.41</b>	4	mg/m <sup>3</sup>	CPCB Guidelines, Volume II, 37/2012-13, Page no.16: 2013
Ammonia (NH <sub>3</sub> )	<b>BLQ (LOQ:20)</b>	400	µg/m <sup>3</sup>	CPCB Guidelines, Volume I,36/2012-13, Page No.35: 2013
Benzene (C <sub>6</sub> H <sub>6</sub> )	<b>1.53</b>	5	µg/m <sup>3</sup>	IS 5182 (Part 11):2006
Benzo (a) pyrene (BaP) Particulate Phase only	<b>BLQ (LOQ:0.2)</b>	1	ng/m <sup>3</sup>	IS 5182 (Part 12) : 2004
Arsenic (as As)	<b>BLQ (LOQ:0.3)</b>	6	ng/m <sup>3</sup>	EPA/625/R-96/D10 a Compendium Method 10-3.1 & 3.4, Jun : 1999





Sample ID : AA/02/26/5276		Report No. AA/02/26/5276		Report Date	20/02/2026
Parameter	Result	NAAQS# 2009	Unit	Method	
Nickel (as Ni)	BLQ (LOQ:3)	20	ng/m <sup>3</sup>	EPA/625/R-96/010 a Compendium Method IO-3.1 & 3.4. Jun: 1999	

BLQ: Below Limit of Quantification, LOQ: Limit of Quantification

TWA Time Weighted Average

# NAAQS (National Ambient Air Quality Standards (Industrial, Residential, Rural and other Area) specified as: 24 hours TWA in case of Sulphur Dioxide, Nitrogen Dioxide, PM10, PM2.5, Lead and Ammonia, 1 hour TWA in case of Carbon Monoxide and Ozone, Annual TWA in case of Benzene, Benzo (a) Pyrene, Arsenic and Nickel


Sampling Equipment ID: AEC/EQ/1649

Calibration Certificate No.: CC342224000001262F

Consent Number & Date: Format 1.0/CAC/UAN No. 0000205124/CR/2502000735 Date 09.02.2025

*Ninad Soundankar*

Ninad Soundankar  
 Technical Manager (Chemical)  
 Reviewed & Authorised by



End of Report

#### Note:

1. The result listed refer only to the tested sample(s) and applicable parameter(s).
2. This report is not to be reproduced except in full, without written approval of the laboratory.
3. In case sampling is not done by laboratory, the results apply to the sample as received.
4. There are no additions to, deviations or exclusions from the method.







### AMBIENT AIR QUALITY MONITORING REPORT


Sample ID : AA/02/26/5389	Report No. AA/02/26/5389	Report Date	26/02/2026
Name and address of Customer	<b>Mumbai International Airport Ltd.</b> Chhatrapati Shivaji Maharaj International Airport, 1st Floor, Terminal 1-B, Santacruz(E), Mumbai-400099, Maharashtra		
Sampling done by	Laboratory	Sample Description / Type	Ambient Air
Sampling Location	Utility Building Airport T2	Date - Sampling	16/02/2026 to 17/02/2026
Sample Quantity / Packing	PM <sub>10</sub> : Bap, Metals: 1 x 3 no. filter paper PM <sub>2.5</sub> : 1 x 1 no. filter paper SO <sub>2</sub> , NO <sub>2</sub> : 30 ml x 6 no. plastic bottle each NH <sub>3</sub> : 10 ml x 24 no. plastic bottle Ozone: 10 ml x 1 no. plastic bottle C <sub>6</sub> H <sub>6</sub> : 6 no. charcoal tubes CO: 1 no. bladder	Date - Receipt of Sample	18/02/2026
Sampling Procedure	As per method reference	Date - Start of Analysis	18/02/2026
Order Reference	SO No. 5700370004 dated 19.04.2025	Date - Completion of Analysis	25/02/2026

#### Meteorological Data / Environmental Conditions

Average Wind Velocity 10 km/h	Wind Direction S-W	Relative Humidity (Max./Min.): 75/65%	Temperature (Max./Min.): 30/26°C	Duration of Survey 24 h
----------------------------------	-----------------------	--	-------------------------------------	----------------------------

Parameter	Result	NAAQS# 2009	Unit	Method
<b>Chemical Testing; Group: Atmospheric Pollution</b>				
Sulphur Dioxide (SO <sub>2</sub> )	<b>13.7</b>	80	µg/m <sup>3</sup>	IS 5182 (Part 2/Sec I): 2023
Nitrogen Dioxide (NO <sub>2</sub> )	<b>33.8</b>	80	µg/m <sup>3</sup>	IS 5182 (Part 6): 2017
Particulate Matter (size less than 10 µm) or PM <sub>10</sub>	<b>84</b>	100	µg/m <sup>3</sup>	IS 5182 (Part 23): 2006
Particulate Matter (size less than 2.5 µm) or PM <sub>2.5</sub>	<b>43</b>	60	µg/m <sup>3</sup>	CPCB Guideline, Volume I,36/2012-13, Page No.15:2013
Ozone (O <sub>3</sub> )	<b>BLQ (LOQ:19.6)</b>	180	µg/m <sup>3</sup>	Methods of Air Sampling and Analysis (AWMA), 3rd Ed., Method 411, Page no. 403 :1988
Lead (as Pb)	<b>BLQ (LOQ:0.02)</b>	1	µg/m <sup>3</sup>	EPA/625/R-96/D10 a Compendium Method IO-3.1 6 3.4, Jun: 1999
Carbon Monoxide (CO)	<b>1.54</b>	4	mg/m <sup>3</sup>	CPCB Guidelines, Volume II, 37/2012-13, Page no.16: 2013
Ammonia (NH <sub>3</sub> )	<b>BLQ (LOQ:20)</b>	400	µg/m <sup>3</sup>	CPCB Guidelines, Volume I,36/2012-13, Page No.35: 2013
Benzene (C <sub>6</sub> H <sub>6</sub> )	<b>1.61</b>	5	µg/m <sup>3</sup>	IS 5182 (Part 11):2006
Benzo (a) pyrene (BaP) Particulate Phase only	<b>BLQ (LOQ:0.2)</b>	1	ng/m <sup>3</sup>	IS 5182 (Part 12) : 2004
Arsenic (as As)	<b>BLQ (LOQ:0.3)</b>	6	ng/m <sup>3</sup>	EPA/625/R-96/D10 a Compendium Method IO-3.1 6 3.4, Jun : 1999





Sample ID : AA/02/26/5389		Report No. AA/02/26/5389		Report Date	26/02/2026
Parameter	Result	NAAQS# 2009	Unit	Method	
Nickel (as Ni)	BLQ (LOQ:3)	20	ng/m³	EPA/625/R-96/010 a Compendium Method IO-3.1 & 3.4, Jun: 1999	
BLQ: Below Limit of Quantification, LOQ: Limit of Quantification TWA Time Weighted Average # NAAQS (National Ambient Air Quality Standards (Industrial, Residential, Rural and other Area) specified as: 24 hours TWA in case of Sulphur Dioxide, Nitrogen Dioxide, PM10, PM2.5, Lead and Ammonia, 1 hour TWA in case of Carbon Monoxide and Ozone, Annual TWA in case of Benzene, Benzo (a) Pyrene, Arsenic and Nickel Sampling Equipment ID: AEC/EQ/1649 Calibration Certificate No.: CC342224000001262F Consent Number & Date: Format 1.0/CAC/UAN No. 0000205124/CR/2502000735 Date 09.02.2025					

*Ninad Soundankar*

Ninad Soundankar  
Technical Manager (Chemical)  
Reviewed & Authorised by



End of Report

**Note:**

1. The result listed refer only to the tested sample(s) and applicable parameter(s).
2. This report is not to be reproduced except in full, without written approval of the laboratory.
3. In case sampling is not done by laboratory, the results apply to the sample as received.
4. There are no additions to, deviations or exclusions from the method.







### AMBIENT AIR QUALITY MONITORING REPORT

Sample ID : AA/02/26/5517	Report No. AA/02/26/5517	Report Date	03/03/2026
Name and address of Customer	<b>Mumbai International Airport Ltd.</b> Chhatrapati Shivaji Maharaj International Airport, 1st Floor, Terminal 1-B, Santacruz(E), Mumbai-400099, Maharashtra		
Sampling done by	Laboratory	Sample Description / Type	Ambient Air
Sampling Location	Utility Building Airport T2	Date - Sampling	19/02/2026 to 20/02/2026
Sample Quantity / Packing	PM <sub>10</sub> : Bap, Metals: 1 x 3 no. filter paper PM <sub>2.5</sub> : 1 x 1 no. filter paper SO <sub>2</sub> , NO <sub>2</sub> : 30 ml x 6 no. plastic bottle each NH <sub>3</sub> : 10 ml x 24 no. plastic bottle Ozone: 10 ml x 1 no. plastic bottle C <sub>6</sub> H <sub>6</sub> : 6 no. charcoal tubes CO: 1 no. bladder	Date - Receipt of Sample	21/02/2026
Sampling Procedure	As per method reference	Date - Start of Analysis	21/02/2026
Order Reference	SO No. 5700370004 dated 19.04.2025	Date - Completion of Analysis	02/03/2026

#### Meteorological Data / Environmental Conditions

Average Wind Velocity 10.2 km/h	Wind Direction S-W	Relative Humidity (Max./Min.): 78/63%	Temperature (Max./Min.): 32/23°C	Duration of Survey 24 h
Parameter	Result	NAAQS# 2009	Unit	Method
<b>Chemical Testing; Group: Atmospheric Pollution</b>				
Sulphur Dioxide (SO <sub>2</sub> )	15.7	80	µg/m <sup>3</sup>	IS 5182 (Part 2/Sec I): 2023
Nitrogen Dioxide (NO <sub>2</sub> )	34.7	80	µg/m <sup>3</sup>	IS 5182 (Part 6): 2017
Particulate Matter (size less than 10 µm) or PM <sub>10</sub>	87	100	µg/m <sup>3</sup>	IS 5182 (Part 23): 2006
Particulate Matter (size less than 2.5µm) or PM <sub>2.5</sub>	46	60	µg/m <sup>3</sup>	CPCB Guideline, Volume I,36/2012-13, Page No.15:2013
Ozone (O <sub>3</sub> )	BLQ (LOQ:19.6)	180	µg/m <sup>3</sup>	Methods of Air Sampling and Analysis (AWMA), 3rd Ed., Method 411,Page no. 403 :1988
Lead (as Pb)	BLQ (LOQ:0.02)	1	µg/m <sup>3</sup>	EPA/625/R-96/D10 a Compendium Method 10-3.1 & 3.4, Jun: 1999
Carbon Monoxide (CO)	1.66	4	mg/m <sup>3</sup>	CPCB Guidelines, Volume II, 37/2012-13, Page no.16: 2013
Ammonia (NH <sub>3</sub> )	BLQ (LOQ:20)	400	µg/m <sup>3</sup>	CPCB Guidelines, Volume I,36/2012-13, Page No.35: 2013
Benzene (C <sub>6</sub> H <sub>6</sub> )	1.72	5	µg/m <sup>3</sup>	IS 5182 (Part 11):2006
Benzo (a) pyrene (BaP) Particulate Phase only	BLQ (LOQ:0.2)	1	ng/m <sup>3</sup>	IS 5182 (Part 12) : 2004
Arsenic (as As)	BLQ (LOQ:0.3)	6	ng/m <sup>3</sup>	EPA/625/R-96/D10 a Compendium Method 10-3.1 & 3.4, Jun : 1999





Sample ID : AA/02/26/5517		Report No. AA/02/26/5517		Report Date	03/03/2026
Parameter	Result	NAAQS# 2009	Unit	Method	
Nickel (as Ni)	BLQ (LOQ:3)	20	ng/m <sup>3</sup>	EPA/625/R-96/DIO a Compendium Method IO-3.1 & 3.4, Jun: 1999	


BLQ: Below Limit of Quantification, LOQ: Limit of Quantification

TWA Time Weighted Average

# NAAQS (National Ambient Air Quality Standards (Industrial, Residential, Rural and other Area) specified as: 24 hours TWA in case of Sulphur Dioxide, Nitrogen Dioxide, PM10, PM2.5, Lead and Ammonia, 1 hour TWA in case of Carbon Monoxide and Ozone, Annual TWA in case of Benzene, Benzo (a) Pyrene, Arsenic and Nickel

*Ninad Soundankar*

Ninad Soundankar  
Technical Manager (Chemical)  
Reviewed & Authorised by



End of Report

**Note:**

1. The result listed refer only to the tested sample(s) and applicable parameter(s).
2. This report is not to be reproduced except in full, without written approval of the laboratory.
3. In case sampling is not done by laboratory, the results apply to the sample as received.
4. There are no additions to, deviations or exclusions from the method.







**AMBIENT AIR QUALITY MONITORING REPORT**

Sample ID : AA/02/26/5612	Report No. AA/02/26/5612	Report Date	03/03/2026
Name and address of Customer	<b>Mumbai International Airport Ltd.</b> Chhatrapati Shivaji Maharaj International Airport, 1st Floor, Terminal 1-B, Santacruz(E), Mumbai-400099, Maharashtra		
Sampling done by	Laboratory	Sample Description / Type	Ambient Air
Sampling Location	Utility Building Airport T2	Date - Sampling	23/02/2026 to 24/02/2026
Sample Quantity / Packing	PM <sub>10</sub> : Bap, Metals: 1 x 3 no. filter paper PM <sub>2.5</sub> : 1 x 1 no. filter paper SO <sub>2</sub> , NO <sub>2</sub> : 30 ml x 6 no. plastic bottle each NH <sub>3</sub> : 10 ml x 24 no. plastic bottle Ozone: 10 ml x 1 no. plastic bottle C <sub>6</sub> H <sub>6</sub> : 6 no. charcoal tubes CO: 1 no. bladder	Date - Receipt of Sample	25/02/2026
Sampling Procedure	As per method reference	Date - Start of Analysis	25/02/2026
Order Reference	SO No. 5700370004 dated 19.04.2025	Date - Completion of Analysis	02/03/2026

**Meteorological Data / Environmental Conditions**

Average Wind Velocity 10 km/h	Wind Direction S-W	Relative Humidity (Max./Min.): 75/65%	Temperature (Max./Min.): 30/22°C	Duration of Survey 24 h
----------------------------------	-----------------------	--	-------------------------------------	----------------------------

Parameter	Result	NAAQS# 2009	Unit	Method
<b>Chemical Testing; Group: Atmospheric Pollution</b>				
Sulphur Dioxide (SO <sub>2</sub> )	<b>12.8</b>	80	µg/m <sup>3</sup>	IS 5182 (Part 2/Sec.1): 2023
Nitrogen Dioxide (NO <sub>2</sub> )	<b>32.2</b>	80	µg/m <sup>3</sup>	IS 5182 (Part 6): 2017
Particulate Matter (size less than 10 µm) or PM <sub>10</sub>	<b>82</b>	100	µg/m <sup>3</sup>	IS 5182 (Part 23): 2006
Particulate Matter (size less than 2.5µm) or PM <sub>2.5</sub>	<b>41</b>	60	µg/m <sup>3</sup>	CPCB Guideline, Volume I.36/2012-13, Page No.15:2013
Ozone (O <sub>3</sub> )	<b>BLQ (LOQ:19.6)</b>	180	µg/m <sup>3</sup>	Methods of Air Sampling and Analysis (AWMA), 3rd Ed., Method 411, Page no. 403 :1988
Lead (as Pb)	<b>BLQ (LOQ:0.02)</b>	1	µg/m <sup>3</sup>	EPA/625/R-96/D10 a Compendium Method 10-3.1 & 3.4, Jun: 1999
Carbon Monoxide (CO)	<b>1.42</b>	4	mg/m <sup>3</sup>	CPCB Guidelines, Volume II, 37/2012-13, Page no.16: 2013
Ammonia (NH <sub>3</sub> )	<b>BLQ (LOQ:20)</b>	400	µg/m <sup>3</sup>	CPCB Guidelines, Volume I.36/2012-13, Page No.35: 2013
Benzene (C <sub>6</sub> H <sub>6</sub> )	<b>1.58</b>	5	µg/m <sup>3</sup>	IS 5182 (Part 11):2006
Benzo (a) pyrene (BaP) Particulate Phase only	<b>BLQ (LOQ:0.2)</b>	1	ng/m <sup>3</sup>	IS 5182 (Part 12) : 2004
Arsenic (as As)	<b>BLQ (LOQ:0.3)</b>	6	ng/m <sup>3</sup>	EPA/625/R-96/D10 a Compendium Method 10-3.1 & 3.4, Jun : 1999





Sample ID : AA/02/26/5612      Report No. AA/02/26/5612      Report Date      03/03/2026

Parameter	Result	NAAQS# 2009	Unit	Method
Nickel (as Ni)	BLQ (LOQ:3)	20	ng/m <sup>3</sup>	EPA/625/R-96/010 a Compendium Method IO-3.1 & 3.4. Jun: 1999

BLQ: Below Limit of Quantification, LOQ: Limit of Quantification

TWA Time Weighted Average

# NAAQS (National Ambient Air Quality Standards (Industrial, Residential, Rural and other Area) specified as: 24 hours TWA in case of Sulphur Dioxide, Nitrogen Dioxide, PM10, PM2.5, Lead and Ammonia, 1 hour TWA in case of Carbon Monoxide and Ozone, Annual TWA in case of Benzene, Benzo (a) Pyrene, Arsenic and Nickel

Sampling Equipment ID: AEC/EQ/1649

Calibration Certificate No.: CC342224000001262F

Consent Number & Date: Format 1.0/CAC/UAN No. 0000205124/CR/2502000735 Date 09.02.2025

*Ninad Soundankar*

Ninad Soundankar  
Technical Manager (Chemical)  
Reviewed & Authorised by



End of Report

**Note:**

1. The result listed refer only to the tested sample(s) and applicable parameter(s).
2. This report is not to be reproduced except in full, without written approval of the laboratory.
3. In case sampling is not done by laboratory, the results apply to the sample as received.
4. There are no additions to, deviations or exclusions from the method.







**AMBIENT AIR QUALITY MONITORING REPORT**

Sample ID : AA/02/26/5713	Report No. AA/02/26/5713	Report Date	06/03/2026
Name and address of Customer	<b>Mumbai International Airport Ltd.</b> Chhatrapati Shivaji Maharaj International Airport, 1st Floor, Terminal 1-B, Santacruz(E), Mumbai-400099, Maharashtra		
Sampling done by	Laboratory	Sample Description / Type	Ambient Air
Sampling Location	Utility Building Airport T2	Date - Sampling	26/02/2026 to 27/02/2026
Sample Quantity / Packing	PM <sub>10</sub> , Bap, Metals: 1 x 3 no. filter paper PM <sub>2.5</sub> : 1 x 1 no. filter paper SO <sub>2</sub> , NO <sub>2</sub> : 30 ml x 6 no. plastic bottle each NH <sub>3</sub> : 10 ml x 24 no. plastic bottle Ozone: 10 ml x 1 no. plastic bottle C <sub>6</sub> H <sub>6</sub> : 6 no. charcoal tubes CO: 1 no. bladder	Date - Receipt of Sample	28/02/2026
Sampling Procedure	As per method reference	Date - Start of Analysis	28/02/2026
Order Reference	P.O. No. 5700370004 dated 19.04.2025	Date - Completion of Analysis	05/03/2026

**Meteorological Data / Environmental Conditions**

Average Wind Velocity 10 km/h	Wind Direction S-E	Relative Humidity (Max./Min.): 75/65%	Temperature (Max./Min.): 30/26°C	Duration of Survey 24 h
Parameter	Result	NAAQS# 2009	Unit	Method
<b>Chemical Testing; Group: Atmospheric Pollution</b>				
Sulphur Dioxide (SO <sub>2</sub> )	14.7	80	µg/m <sup>3</sup>	IS 5182 (Part 2/Sec 1): 2023
Nitrogen Dioxide (NO <sub>2</sub> )	34.7	80	µg/m <sup>3</sup>	IS 5182 (Part 6): 2017
Particulate Matter (size less than 10 µm) or PM <sub>10</sub>	84	100	µg/m <sup>3</sup>	IS 5182 (Part 23): 2006
Particulate Matter (size less than 2.5µm) or PM <sub>2.5</sub>	44	60	µg/m <sup>3</sup>	CPCB Guideline, Volume I.36/2012-13, Page No.15:2013
Ozone (O <sub>3</sub> )	BLQ (LOQ:19.6)	180	µg/m <sup>3</sup>	Methods of Air Sampling and Analysis (AWMA), 3rd Ed., Method 411, Page no. 403 :1988
Lead (as Pb)	BLQ (LOQ:0.02)	1	µg/m <sup>3</sup>	EPA/625/R-96/D10 a Compendium Method 10-3.1 & 3.4, Jun: 1999
Carbon Monoxide (CO)	1.54	4	mg/m <sup>3</sup>	CPCB Guidelines, Volume II, 37/2012-13, Page no.16: 2013
Ammonia (NH <sub>3</sub> )	BLQ (LOQ:20)	400	µg/m <sup>3</sup>	CPCB Guidelines, Volume I.36/2012-13, Page No.35: 2013
Benzene (C <sub>6</sub> H <sub>6</sub> )	1.62	5	µg/m <sup>3</sup>	IS 5182 (Part 11):2006
Benzo (a) pyrene (BaP) Particulate Phase only	BLQ (LOQ:0.2)	1	ng/m <sup>3</sup>	IS 5182 (Part 12): 2004
Arsenic (as As)	BLQ (LOQ:0.3)	6	ng/m <sup>3</sup>	EPA/625/R-96/D10 a Compendium Method 10-3.1 & 3.4, Jun: 1999





Sample ID : AA/02/26/5713		Report No. AA/02/26/5713		Report Date	06/03/2026
Parameter	Result	NAAQS# 2009	Unit	Method	
Nickel (as Ni)	BLQ (LOQ:3)	20	ng/m <sup>3</sup>	EPA/625/R-96/010 a Compendium Method 10-3.1 & 3.4. Jun: 1999	

BLQ: Below Limit of Quantification, LOQ: Limit of Quantification

TWA Time Weighted Average

# NAAQS (National Ambient Air Quality Standards (Industrial, Residential, Rural and other Area) specified as: 24 hours TWA in case of Sulphur Dioxide, Nitrogen Dioxide, PM10, PM2.5, Lead and Ammonia, 1 hour TWA in case of Carbon Monoxide and Ozone, Annual TWA in case of Benzene, Benzo (a) Pyrene, Arsenic and Nickel

Sampling Equipment ID: AEC/EQ/1649

Calibration Certificate No.: CC342224000001262F

Consent Number & Date: Format 1.0/CAC/UAN No. 0000205124/CR/2502000735 Date 09.02.2025

*Ninad Soundankar*

Ninad Soundankar  
Technical Manager (Chemical)  
Reviewed & Authorised by



End of Report

**Note:**

1. The result listed refer only to the tested sample(s) and applicable parameter(s).
2. This report is not to be reproduced except in full, without written approval of the laboratory.
3. In case sampling is not done by laboratory, the results apply to the sample as received.
4. There are no additions to, deviations or exclusions from the method.







**AMBIENT AIR QUALITY MONITORING REPORT**

Sample ID : AA/02/26/5667	Report No. AA/02/26/5667	Report Date	05/03/2026
Name and address of Customer	<b>Mumbai International Airport Ltd.</b> Chhatrapati Shivaji Maharaj International Airport, 1st Floor, Terminal 1-B, Santacruz(E), Mumbai-400099, Maharashtra		
Sampling done by	Laboratory	Sample Description / Type	Ambient Air
Sampling Location	Near Project Office Sahar	Date - Sampling	25/02/2026 to 26/02/2026
Sample Quantity / Packing	PM <sub>10</sub> : Lead: 1 x 3 no. filter paper PM <sub>2.5</sub> : 1 x 1 no. filter paper SO <sub>2</sub> , NO <sub>2</sub> : 30 ml x 6 no. plastic bottle each NH <sub>3</sub> : 10 ml x 24 no. plastic bottle CO: 1 no. bladder	Date - Receipt of Sample	27/02/2026
Sampling Procedure	As per method reference	Date - Start of Analysis	27/02/2026
Order Reference	SO No. 5700370004 dated 19.04.2025	Date - Completion of Analysis	04/03/2026

**Meteorological Data / Environmental Conditions**

Average Wind Velocity 10.1 km/h	Wind Direction S-W	Relative Humidity (Max./Min.): 75/65%	Temperature (Max./Min.): 29/27°C	Duration of Survey 24 h
------------------------------------	-----------------------	--	-------------------------------------	----------------------------

Parameter	Result	NAAQS# 2009	Unit	Method
<b>Chemical Testing; Group: Atmospheric Pollution</b>				
Sulphur Dioxide (SO <sub>2</sub> )	<b>10.8</b>	80	µg/m <sup>3</sup>	IS 5182 (Part 2/Sec I): 2023
Nitrogen Dioxide (NO <sub>2</sub> )	<b>30.5</b>	80	µg/m <sup>3</sup>	IS 5182 (Part 6): 2017
Particulate Matter (size less than 10 µm) or PM <sub>10</sub>	<b>82</b>	100	µg/m <sup>3</sup>	IS 5182 (Part 23): 2006
Particulate Matter (size less than 2.5µm) or PM <sub>2.5</sub>	<b>41</b>	60	µg/m <sup>3</sup>	CPCB Guideline, Volume 1,36/2012-13, Page No.15:2013
Lead (as Pb)	<b>BLQ (LOQ:0.02)</b>	1	µg/m <sup>3</sup>	EPA/625/R-96/010 a Compendium Method 10-3.1 & 3.4, Jun: 1999
Carbon Monoxide (CO)	<b>1.38</b>	4	mg/m <sup>3</sup>	CPCB Guidelines, Volume II, 37/2012-13, Page no.16: 2013
Ammonia (NH <sub>3</sub> )	<b>34.4</b>	400	µg/m <sup>3</sup>	CPCB Guidelines, Volume 1,36/2012-13, Page No.35: 2013

BLQ: Below Limit of Quantification, LOQ: Limit of Quantification

TWA Time Weighted Average


# NAAQS (National Ambient Air Quality Standards (Industrial, Residential, Rural and other Area) specified as: 24 hours TWA in case of Sulphur Dioxide, Nitrogen Dioxide, PM<sub>10</sub>, PM<sub>2.5</sub>, Lead and Ammonia, 1 hour TWA in case of Carbon Monoxide

Sampling Equipment ID: AEC/EQ/1645

Calibration Certificate No.: CC342223000001514F

Consent Number & Date: Format 1.0/CAC/UAN No. 0000205124/CR/2502000735 Date 09.02.2025





### AMBIENT AIR QUALITY MONITORING REPORT

Sample ID : AA/02/26/5670	Report No. AA/02/26/5670	Report Date	05/03/2026
Name and address of Customer	<b>Mumbai International Airport Ltd.</b> Chhatrapati Shivaji Maharaj International Airport, 1st Floor, Terminal 1-B, Santacruz(E), Mumbai-400099, Maharashtra		
Sampling done by	Laboratory	Sample Description / Type	Ambient Air
Sampling Location	Terminal-1 MLCP (Santacruz)	Date - Sampling	25/02/2026 to 26/02/2026
Sample Quantity / Packing	PM <sub>10</sub> : Lead: 1 x 3 no. filter paper PM <sub>2.5</sub> : 1 x 1 no. filter paper SO <sub>2</sub> , NO <sub>2</sub> : 30 ml x 6 no. plastic bottle each NH <sub>3</sub> : 10 ml x 24 no. plastic bottle CO: 1 no. bladder	Date - Receipt of Sample	27/02/2026
Sampling Procedure	As per method reference	Date - Start of Analysis	27/02/2026
Order Reference	SO No. 5700370004 dated 19.04.2025	Date - Completion of Analysis	04/03/2026

#### Meteorological Data / Environmental Conditions

Average Wind Velocity 10.1 km/h	Wind Direction S-W	Relative Humidity (Max./Min.): 75/65%	Temperature (Max./Min.): 29/27°C	Duration of Survey 24 h
------------------------------------	-----------------------	--	-------------------------------------	----------------------------

Parameter	Result	NAAQS# 2009	Unit	Method
-----------	--------	----------------	------	--------

#### Chemical Testing; Group: Atmospheric Pollution

Sulphur Dioxide (SO <sub>2</sub> )	<b>11.8</b>	80	µg/m <sup>3</sup>	IS 5182 (Part 2/Sec I): 2023
Nitrogen Dioxide (NO <sub>2</sub> )	<b>31.4</b>	80	µg/m <sup>3</sup>	IS 5182 (Part 6): 2017
Particulate Matter (size less than 10 µm) or PM <sub>10</sub>	<b>73</b>	100	µg/m <sup>3</sup>	IS 5182 (Part 23): 2006
Particulate Matter (size less than 2.5µm) or PM <sub>2.5</sub>	<b>27</b>	60	µg/m <sup>3</sup>	CPCB Guideline, Volume I.36/2012-13, Page No.15:2013
Lead (as Pb)	<b>BLQ</b> (LOQ:0.02)	1	µg/m <sup>3</sup>	EPA/625/R-96/D10 a Compendium Method IO-3.16 3.4, Jun: 1999
Carbon Monoxide (CO)	<b>1.06</b>	4	mg/m <sup>3</sup>	CPCB Guidelines, Volume II, 37/2012-13, Page no.16: 2013
Ammonia (NH <sub>3</sub> )	<b>29.1</b>	400	µg/m <sup>3</sup>	CPCB Guidelines, Volume I.36/2012-13, Page No.35: 2013

BLQ: Below Limit of Quantification, LOQ: Limit of Quantification

TWA Time Weighted Average

# NAAQS (National Ambient Air Quality Standards (Industrial, Residential, Rural and other Area) specified as: 24 hours TWA in case of Sulphur Dioxide, Nitrogen Dioxide, PM<sub>10</sub>, PM<sub>2.5</sub>, Lead and Ammonia, 1 hour TWA in case of Carbon Monoxide

Sampling Equipment ID: AEC/EQ/1646

Calibration Certificate No.: CC342223000001514F

Consent Number & Date: Format 1.0/CAC/UAN No. 0000205124/CR/2502000735 Date 09.02.2025







**AMBIENT AIR QUALITY MONITORING REPORT**

Sample ID : AA/02/26/5668	Report No. AA/02/26/5668	Report Date	05/03/2026
Name and address of Customer	<b>Mumbai International Airport Ltd.</b> Chhatrapati Shivaji Maharaj International Airport, 1st Floor, Terminal 1-B, Santacruz(E), Mumbai-400099, Maharashtra		
Sampling done by	Laboratory	Sample Description / Type	Ambient Air
Sampling Location	OWC Kurla	Date - Sampling	25/02/2026 to 26/02/2026
Sample Quantity / Packing	PM <sub>10</sub> : 1 x 3 no. filter paper PM <sub>2.5</sub> : 1 x 1 no. filter paper SO <sub>2</sub> , NO <sub>2</sub> : 30 ml x 6 no. plastic bottle each NH <sub>3</sub> : 10 ml x 24 no. plastic bottle CO: 1 no. bladder	Date - Receipt of Sample	27/02/2026
Sampling Procedure	As per method reference	Date - Start of Analysis	27/02/2026
Order Reference	SO No. 5700370004 dated 19.04.2025	Date - Completion of Analysis	04/03/2026

**Meteorological Data / Environmental Conditions**

Average Wind Velocity 10.1 km/h	Wind Direction S-W	Relative Humidity (Max./Min.): 75/65%	Temperature (Max./Min.): 29/27°C	Duration of Survey 24 h
------------------------------------	-----------------------	--	-------------------------------------	----------------------------

Parameter	Result	NAAQS# 2009	Unit	Method
-----------	--------	----------------	------	--------

**Chemical Testing; Group: Atmospheric Pollution**

Sulphur Dioxide (SO <sub>2</sub> )	<b>15.7</b>	80	µg/m <sup>3</sup>	IS 5182 (Part 2/Sec I): 2023
Nitrogen Dioxide (NO <sub>2</sub> )	<b>35.5</b>	80	µg/m <sup>3</sup>	IS 5182 (Part 6): 2017
Particulate Matter (size less than 10 µm) or PM <sub>10</sub>	<b>86</b>	100	µg/m <sup>3</sup>	IS 5182 (Part 23): 2006
Particulate Matter (size less than 2.5µm) or PM <sub>2.5</sub>	<b>48</b>	60	µg/m <sup>3</sup>	CPCB Guideline, Volume 1,36/2012-13, Page No.15:2013
Lead (as Pb)	<b>BLQ (LOQ:0.02)</b>	1	µg/m <sup>3</sup>	EPA/625/R-96/D10 a Compendium Method 10-3.1 & 3.4, Jun: 1999
Carbon Monoxide (CO)	<b>1.49</b>	4	mg/m <sup>3</sup>	CPCB Guidelines, Volume II, 37/2012-13, Page no.16: 2013
Ammonia (NH <sub>3</sub> )	<b>34.9</b>	400	µg/m <sup>3</sup>	CPCB Guidelines, Volume 1,36/2012-13, Page No.35: 2013

BLQ: Below Limit of Quantification, LOQ: Limit of Quantification

TWA Time Weighted Average

# NAAQS (National Ambient Air Quality Standards (Industrial, Residential, Rural and other Area) specified as: 24 hours TWA in case of Sulphur Dioxide, Nitrogen Dioxide, PM<sub>10</sub>, PM<sub>2.5</sub>, Lead and Ammonia, 1 hour TWA in case of Carbon Monoxide

Sampling Equipment ID: AEC/EQ/1647

Calibration Certificate No.: CC342223000001514F

Consent Number & Date: Format 1.0/CAC/UAN No. 0000205124/CR/2502000735 Date 09.02.2025





### AMBIENT AIR QUALITY MONITORING REPORT

Sample ID : AA/02/26/5669	Report No. AA/02/26/5669	Report Date	05/03/2026
Name and address of Customer	<b>Mumbai International Airport Ltd.</b> Chhatrapati Shivaji Maharaj International Airport, 1st Floor, Terminal 1-B, Santacruz(E), Mumbai-400099, Maharashtra		
Sampling done by	Laboratory	Sample Description / Type	Ambient Air
Sampling Location	Sarvodaya Hospital (Ghatkopar)	Date - Sampling	25/02/2026 to 26/02/2026
Sample Quantity / Packing	PM <sub>10</sub> : Lead: 1 x 3 no. filter paper PM <sub>2.5</sub> : 1 x 1 no. filter paper SO <sub>2</sub> , NO <sub>2</sub> : 30 ml x 6 no. plastic bottle each NH <sub>3</sub> : 10 ml x 24 no. plastic bottle CO: 1 no. bladder	Date - Receipt of Sample	27/02/2026
Sampling Procedure	As per method reference	Date - Start of Analysis	27/02/2026
Order Reference	SO No. 5700370004 dated 19.04.2025	Date - Completion of Analysis	04/03/2026

#### Meteorological Data / Environmental Conditions

Average Wind Velocity 10.1 km/h	Wind Direction S-W	Relative Humidity (Max./Min.): 75/65%	Temperature (Max./Min.): 29/27°C	Duration of Survey 24 h
------------------------------------	-----------------------	--	-------------------------------------	----------------------------

Parameter	Result	NAAQS# 2009	Unit	Method
<b>Chemical Testing; Group: Atmospheric Pollution</b>				
Sulphur Dioxide (SO <sub>2</sub> )	<b>13.7</b>	80	µg/m <sup>3</sup>	IS 5182 (Part 2/Sec I): 2023
Nitrogen Dioxide (NO <sub>2</sub> )	<b>33.8</b>	80	µg/m <sup>3</sup>	IS 5182 (Part 6): 2017
Particulate Matter (size less than 10 µm) or PM <sub>10</sub>	<b>85</b>	100	µg/m <sup>3</sup>	IS 5182 (Part 23): 2006
Particulate Matter (size less than 2.5 µm) or PM <sub>2.5</sub>	<b>35</b>	60	µg/m <sup>3</sup>	CPCB Guideline, Volume I, 36/2012-13, Page No.15:2013
Lead (as Pb)	<b>BLQ (LOQ:0.02)</b>	1	µg/m <sup>3</sup>	EPA/625/R-96/010 a Compendium Method 10-3.1 & 3.4, Jun: 1999
Carbon Monoxide (CO)	<b>1.20</b>	4	mg/m <sup>3</sup>	CPCB Guidelines, Volume II, 37/2012-13, Page no.16: 2013
Ammonia (NH <sub>3</sub> )	<b>33.9</b>	400	µg/m <sup>3</sup>	CPCB Guidelines, Volume I, 36/2012-13, Page No.35: 2013

BLQ: Below Limit of Quantification, LOQ: Limit of Quantification

TWA Time Weighted Average

# NAAQS (National Ambient Air Quality Standards (Industrial, Residential, Rural and other Area) specified as: 24 hours TWA in case of Sulphur Dioxide, Nitrogen Dioxide, PM<sub>10</sub>, PM<sub>2.5</sub>, Lead and Ammonia, 1 hour TWA in case of Carbon Monoxide

Sampling Equipment ID: AEC/EQ/1648

Calibration Certificate No.: CC342223000001514F

Consent Number & Date: Format 1.0/CAC/UAN No. 0000205124/CR/2502000735 Date 09.02.2025







**AMBIENT AIR QUALITY MONITORING REPORT**

Sample ID : AA/03/26/5022	Report No. AA/03/26/5022	Report Date	11/03/2026
Name and address of Customer	<b>Mumbai International Airport Ltd.</b> Chhatrapati Shivaji Maharaj International Airport, 1st Floor, Terminal 1-B, Santacruz(E), Mumbai-400099, Maharashtra		
Sampling done by	Laboratory	Sample Description / Type	Ambient Air
Sampling Location	Utility Building Airport T2	Date - Sampling	02/03/2026 to 03/03/2026
Sample Quantity / Packing	PM <sub>10</sub> : Bap, Metals: 1 x 3 no. filter paper PM <sub>2.5</sub> : 1 x 1 no. filter paper SO <sub>2</sub> , NO <sub>2</sub> : 30 ml x 6 no. plastic bottle each NH <sub>3</sub> : 10 ml x 24 no. plastic bottle Ozone: 10 ml x 1 no. plastic bottle C <sub>6</sub> H <sub>6</sub> : 6 no. charcoal tubes CO: 1 no. bladder	Date - Receipt of Sample	05/03/2026
Sampling Procedure	As per method reference	Date - Start of Analysis	05/03/2026
Order Reference	SO No. 5700370004 dated 19.04.2025	Date - Completion of Analysis	10/03/2026

**Meteorological Data / Environmental Conditions**

Average Wind Velocity 9 km/h	Wind Direction S-E	Relative Humidity (Max./Min.): 75/60%	Temperature (Max./Min.): 30/26°C	Duration of Survey 24 h
Parameter	Result	NAAQS# 2009	Unit	Method
<b>Chemical Testing; Group: Atmospheric Pollution</b>				
Sulphur Dioxide (SO <sub>2</sub> )	<b>11.4</b>	80	µg/m <sup>3</sup>	IS 5182 (Part 2/Sec I): 2023
Nitrogen Dioxide (NO <sub>2</sub> )	<b>30.5</b>	80	µg/m <sup>3</sup>	IS 5182 (Part 6): 2017
Particulate Matter (size less than 10 µm) or PM <sub>10</sub>	<b>83</b>	100	µg/m <sup>3</sup>	IS 5182 (Part 23): 2006
Particulate Matter (size less than 2.5µm) or PM <sub>2.5</sub>	<b>41</b>	60	µg/m <sup>3</sup>	CPCB Guideline, Volume I.36/2012-13, Page No.15:2013
Ozone (O <sub>3</sub> )	<b>BLQ (LOQ:19.6)</b>	180	µg/m <sup>3</sup>	Methods of Air Sampling and Analysis (AWMA), 3rd Ed., Method 411, Page no. 403 :1988
Lead (as Pb)	<b>BLQ (LOQ:0.02)</b>	1	µg/m <sup>3</sup>	EPA/625/R-96/010 a Compendium Method IO-3.1 & 3.4, Jun: 1999
Carbon Monoxide (CO)	<b>1.22</b>	4	mg/m <sup>3</sup>	CPCB Guidelines, Volume II, 37/2012-13, Page no.16: 2013
Ammonia (NH <sub>3</sub> )	<b>BLQ (LOQ:20)</b>	400	µg/m <sup>3</sup>	CPCB Guidelines, Volume I.36/2012-13, Page No.35: 2013
Benzene (C <sub>6</sub> H <sub>6</sub> )	<b>1.43</b>	5	µg/m <sup>3</sup>	IS 5182 (Part II):2006
Benzo (a) pyrene (BaP) Particulate Phase only	<b>BLQ (LOQ:0.2)</b>	1	ng/m <sup>3</sup>	IS 5182 (Part 12) : 2004
Arsenic (as As)	<b>BLQ (LOQ:0.3)</b>	6	ng/m <sup>3</sup>	EPA/625/R-96/010 a Compendium Method IO-3.1 & 3.4, Jun : 1999





Sample ID : AA/03/26/5022		Report No. AA/03/26/5022		Report Date	11/03/2026
Parameter	Result	NAAQS# 2009	Unit	Method	
Nickel (as Ni)	BLQ (LOQ:3)	20	ng/m <sup>3</sup>	EPA/625/R-96/010 a Compendium Method 10-3.1 & 3.4, Jun: 1999	

BLQ: Below Limit of Quantification, LOQ: Limit of Quantification

TWA Time Weighted Average

# NAAQS (National Ambient Air Quality Standards (Industrial, Residential, Rural and other Area) specified as: 24 hours TWA in case of Sulphur Dioxide, Nitrogen Dioxide, PM10, PM2.5, Lead and Ammonia, 1 hour TWA in case of Carbon Monoxide and Ozone, Annual TWA in case of Benzene, Benzo (a) Pyrene, Arsenic and Nickel


Sampling Equipment ID: AEC/EQ/1649

Calibration Certificate No.: CC342224000001262F

Consent Number & Date: Format 1.0/CAC/UAN No. 0000205124/CR/2502000735 Date 09.02.2025

*Ninad Soundankar*

Ninad Soundankar  
Technical Manager (Chemical)  
Reviewed & Authorised by




End of Report

**Note:**

1. The result listed refer only to the tested sample(s) and applicable parameter(s).
2. This report is not to be reproduced except in full, without written approval of the laboratory.
3. In case sampling is not done by laboratory, the results apply to the sample as received.
4. There are no additions to, deviations or exclusions from the method.







### AMBIENT AIR QUALITY MONITORING REPORT

Sample ID : AA/03/26/5082	Report No. AA/03/26/5082	Report Date	19/03/2026
Name and address of Customer	<b>Mumbai International Airport Ltd.</b> Chhatrapati Shivaji Maharaj International Airport, 1st Floor, Terminal 1-B, Santacruz(E), Mumbai-400099, Maharashtra		
Sampling done by	Laboratory	Sample Description / Type	Ambient Air
Sampling Location	Utility Building Airport T2	Date - Sampling	05/03/2026 to 06/03/2026
Sample Quantity / Packing	PM <sub>10</sub> : Bap, Metals: 1 x 3 no. filter paper PM <sub>2.5</sub> : 1 x 1 no. filter paper SO <sub>2</sub> , NO <sub>2</sub> : 30 ml x 6 no. plastic bottle each NH <sub>3</sub> : 10 ml x 24 no. plastic bottle Ozone: 10 ml x 1 no. plastic bottle C <sub>6</sub> H <sub>6</sub> : 6 no. charcoal tubes CO: 1 no. bladder	Date - Receipt of Sample	07/03/2026
Sampling Procedure	As per method reference	Date - Start of Analysis	07/03/2026
Order Reference	SO No. 5700370004 dated 19.04.2025	Date - Completion of Analysis	18/03/2026

#### Meteorological Data / Environmental Conditions


Average Wind Velocity 10 km/h	Wind Direction S-W	Relative Humidity (Max./Min.): 75/65%	Temperature (Max./Min.): 30/26°C	Duration of Survey 24 h
----------------------------------	-----------------------	--	-------------------------------------	----------------------------

Parameter	Result	NAAQS# 2009	Unit	Method
-----------	--------	----------------	------	--------

#### Chemical Testing; Group: Atmospheric Pollution

Sulphur Dioxide (SO <sub>2</sub> )	<b>13.2</b>	80	µg/m <sup>3</sup>	IS 5182 (Part 2/Sec I): 2023
Nitrogen Dioxide (NO <sub>2</sub> )	<b>33.5</b>	80	µg/m <sup>3</sup>	IS 5182 (Part 6): 2017
Particulate Matter (size less than 10 µm) or PM <sub>10</sub>	<b>80</b>	100	µg/m <sup>3</sup>	IS 5182 (Part 23): 2006
Particulate Matter (size less than 2.5µm) or PM <sub>2.5</sub>	<b>38</b>	60	µg/m <sup>3</sup>	CPCB Guideline, Volume I,36/2012-13, Page No.15:2013
Ozone (O <sub>3</sub> )	<b>BLQ (LOQ:19.6)</b>	180	µg/m <sup>3</sup>	Methods of Air Sampling and Analysis (AWMA), 3rd Ed., Method 411, Page no. 403 :1988
Lead (as Pb)	<b>BLQ (LOQ:0.02)</b>	1	µg/m <sup>3</sup>	EPA/625/R-96/010 a Compendium Method IO-3.1 6 3.4, Jun: 1999
Carbon Monoxide (CO)	<b>1.36</b>	4	mg/m <sup>3</sup>	CPCB Guidelines, Volume II, 37/2012-13, Page no.16: 2013
Ammonia (NH <sub>3</sub> )	<b>BLQ (LOQ:20)</b>	400	µg/m <sup>3</sup>	CPCB Guidelines, Volume I,36/2012-13, Page No.35: 2013
Benzene (C <sub>6</sub> H <sub>6</sub> )	<b>1.54</b>	5	µg/m <sup>3</sup>	IS 5182 (Part II):2006
Benzo (a) pyrene (BaP) Particulate Phase only	<b>BLQ (LOQ:0.2)</b>	1	ng/m <sup>3</sup>	IS 5182 (Part 12) : 2004
Arsenic (as As)	<b>BLQ (LOQ:0.3)</b>	6	ng/m <sup>3</sup>	EPA/625/R-96/010 a Compendium Method IO-3.1 6 3.4, Jun : 1999





# Ashwamedh

## Engineers & Consultants

Laboratory Services Division



TC-5509



### Ashwamedh Engineers & Consultants

Survey No.102, Plot No.26, Wadala Pathardi Road,  
Indira Nagar, Nashik-422009, Maharashtra, India  
(Near Guru Gobind Singh School, Near Pandav Nagari,  
Turn at Sai Mandir Chowk / Samrat Sweet Turning)

sales@ashwamedh.net +91-253-2392225

Sample ID : AA/03/26/5082	Report No. AA/03/26/5082	Report Date	19/03/2026
---------------------------	--------------------------	-------------	------------

Parameter	Result	NAAQS# 2009	Unit	Method
Nickel (as Ni)	BLQ (LOQ:3)	20	ng/m <sup>3</sup>	EPA/625/R-96/D10 a Compendium Method IO-3.1 & 3.4. Jun: 1999

BLQ: Below Limit of Quantification, LOQ: Limit of Quantification

TWA Time Weighted Average

# NAAQS (National Ambient Air Quality Standards (Industrial, Residential, Rural and other Area) specified as: 24 hours TWA in case of Sulphur Dioxide, Nitrogen Dioxide, PM10, PM2.5, Lead and Ammonia, 1 hour TWA in case of Carbon Monoxide and Ozone, Annual TWA in case of Benzene, Benzo (a) Pyrene, Arsenic and Nickel


Sampling Equipment ID: AEC/EQ/1649

Calibration Certificate No.: CC342224000001262F

Consent Number & Date: Format 1.0/CAC/UAN No. 0000205124/CR/2502000735 Date 09.02.2025

*Ninad Soundankar*

Ninad Soundankar  
Technical Manager (Chemical)  
Reviewed & Authorised by



End of Report

#### Note:


1. The result listed refer only to the tested sample(s) and applicable parameter(s).
2. This report is not to be reproduced except in full, without written approval of the laboratory.
3. In case sampling is not done by laboratory, the results apply to the sample as received.
4. There are no additions to, deviations or exclusions from the method.



AEC/F/REP/1-B

Page 2 of 2





### AMBIENT AIR QUALITY MONITORING REPORT

Sample ID : AA/03/26/5128	Report No. AA/03/26/5128	Report Date	19/03/2026
Name and address of Customer	<b>Mumbai International Airport Ltd.</b> Chhatrapati Shivaji Maharaj International Airport, 1st Floor, Terminal 1-B, Santacruz(E), Mumbai-400099, Maharashtra		
Sampling done by	Laboratory	Sample Description / Type	Ambient Air
Sampling Location	Utility Building Airport T2	Date - Sampling	09/03/2026 to 10/03/2026
Sample Quantity / Packing	PM <sub>10</sub> : Bap, Metals: 1 x 3 no. filter paper PM <sub>2.5</sub> : 1 x 1 no. filter paper SO <sub>2</sub> , NO <sub>2</sub> : 30 ml x 6 no. plastic bottle each NH <sub>3</sub> : 10 ml x 24 no. plastic bottle Ozone: 10 ml x 1 no. plastic bottle C <sub>6</sub> H <sub>6</sub> : 6 no. charcoal tubes CO: 1 no. bladder	Date - Receipt of Sample	11/03/2026
Sampling Procedure	As per method reference	Date - Start of Analysis	11/03/2026
Order Reference	SO No. 5700370004 dated 19.04.2025	Date - Completion of Analysis	18/03/2026

#### Meteorological Data / Environmental Conditions

Average Wind Velocity 8 km/h	Wind Direction N-E	Relative Humidity (Max./Min.): 78/62%	Temperature (Max./Min.): 30/21°C	Duration of Survey 24 h
Parameter	Result	NAAQS# 2009	Unit	Method

#### Chemical Testing; Group: Atmospheric Pollution

Sulphur Dioxide (SO <sub>2</sub> )	<b>15.1</b>	80	µg/m <sup>3</sup>	IS 5182 (Part 2/Sec I): 2023
Nitrogen Dioxide (NO <sub>2</sub> )	<b>35.1</b>	80	µg/m <sup>3</sup>	IS 5182 (Part 6): 2017
Particulate Matter (size less than 10 µm) or PM <sub>10</sub>	<b>86</b>	100	µg/m <sup>3</sup>	IS 5182 (Part 23): 2006
Particulate Matter (size less than 2.5µm) or PM <sub>2.5</sub>	<b>44</b>	60	µg/m <sup>3</sup>	CPCB Guideline, Volume I,36/2012-13, Page No.15:2013
Ozone (O <sub>3</sub> )	<b>BLQ (LOQ:19.6)</b>	180	µg/m <sup>3</sup>	Methods of Air Sampling and Analysis (AWMA), 3rd Ed., Method 411,Page no. 403 :1988
Lead (as Pb)	<b>BLQ (LOQ:0.02)</b>	1	µg/m <sup>3</sup>	EPA/625/R-96/D10 a Compendium Method 10-3.1 & 3.4, Jun: 1999
Carbon Monoxide (CO)	<b>1.61</b>	4	mg/m <sup>3</sup>	CPCB Guidelines, Volume II, 37/2012-13, Page no.16: 2013
Ammonia (NH <sub>3</sub> )	<b>BLQ (LOQ:20)</b>	400	µg/m <sup>3</sup>	CPCB Guidelines, Volume I,36/2012-13, Page No.35: 2013
Benzene (C <sub>6</sub> H <sub>6</sub> )	<b>1.71</b>	5	µg/m <sup>3</sup>	IS 5182 (Part II):2006
Benzo (a) pyrene (BaP) Particulate Phase only	<b>BLQ (LOQ:0.2)</b>	1	ng/m <sup>3</sup>	IS 5182 (Part 12) : 2004
Arsenic (as As)	<b>BLQ (LOQ:0.3)</b>	6	ng/m <sup>3</sup>	EPA/625/R-96/D10 a Compendium Method 10-3.1 & 3.4, Jun : 1999






Sample ID : AA/03/26/5128		Report No. AA/03/26/5128		Report Date	19/03/2026
Parameter	Result	NAAQS# 2009	Unit	Method	
Nickel (as Ni)	BLQ (LOQ:3)	20	ng/m <sup>3</sup>	EPA/625/R-96/DIO a Compendium Method IO-3.1 & 3.4, Jun: 1999	
BLQ: Below Limit of Quantification, LOQ: Limit of Quantification TWA Time Weighted Average # NAAQS (National Ambient Air Quality Standards (Industrial, Residential, Rural and other Area) specified as: 24 hours TWA in case of Sulphur Dioxide, Nitrogen Dioxide, PM10, PM2.5, Lead and Ammonia, 1 hour TWA in case of Carbon Monoxide and Ozone, Annual TWA in case of Benzene, Benzo (a) Pyrene, Arsenic and Nickel Sampling Equipment ID: AEC/EQ/1649 Calibration Certificate No.: CC342224000001262F Consent Number & Date: Format 1.0/CAC/UAN No. 0000205124/CR/2502000735 Date 09.02.2025					

*Ninad Soundankar*

Ninad Soundankar  
Technical Manager (Chemical)  
Reviewed & Authorised by




End of Report

**Note:**

1. The result listed refer only to the tested sample(s) and applicable parameter(s).
2. This report is not to be reproduced except in full, without written approval of the laboratory.
3. In case sampling is not done by laboratory, the results apply to the sample as received.
4. There are no additions to, deviations or exclusions from the method.








### AMBIENT AIR QUALITY MONITORING REPORT

Sample ID : AA/03/26/5237	Report No. AA/03/26/5237	Report Date	24/03/2026
Name and address of Customer	<b>Mumbai International Airport Ltd.</b> Chhatrapati Shivaji Maharaj International Airport, 1st Floor, Terminal 1-B, Santacruz(E), Mumbai-400099, Maharashtra		
Sampling done by	Laboratory	Sample Description / Type	Ambient Air
Sampling Location	Utility Building Airport T2	Date - Sampling	12/03/2026 to 13/03/2026
Sample Quantity / Packing	PM <sub>10</sub> , Bap, Metals: 1 x 3 no. filter paper PM <sub>2.5</sub> : 1 x 1 no. filter paper SO <sub>2</sub> , NO <sub>2</sub> : 30 ml x 6 no. plastic bottle each NH <sub>3</sub> : 10 ml x 24 no. plastic bottle Ozone: 10 ml x 1 no. plastic bottle C <sub>6</sub> H <sub>6</sub> : 6 no. charcoal tubes CO: 1 no. bladder	Date - Receipt of Sample	14/03/2026
Sampling Procedure	As per method reference	Date - Start of Analysis	14/03/2026
Order Reference	SO No. 5700370004 dated 19.04.2025	Date - Completion of Analysis	23/03/2026

#### Meteorological Data / Environmental Conditions

Average Wind Velocity 10 km/h	Wind Direction S-E	Relative Humidity (Max./Min.): 80/62%	Temperature (Max./Min.): 34/26°C	Duration of Survey 24 h
Parameter	Result	NAAQS# 2009	Unit	Method
<b>Chemical Testing; Group: Atmospheric Pollution</b>				
Sulphur Dioxide (SO <sub>2</sub> )	<b>13.2</b>	80	µg/m <sup>3</sup>	IS 5182 (Part 2/Sec I): 2023
Nitrogen Dioxide (NO <sub>2</sub> )	<b>32.7</b>	80	µg/m <sup>3</sup>	IS 5182 (Part 6): 2017
Particulate Matter (size less than 10 µm) or PM <sub>10</sub>	<b>82</b>	100	µg/m <sup>3</sup>	IS 5182 (Part 23): 2006
Particulate Matter (size less than 2.5µm) or PM <sub>2.5</sub>	<b>40</b>	60	µg/m <sup>3</sup>	CPCB Guideline, Volume I,36/2012-13, Page No.15:2013
Ozone (O <sub>3</sub> )	<b>BLQ (LOQ:19.6)</b>	180	µg/m <sup>3</sup>	Methods of Air Sampling and Analysis (AWMA), 3rd Ed., Method 411,Page no. 403 :1988
Lead (as Pb)	<b>BLQ (LOQ:0.02)</b>	1	µg/m <sup>3</sup>	EPA/625/R-96/010 a Compendium Method IO-3.1 & 3.4, Jun: 1999
Carbon Monoxide (CO)	<b>1.34</b>	4	mg/m <sup>3</sup>	CPCB Guidelines, Volume II, 37/2012-13, Page no.16: 2013
Ammonia (NH <sub>3</sub> )	<b>BLQ (LOQ:20)</b>	400	µg/m <sup>3</sup>	CPCB Guidelines, Volume I,36/2012-13, Page No.35: 2013
Benzene (C <sub>6</sub> H <sub>6</sub> )	<b>1.41</b>	5	µg/m <sup>3</sup>	IS 5182 (Part 11):2006
Benzo (a) pyrene (BaP) Particulate Phase only	<b>BLQ (LOQ:0.2)</b>	1	ng/m <sup>3</sup>	IS 5182 (Part 12) : 2004
Arsenic (as As)	<b>BLQ (LOQ:0.3)</b>	6	ng/m <sup>3</sup>	EPA/625/R-96/010 a Compendium Method IO-3.1 & 3.4, Jun : 1999





Sample ID : AA/03/26/5237 Report No. AA/03/26/5237 Report Date 24/03/2026

Parameter	Result	NAAQS# 2009	Unit	Method
Nickel (as Ni)	BLQ (LOQ:3)	20	ng/m <sup>3</sup>	EPA/625/R-96/010 a Compendium Method 10-3.1 & 3.4, Jun: 1999

BLQ: Below Limit of Quantification, LOQ: Limit of Quantification

TWA Time Weighted Average

# NAAQS (National Ambient Air Quality Standards (Industrial, Residential, Rural and other Area) specified as: 24 hours TWA in case of Sulphur Dioxide, Nitrogen Dioxide, PM10, PM2.5, Lead and Ammonia, 1 hour TWA in case of Carbon Monoxide and Ozone, Annual TWA in case of Benzene, Benzo (a) Pyrene, Arsenic and Nickel


Sampling Equipment ID: AEC/EQ/1649

Calibration Certificate No.: CC342224000001262F

Consent Number & Date: Format 1.0/CAC/UAN No. 0000205124/CR/2502000735 Date 09.02.2025

*Ninad Soundankar*

Ninad Soundankar  
Technical Manager (Chemical)  
Reviewed & Authorised by



End of Report

**Note:**

1. The result listed refer only to the tested sample(s) and applicable parameter(s).
2. This report is not to be reproduced except in full, without written approval of the laboratory.
3. In case sampling is not done by laboratory, the results apply to the sample as received.
4. There are no additions to, deviations or exclusions from the method.







TC-5509



### AMBIENT AIR QUALITY MONITORING REPORT

Sample ID : AA/03/26/5355	Report No. AA/03/26/5355	Report Date	26/03/2026
Name and address of Customer	<b>Mumbai International Airport Ltd.</b> Chhatrapati Shivaji Maharaj International Airport, 1st Floor, Terminal 1-B, Santacruz(E), Mumbai-400099, Maharashtra		
Sampling done by	Laboratory	Sample Description / Type	Ambient Air
Sampling Location	Utility Building Airport T2	Date - Sampling	16/03/2026 to 17/03/2026
Sample Quantity / Packing	PM <sub>10</sub> : Bap, Metals: 1 x 3 no. filter paper PM <sub>2.5</sub> : 1 x 1 no. filter paper SO <sub>2</sub> , NO <sub>2</sub> : 30 ml x 6 no. plastic bottle each NH <sub>3</sub> : 10 ml x 24 no. plastic bottle Ozone: 10 ml x 1 no. plastic bottle C <sub>6</sub> H <sub>6</sub> : 6 no. charcoal tubes CO: 1 no. bladder	Date - Receipt of Sample	18/03/2026
Sampling Procedure	As per method reference	Date - Start of Analysis	18/03/2026
Order Reference	SO No. 5700370004 dated 19.04.2025	Date - Completion of Analysis	25/03/2026

#### Meteorological Data / Environmental Conditions

Average Wind Velocity 10 km/h	Wind Direction S-W	Relative Humidity (Max./Min.): 80/65%	Temperature (Max./Min.): 35/26°C	Duration of Survey 24 h
----------------------------------	-----------------------	--	-------------------------------------	----------------------------

Parameter	Result	NAAQS# 2009	Unit	Method
<b>Chemical Testing; Group: Atmospheric Pollution</b>				
Sulphur Dioxide (SO <sub>2</sub> )	<b>9.5</b>	80	µg/m <sup>3</sup>	IS 5182 (Part 2/Sec I): 2023
Nitrogen Dioxide (NO <sub>2</sub> )	<b>27.1</b>	80	µg/m <sup>3</sup>	IS 5182 (Part 6): 2017
Particulate Matter (size less than 10 µm) or PM <sub>10</sub>	<b>78</b>	100	µg/m <sup>3</sup>	IS 5182 (Part 23): 2006
Particulate Matter (size less than 2.5 µm) or PM <sub>2.5</sub>	<b>35</b>	60	µg/m <sup>3</sup>	CPCB Guideline, Volume I, 36/2012-13, Page No.15:2013
Ozone (O <sub>3</sub> )	<b>BLQ (LOQ:19.6)</b>	180	µg/m <sup>3</sup>	Methods of Air Sampling and Analysis (AWMA), 3rd Ed., Method 411, Page no. 403 :1988
Lead (as Pb)	<b>BLQ (LOQ:0.02)</b>	1	µg/m <sup>3</sup>	EPA/625/R-96/D10 a Compendium Method 10-3.1 & 3.4, Jun: 1999
Carbon Monoxide (CO)	<b>1.12</b>	4	mg/m <sup>3</sup>	CPCB Guidelines, Volume II, 37/2012-13, Page no.16: 2013
Ammonia (NH <sub>3</sub> )	<b>BLQ (LOQ:20)</b>	400	µg/m <sup>3</sup>	CPCB Guidelines, Volume I, 36/2012-13, Page No.35: 2013
Benzene (C <sub>6</sub> H <sub>6</sub> )	<b>1.22</b>	5	µg/m <sup>3</sup>	IS 5182 (Part II):2006
Benzo (a) pyrene (BaP) Particulate Phase only	<b>BLQ (LOQ:0.2)</b>	1	ng/m <sup>3</sup>	IS 5182 (Part I2) : 2004
Arsenic (as As)	<b>BLQ (LOQ:0.3)</b>	6	ng/m <sup>3</sup>	EPA/625/R-96/D10 a Compendium Method 10-3.1 & 3.4, Jun : 1999





TC-5509



Sample ID : AA/03/26/5355 Report No. AA/03/26/5355 Report Date 26/03/2026

Parameter	Result	NAAQS# 2009	Unit	Method
Nickel (as Ni)	BLQ (LOQ:3)	20	ng/m <sup>3</sup>	EPA/625/R-96/010 a Compendium Method 10-3.1 & 3.4. Jun: 1999

BLQ: Below Limit of Quantification, LOQ: Limit of Quantification

TWA Time Weighted Average

# NAAQS (National Ambient Air Quality Standards (Industrial, Residential, Rural and other Area) specified as: 24 hours TWA in case of Sulphur Dioxide, Nitrogen Dioxide, PM10, PM2.5, Lead and Ammonia, 1 hour TWA in case of Carbon Monoxide and Ozone, Annual TWA in case of Benzene, Benzo (a) Pyrene, Arsenic and Nickel


Sampling Equipment ID: AEC/EQ/1649

Calibration Certificate No.: CC342224000001262F

Consent Number & Date: Format 1.0/CAC/UAN No. 0000205124/CR/2502000735 Date 09.02.2025

*Ninad Soundankar*

Ninad Soundankar  
Technical Manager (Chemical)  
Reviewed & Authorised by




End of Report

**Note:**

1. The result listed refer only to the tested sample(s) and applicable parameter(s).
2. This report is not to be reproduced except in full, without written approval of the laboratory.
3. In case sampling is not done by laboratory, the results apply to the sample as received.
4. There are no additions to, deviations or exclusions from the method.







### AMBIENT AIR QUALITY MONITORING REPORT

Sample ID : AA/03/26/5423	Report No. AA/03/26/5423	Report Date	28/03/2026
Name and address of Customer	<b>Mumbai International Airport Ltd.</b> Chhatrapati Shivaji Maharaj International Airport, 1st Floor, Terminal 1-B, Santacruz(E), Mumbai-400099, Maharashtra		
Sampling done by	Laboratory	Sample Description / Type	Ambient Air
Sampling Location	Utility Building Airport T2	Date - Sampling	19/03/2026 to 20/03/2026
Sample Quantity / Packing	PM <sub>10</sub> , Bap, Metals: 1 x 3 no. filter paper PM <sub>2.5</sub> : 1 x 1 no. filter paper SO <sub>2</sub> , NO <sub>2</sub> : 30 ml x 6 no. plastic bottle each NH <sub>3</sub> : 10 ml x 24 no. plastic bottle Ozone: 10 ml x 1 no. plastic bottle C <sub>6</sub> H <sub>6</sub> : 6 no. charcoal tubes CO: 1 no. bladder	Date - Receipt of Sample	21/03/2026
Sampling Procedure	As per method reference	Date - Start of Analysis	21/03/2026
Order Reference	SO No. 5700370004 dated 19.04.2025	Date - Completion of Analysis	28/03/2026

#### Meteorological Data / Environmental Conditions

Average Wind Velocity 10 km/h	Wind Direction S-E	Relative Humidity (Max./Min.): 81/62%	Temperature (Max./Min.): 34/23°C	Duration of Survey 24 h
----------------------------------	-----------------------	--	-------------------------------------	----------------------------

Parameter	Result	NAAQS# 2009	Unit	Method
<b>Chemical Testing; Group: Atmospheric Pollution</b>				
Sulphur Dioxide (SO <sub>2</sub> )	<b>14.2</b>	80	µg/m <sup>3</sup>	IS 5182 (Part 2/Sec I): 2023
Nitrogen Dioxide (NO <sub>2</sub> )	<b>33.5</b>	80	µg/m <sup>3</sup>	IS 5182 (Part 6): 2017
Particulate Matter (size less than 10 µm) or PM <sub>10</sub>	<b>81</b>	100	µg/m <sup>3</sup>	IS 5182 (Part 23): 2006
Particulate Matter (size less than 2.5µm) or PM <sub>2.5</sub>	<b>40</b>	60	µg/m <sup>3</sup>	CPCB Guideline, Volume I,36/2012-13, Page No.15:2013
Ozone (O <sub>3</sub> )	<b>BLQ (LOQ:19.6)</b>	180	µg/m <sup>3</sup>	Methods of Air Sampling and Analysis (AWMA), 3rd Ed., Method 411, Page no. 403 :1988
Lead (as Pb)	<b>BLQ (LOQ:0.02)</b>	1	µg/m <sup>3</sup>	EPA/625/R-96/D10 a Compendium Method 10-3.1 & 3.2, Jun: 1999
Carbon Monoxide (CO)	<b>1.42</b>	4	mg/m <sup>3</sup>	CPCB Guidelines, Volume II, 37/2012-13, Page no.16: 2013
Ammonia (NH <sub>3</sub> )	<b>BLQ (LOQ:20)</b>	400	µg/m <sup>3</sup>	CPCB Guidelines, Volume I,36/2012-13, Page No.35: 2013
Benzene (C <sub>6</sub> H <sub>6</sub> )	<b>1.53</b>	5	µg/m <sup>3</sup>	IS 5182 (Part II):2006
Benzo (a) pyrene (BaP) Particulate Phase only	<b>BLQ (LOQ:0.2)</b>	1	ng/m <sup>3</sup>	IS 5182 (Part I2) : 2004
Arsenic (as As)	<b>BLQ (LOQ:0.3)</b>	6	ng/m <sup>3</sup>	EPA/625/R-96/D10 a Compendium Method 10-3.1 & 3.4, Jun : 1999





TC-5509



Sample ID : AA/03/26/5423 Report No. AA/03/26/5423 Report Date 28/03/2026

Parameter	Result	NAAQS# 2009	Unit	Method
Nickel (as Ni)	BLQ (LOQ:3)	20	ng/m <sup>3</sup>	EPA/625/R-96/D10 a Compendium Method ID-3.1 & 3.2, Jun: 1999

BLQ: Below Limit of Quantification, LOQ: Limit of Quantification

TWA Time Weighted Average

# NAAQS (National Ambient Air Quality Standards (Industrial, Residential, Rural and other Area) specified as: 24 hours TWA in case of Sulphur Dioxide, Nitrogen Dioxide, PM10, PM2.5, Lead and Ammonia, 1 hour TWA in case of Carbon Monoxide and Ozone, Annual TWA in case of Benzene, Benzo (a) Pyrene, Arsenic and Nickel


Sampling Equipment ID: AEC/EQ/1649

Calibration Certificate No.: CC342224000001262F

Consent Number & Date: Format 1.0/CAC/UAN No. 0000205124/CR/2502000735 Date 09.02.2025

*Ninad Soundankar*

Ninad Soundankar  
Technical Manager (Chemical)  
Reviewed & Authorised by



End of Report

**Note:**

1. The result listed refer only to the tested sample(s) and applicable parameter(s).
2. This report is not to be reproduced except in full, without written approval of the laboratory.
3. In case sampling is not done by laboratory, the results apply to the sample as received.
4. There are no additions to, deviations or exclusions from the method.







### AMBIENT AIR QUALITY MONITORING REPORT

Sample ID : AA/03/26/5514	Report No. AA/03/26/5514	Report Date	02/04/2026
Name and address of Customer	<b>Mumbai International Airport Ltd.</b> Chhatrapati Shivaji Maharaj International Airport, 1st Floor, Terminal 1-B, Santacruz(E), Mumbai-400099, Maharashtra		
Sampling done by	Laboratory	Sample Description / Type	Ambient Air
Sampling Location	Utility Building Airport T2	Date - Sampling	23/03/2026 to 24/03/2026
Sample Quantity / Packing	PM <sub>10</sub> : Bap, Metals: 1 x 3 no. filter paper PM <sub>2.5</sub> : 1 x 1 no. filter paper SO <sub>2</sub> , NO <sub>2</sub> : 30 ml x 6 no. plastic bottle each NH <sub>3</sub> : 10 ml x 24 no. plastic bottle Ozone: 10 ml x 1 no. plastic bottle C <sub>6</sub> H <sub>6</sub> : 6 no. charcoal tubes CO: 1 no. bladder	Date - Receipt of Sample	25/03/2026
Sampling Procedure	As per method reference	Date - Start of Analysis	25/03/2026
Order Reference	SO No. 5700370004 dated 19.04.2025	Date - Completion of Analysis	02/04/2026

#### Meteorological Data / Environmental Conditions

Average Wind Velocity 10.7 km/h	Wind Direction S-N	Relative Humidity (Max./Min.): 80/64%	Temperature (Max./Min.): 34/23°C	Duration of Survey 24 h
------------------------------------	-----------------------	--	-------------------------------------	----------------------------

Parameter	Result	NAAQS# 2009	Unit	Method
<b>Chemical Testing; Group: Atmospheric Pollution</b>				
Sulphur Dioxide (SO <sub>2</sub> )	<b>13.2</b>	80	µg/m <sup>3</sup>	IS 5182 (Part 2/Sec I): 2023
Nitrogen Dioxide (NO <sub>2</sub> )	<b>31.9</b>	80	µg/m <sup>3</sup>	IS 5182 (Part 6): 2017
Particulate Matter (size less than 10 µm) or PM <sub>10</sub>	<b>78</b>	100	µg/m <sup>3</sup>	IS 5182 (Part 23): 2006
Particulate Matter (size less than 2.5µm) or PM <sub>2.5</sub>	<b>37</b>	60	µg/m <sup>3</sup>	CPCB Guideline, Volume I,36/2012-13, Page No.15:2013
Ozone (O <sub>3</sub> )	<b>BLQ (LOQ:19.6)</b>	180	µg/m <sup>3</sup>	Methods of Air Sampling and Analysis (AWMA), 3rd Ed., Method 411,Page no. 403 :1988
Lead (as Pb)	<b>BLQ (LOQ:0.02)</b>	1	µg/m <sup>3</sup>	EPA/625/R-96/010 a Compendium Method 10-3.1 & 3.2, Jun: 1999
Carbon Monoxide (CO)	<b>1.31</b>	4	mg/m <sup>3</sup>	CPCB Guidelines, Volume II, 37/2012-13, Page no.16: 2013
Ammonia (NH <sub>3</sub> )	<b>BLQ (LOQ:20)</b>	400	µg/m <sup>3</sup>	CPCB Guidelines, Volume I,36/2012-13, Page No.35: 2013
Benzene (C <sub>6</sub> H <sub>6</sub> )	<b>1.40</b>	5	µg/m <sup>3</sup>	IS 5182 (Part 11):2006
Benzo (a) pyrene (BaP) Particulate Phase only	<b>BLQ (LOQ:0.2)</b>	1	ng/m <sup>3</sup>	IS 5182 (Part 12) : 2004
Arsenic (as As)	<b>BLQ (LOQ:0.3)</b>	6	ng/m <sup>3</sup>	EPA/625/R-96/010 a Compendium Method 10-3.1 & 3.4, Jun : 1999






Sample ID : AA/03/26/5514		Report No. AA/03/26/5514		Report Date	02/04/2026
Parameter	Result	NAAQS# 2009	Unit	Method	
Nickel (as Ni)	BLQ (LOQ:3)	20	ng/m <sup>3</sup>	EPA/625/R-96/010 a Compendium Method 10-3.1 & 3.2, Jun: 1999	

BLQ: Below Limit of Quantification, LOQ: Limit of Quantification  
TWA Time Weighted Average  
# NAAQS (National Ambient Air Quality Standards (Industrial, Residential, Rural and other Area) specified as: 24 hours TWA in case of Sulphur Dioxide, Nitrogen Dioxide, PM10, PM2.5, Lead and Ammonia, 1 hour TWA in case of Carbon Monoxide and Ozone, Annual TWA in case of Benzene, Benzo (a) Pyrene, Arsenic and Nickel  
Sampling Equipment ID: AEC/EQ/1649  
Calibration Certificate No.: CC342224000001262F  
Consent Number & Date: Format 1.0/CAC/UAN No. 0000205124/CR/2502000735 Date 09.02.2025

*Ninad Soundankar*

Ninad Soundankar  
Technical Manager (Chemical)  
Reviewed & Authorised by




End of Report

**Note:**

1. The result listed refer only to the tested sample(s) and applicable parameter(s).
2. This report is not to be reproduced except in full, without written approval of the laboratory.
3. In case sampling is not done by laboratory, the results apply to the sample as received.
4. There are no additions to, deviations or exclusions from the method.







### AMBIENT AIR QUALITY MONITORING REPORT

Sample ID : AA/03/26/5588	Report No. AA/03/26/5588	Report Date	04/04/2026
Name and address of Customer	<b>Mumbai International Airport Ltd.</b> Chhatrapati Shivaji Maharaj International Airport, 1st Floor, Terminal 1-B, Santacruz(E), Mumbai-400099, Maharashtra		
Sampling done by	Laboratory	Sample Description / Type	Ambient Air
Sampling Location	Utility Building Airport T2	Date - Sampling	26/03/2026 to 27/03/2026
Sample Quantity / Packing	PM <sub>10</sub> : Bap, Metals: 1 x 3 no. filter paper PM <sub>2.5</sub> : 1 x 1 no. filter paper SO <sub>2</sub> , NO <sub>2</sub> : 30 ml x 6 no. plastic bottle each NH <sub>3</sub> : 10 ml x 24 no. plastic bottle Ozone: 10 ml x 1 no. plastic bottle C <sub>6</sub> H <sub>6</sub> : 6 no. charcoal tubes CO: 1 no. bladder	Date - Receipt of Sample	28/03/2026
Sampling Procedure	As per method reference	Date - Start of Analysis	28/03/2026
Order Reference	SO No. 5700370004 dated 19.04.2025	Date - Completion of Analysis	04/04/2026

#### Meteorological Data / Environmental Conditions

Average Wind Velocity 10 km/h	Wind Direction S-E	Relative Humidity (Max./Min.): 82/65%	Temperature (Max./Min.): 34/24°C	Duration of Survey 24 h
----------------------------------	-----------------------	--	-------------------------------------	----------------------------

Parameter	Result	NAAQS# 2009	Unit	Method
<b>Chemical Testing; Group: Atmospheric Pollution</b>				
Sulphur Dioxide (SO <sub>2</sub> )	<b>16.1</b>	80	µg/m <sup>3</sup>	IS 5182 (Part 2/Sec I): 2023
Nitrogen Dioxide (NO <sub>2</sub> )	<b>35.9</b>	80	µg/m <sup>3</sup>	IS 5182 (Part 6): 2017
Particulate Matter (size less than 10 µm) or PM <sub>10</sub>	<b>84</b>	100	µg/m <sup>3</sup>	IS 5182 (Part 23): 2006
Particulate Matter (size less than 2.5µm) or PM <sub>2.5</sub>	<b>43</b>	60	µg/m <sup>3</sup>	CPCB Guideline, Volume 1,36/2012-13, Page No.15:2013
Ozone (O <sub>3</sub> )	<b>BLQ (LOQ:19.6)</b>	180	µg/m <sup>3</sup>	Methods of Air Sampling and Analysis (AWMA), 3rd Ed., Method 411, Page no. 403 :1988
Lead (as Pb)	<b>BLQ (LOQ:0.02)</b>	1	µg/m <sup>3</sup>	EPA/625/R-96/010 a Compendium Method IO-3.1 & 3.2, Jun: 1999
Carbon Monoxide (CO)	<b>1.55</b>	4	mg/m <sup>3</sup>	CPCB Guidelines, Volume II, 37/2012-13, Page no.16: 2013
Ammonia (NH <sub>3</sub> )	<b>BLQ (LOQ:20)</b>	400	µg/m <sup>3</sup>	CPCB Guidelines, Volume I,36/2012-13, Page No.35: 2013
Benzene (C <sub>6</sub> H <sub>6</sub> )	<b>1.65</b>	5	µg/m <sup>3</sup>	IS 5182 (Part 11):2006
Benzo (a) pyrene (BaP) Particulate Phase only	<b>BLQ (LOQ:0.2)</b>	1	ng/m <sup>3</sup>	IS 5182 (Part 12) : 2004
Arsenic (as As)	<b>BLQ (LOQ:0.3)</b>	6	ng/m <sup>3</sup>	EPA/625/R-96/010 a Compendium Method IO-3.1 & 3.4, Jun : 1999





Sample ID : AA/03/26/5588	Report No. AA/03/26/5588	Report Date	04/04/2026
---------------------------	--------------------------	-------------	------------

Parameter	Result	NAAQS# 2009	Unit	Method
Nickel (as Ni)	BLQ (LOQ:3)	20	ng/m <sup>3</sup>	EPA/625/R-96/010 a Compendium Method 10-3.1 & 3.2, Jun: 1999

BLQ: Below Limit of Quantification, LOQ: Limit of Quantification

TWA Time Weighted Average

# NAAQS (National Ambient Air Quality Standards (Industrial, Residential, Rural and other Area) specified as: 24 hours TWA in case of Sulphur Dioxide, Nitrogen Dioxide, PM10, PM2.5, Lead and Ammonia, 1 hour TWA in case of Carbon Monoxide and Ozone, Annual TWA in case of Benzene, Benzo (a) Pyrene, Arsenic and Nickel


Sampling Equipment ID: AEC/EQ/1649

Calibration Certificate No.: CC342224000001262F

Consent Number & Date: Format 1.0/CAC/UAN No. 0000205124/CR/2502000735 Date 09.02.2025

*Ninad Soundankar*

Ninad Soundankar  
Technical Manager (Chemical)  
Reviewed & Authorised by



End of Report

#### Note:

1. The result listed refer only to the tested sample(s) and applicable parameter(s).
2. This report is not to be reproduced except in full, without written approval of the laboratory.
3. In case sampling is not done by laboratory, the results apply to the sample as received.
4. There are no additions to, deviations or exclusions from the method.







### AMBIENT AIR QUALITY MONITORING REPORT


Sample ID : AA/04/26/5001	Report No. AA/04/26/5001	Report Date	07/04/2026
Name and address of Customer	<b>Mumbai International Airport Ltd.</b> Chhatrapati Shivaji Maharaj International Airport, 1st Floor, Terminal 1-B, Santacruz(E), Mumbai-400099, Maharashtra		
Sampling done by	Laboratory	Sample Description / Type	Ambient Air
Sampling Location	Utility Building Airport T2	Date - Sampling	30/03/2026 to 31/03/2026
Sample Quantity / Packing	PM <sub>10</sub> , Bap, Metals: 1 x 3 no. filter paper PM <sub>2.5</sub> : 1 x 1 no. filter paper SO <sub>2</sub> , NO <sub>2</sub> : 30 ml x 6 no. plastic bottle each NH <sub>3</sub> : 10 ml x 24 no. plastic bottle Ozone: 10 ml x 1 no. plastic bottle C <sub>6</sub> H <sub>6</sub> : 6 no. charcoal tubes CO: 1 no. bladder	Date - Receipt of Sample	01/04/2026
Sampling Procedure	As per method reference	Date - Start of Analysis	01/04/2026
Order Reference	SO No. 5700370004 dated 19.04.2025	Date - Completion of Analysis	06/04/2026

#### Meteorological Data / Environmental Conditions

Average Wind Velocity 8.5 km/h	Wind Direction S-W	Relative Humidity (Max./Min.): 78/61%	Temperature (Max./Min.): 35/26°C	Duration of Survey 24 h
-----------------------------------	-----------------------	--	-------------------------------------	----------------------------

Parameter	Result	NAAQS# 2009	Unit	Method
<b>Chemical Testing; Group: Atmospheric Pollution</b>				
Sulphur Dioxide (SO <sub>2</sub> )	<b>14.2</b>	80	µg/m <sup>3</sup>	IS 5182 (Part 2/Sec I): 2023
Nitrogen Dioxide (NO <sub>2</sub> )	<b>33.5</b>	80	µg/m <sup>3</sup>	IS 5182 (Part 6): 2017
Particulate Matter (size less than 10 µm) or PM <sub>10</sub>	<b>80</b>	100	µg/m <sup>3</sup>	IS 5182 (Part 23): 2006
Particulate Matter (size less than 2.5µm) or PM <sub>2.5</sub>	<b>41</b>	60	µg/m <sup>3</sup>	CPCB Guideline, Volume I,36/2012-13, Page No.15:2013
Ozone (O <sub>3</sub> )	<b>BLQ (LOQ:19.6)</b>	180	µg/m <sup>3</sup>	Methods of Air Sampling and Analysis (AWMA), 3rd Ed., Method 411, Page no. 403 :1988
Lead (as Pb)	<b>BLQ (LOQ:0.02)</b>	1	µg/m <sup>3</sup>	EPA/625/R-96/D10 a Compendium Method IO-3.1 & 3.2, Jun: 1999
Carbon Monoxide (CO)	<b>1.48</b>	4	mg/m <sup>3</sup>	CPCB Guidelines, Volume II, 37/2012-13, Page no.16: 2013
Ammonia (NH <sub>3</sub> )	<b>BLQ (LOQ:20)</b>	400	µg/m <sup>3</sup>	CPCB Guidelines, Volume I,36/2012-13, Page No.35: 2013
Benzene (C <sub>6</sub> H <sub>6</sub> )	<b>1.41</b>	5	µg/m <sup>3</sup>	IS 5182 (Part II):2006
Benzo (a) pyrene (BaP) Particulate Phase only	<b>BLQ (LOQ:0.2)</b>	1	ng/m <sup>3</sup>	IS 5182 (Part 12) : 2004
Arsenic (as As)	<b>BLQ (LOQ:0.3)</b>	6	ng/m <sup>3</sup>	EPA/625/R-96/D10 a Compendium Method IO-3.1 & 3.4, Jun : 1999






Sample ID : AA/04/26/5001		Report No. AA/04/26/5001		Report Date	07/04/2026
Parameter	Result	NAAQS# 2009	Unit	Method	
Nickel (as Ni)	BLQ (LOQ:3)	20	ng/m³	EPA/625/R-96/D10 a Compendium Method 10-3.1 & 3.2, Jun: 1999	
BLQ: Below Limit of Quantification, LOQ: Limit of Quantification TWA Time Weighted Average # NAAQS (National Ambient Air Quality Standards (Industrial, Residential, Rural and other Area) specified as: 24 hours TWA in case of Sulphur Dioxide, Nitrogen Dioxide, PM10, PM2.5, Lead and Ammonia, 1 hour TWA in case of Carbon Monoxide and Ozone, Annual TWA in case of Benzene, Benzo (a) Pyrene, Arsenic and Nickel Sampling Equipment ID: AEC/EQ/1649 Calibration Certificate No.: CC342224000001262F Consent Number & Date: Format 1.0/CAC/UAN No. 0000205124/CR/2502000735 Date 09.02.2025					

*Ninad Soundankar*

Ninad Soundankar  
Technical Manager (Chemical)  
Reviewed & Authorised by




End of Report

**Note:**

1. The result listed refer only to the tested sample(s) and applicable parameter(s).
2. This report is not to be reproduced except in full, without written approval of the laboratory.
3. In case sampling is not done by laboratory, the results apply to the sample as received.
4. There are no additions to, deviations or exclusions from the method.







### AMBIENT AIR QUALITY MONITORING REPORT

Sample ID : AA/03/26/5545	Report No. AA/03/26/5545	Report Date	03/04/2026
Name and address of Customer	<b>Mumbai International Airport Ltd.</b> Chhatrapati Shivaji Maharaj International Airport, 1st Floor, Terminal 1-B, Santacruz(E), Mumbai-400099, Maharashtra		
Sampling done by	Laboratory	Sample Description / Type	Ambient Air
Sampling Location	Sarvodaya Hospital (Ghatkopar)	Date - Sampling	24/03/2026 to 25/03/2026
Sample Quantity / Packing	PM <sub>10</sub> : Lead: 1 x 3 no. filter paper PM <sub>2.5</sub> : 1 x 1 no. filter paper SO <sub>2</sub> , NO <sub>2</sub> : 30 ml x 6 no. plastic bottle each NH <sub>3</sub> : 10 ml x 24 no. plastic bottle CO: 1 no. bladder	Date - Receipt of Sample	26/03/2026
Sampling Procedure	As per method reference	Date - Start of Analysis	26/03/2026
Order Reference	SO No. 5700370004 dated 19.04.2025	Date - Completion of Analysis	02/04/2026

#### Meteorological Data / Environmental Conditions

Average Wind Velocity 12.8 km/h	Wind Direction N-E	Relative Humidity (Max./Min.): 78/51%	Temperature (Max./Min.): 35/25°C	Duration of Survey 24 h
------------------------------------	-----------------------	--	-------------------------------------	----------------------------

Parameter	Result	NAAQS# 2009	Unit	Method
-----------	--------	----------------	------	--------

#### Chemical Testing; Group: Atmospheric Pollution

Sulphur Dioxide (SO <sub>2</sub> )	<b>14.2</b>	80	µg/m <sup>3</sup>	IS 5182 (Part 2/Sec I): 2023
Nitrogen Dioxide (NO <sub>2</sub> )	<b>34.3</b>	80	µg/m <sup>3</sup>	IS 5182 (Part 6): 2017
Particulate Matter (size less than 10 µm) or PM <sub>10</sub>	<b>81</b>	100	µg/m <sup>3</sup>	IS 5182 (Part 23): 2006
Particulate Matter (size less than 2.5µm) or PM <sub>2.5</sub>	<b>40</b>	60	µg/m <sup>3</sup>	CPCB Guideline, Volume I,36/2012-13, Page No.15:2013
Lead (as Pb)	<b>BLQ (LOQ:0.02)</b>	1	µg/m <sup>3</sup>	EPA/625/R-96/D10 a Compendium Method 10-3.1 & 3.2, Jun: 1999
Carbon Monoxide (CO)	<b>1.38</b>	4	mg/m <sup>3</sup>	CPCB Guidelines, Volume II, 37/2012-13, Page no.16: 2013
Ammonia (NH <sub>3</sub> )	<b>32.4</b>	400	µg/m <sup>3</sup>	CPCB Guidelines, Volume I,36/2012-13, Page No.35: 2013

BLQ: Below Limit of Quantification, LOQ: Limit of Quantification

TWA Time Weighted Average


# NAAQS (National Ambient Air Quality Standards (Industrial, Residential, Rural and other Area) specified as: 24 hours TWA in case of Sulphur Dioxide, Nitrogen Dioxide, PM<sub>10</sub>, PM<sub>2.5</sub>, Lead and Ammonia, 1 hour TWA in case of Carbon Monoxide

Sampling Equipment ID: AEC/EQ/1648

Calibration Certificate No.: CC342223000001514F

Consent Number & Date: Format 1.0/CAC/UAN No. 0000205124/CR/2502000735 Date 09.02.2025





### AMBIENT AIR QUALITY MONITORING REPORT

Sample ID : AA/03/26/5544	Report No. AA/03/26/5544	Report Date	03/04/2026
Name and address of Customer	<b>Mumbai International Airport Ltd.</b> Chhatrapati Shivaji Maharaj International Airport, 1st Floor, Terminal 1-B, Santacruz(E), Mumbai-400099, Maharashtra		
Sampling done by	Laboratory	Sample Description / Type	Ambient Air
Sampling Location	Owc Kurla	Date - Sampling	24/03/2026 to 25/03/2026
Sample Quantity / Packing	PM <sub>10</sub> : Lead: 1 x 3 no. filter paper PM <sub>2.5</sub> : 1 x 1 no. filter paper SO <sub>2</sub> , NO <sub>2</sub> : 30 ml x 6 no. plastic bottle each NH <sub>3</sub> : 10 ml x 24 no. plastic bottle CO: 1 no. bladder	Date - Receipt of Sample	26/03/2026
Sampling Procedure	As per method reference	Date - Start of Analysis	26/03/2026
Order Reference	SO No. 5700370004 dated 19.04.2025	Date - Completion of Analysis	02/04/2026

#### Meteorological Data / Environmental Conditions

Average Wind Velocity 13.5 km/h	Wind Direction S-E	Relative Humidity (Max./Min.): 76/52%	Temperature (Max./Min.): 35/27°C	Duration of Survey 24 h
Parameter	Result	NAAQS# 2009	Unit	Method

#### Chemical Testing; Group: Atmospheric Pollution

Sulphur Dioxide (SO <sub>2</sub> )	<b>17</b>	80	µg/m <sup>3</sup>	IS 5182 (Part 2/Sec I): 2023
Nitrogen Dioxide (NO <sub>2</sub> )	<b>35.9</b>	80	µg/m <sup>3</sup>	IS 5182 (Part 6): 2017
Particulate Matter (size less than 10 µm) or PM <sub>10</sub>	<b>88</b>	100	µg/m <sup>3</sup>	IS 5182 (Part 23): 2006
Particulate Matter (size less than 2.5µm) or PM <sub>2.5</sub>	<b>55</b>	60	µg/m <sup>3</sup>	CPCB Guideline, Volume I.36/2012-13, Page No.15:2013
Lead (as Pb)	<b>BLQ (LOQ:0.02)</b>	1	µg/m <sup>3</sup>	EPA/625/R-96/D10 a Compendium Method 10-3.1 & 3.2, Jun: 1999
Carbon Monoxide (CO)	<b>1.61</b>	4	mg/m <sup>3</sup>	CPCB Guidelines, Volume II, 37/2012-13, Page no.16: 2013
Ammonia (NH <sub>3</sub> )	<b>35.4</b>	400	µg/m <sup>3</sup>	CPCB Guidelines, Volume I.36/2012-13, Page No.35: 2013

BLQ: Below Limit of Quantification, LOQ: Limit of Quantification

TWA Time Weighted Average

# NAAQS (National Ambient Air Quality Standards (Industrial, Residential, Rural and other Area) specified as: 24 hours TWA in case of Sulphur Dioxide, Nitrogen Dioxide, PM<sub>10</sub>, PM<sub>2.5</sub>, Lead and Ammonia, 1 hour TWA in case of Carbon Monoxide

Sampling Equipment ID: AEC/EQ/1647

Calibration Certificate No.: CC342223000001514F

Consent Number & Date: Format 1.0/CAC/UAN No. 0000205124/CR/2502000735 Date 09.02.2025







### AMBIENT AIR QUALITY MONITORING REPORT

Sample ID : AA/03/26/5543	Report No. AA/03/26/5543	Report Date	03/04/2026
Name and address of Customer	<b>Mumbai International Airport Ltd.</b> Chhatrapati Shivaji Maharaj International Airport, 1st Floor, Terminal 1-B, Santacruz(E), Mumbai-400099, Maharashtra		
Sampling done by	Laboratory	Sample Description / Type	Ambient Air
Sampling Location	Terminal 1 MLCP Santacruz	Date - Sampling	24/03/2026 to 25/03/2026
Sample Quantity / Packing	PM <sub>10</sub> : Lead: 1 x 3 no. filter paper PM <sub>2.5</sub> : 1 x 1 no. filter paper SO <sub>2</sub> , NO <sub>2</sub> : 30 ml x 6 no. plastic bottle each NH <sub>3</sub> : 10 ml x 24 no. plastic bottle CO: 1 no. bladder	Date - Receipt of Sample	26/03/2026
Sampling Procedure	As per method reference	Date - Start of Analysis	26/03/2026
Order Reference	SO No. 5700370004 dated 19.04.2025	Date - Completion of Analysis	02/04/2026

### Meteorological Data / Environmental Conditions

Average Wind Velocity 7 km/h	Wind Direction S-W	Relative Humidity (Max./Min.): 74/56%	Temperature (Max./Min.): 33/24°C	Duration of Survey 24 h
Parameter	Result	NAAQS# 2009	Unit	Method

#### Chemical Testing; Group: Atmospheric Pollution

Sulphur Dioxide (SO <sub>2</sub> )	<b>12.3</b>	80	µg/m <sup>3</sup>	IS 5182 (Part 2/Sec I): 2023
Nitrogen Dioxide (NO <sub>2</sub> )	<b>32.7</b>	80	µg/m <sup>3</sup>	IS 5182 (Part 6): 2017
Particulate Matter (size less than 10 µm) or PM <sub>10</sub>	<b>76</b>	100	µg/m <sup>3</sup>	IS 5182 (Part 23): 2006
Particulate Matter (size less than 2.5µm) or PM <sub>2.5</sub>	<b>32</b>	60	µg/m <sup>3</sup>	CPCB Guideline, Volume I,36/2012-13, Page No.15:2013
Lead (as Pb)	<b>BLQ (LOQ:0.02)</b>	1	µg/m <sup>3</sup>	EPA/625/R-96/D10 a Compendium Method 10-3.1 & 3.2, Jun: 1999
Carbon Monoxide (CO)	<b>1.24</b>	4	mg/m <sup>3</sup>	CPCB Guidelines, Volume II, 37/2012-13, Page no.16: 2013
Ammonia (NH <sub>3</sub> )	<b>31.9</b>	400	µg/m <sup>3</sup>	CPCB Guidelines, Volume I,36/2012-13, Page No.35: 2013

BLQ: Below Limit of Quantification, LOQ: Limit of Quantification

TWA Time Weighted Average


# NAAQS (National Ambient Air Quality Standards (Industrial, Residential, Rural and other Area) specified as: 24 hours TWA in case of Sulphur Dioxide, Nitrogen Dioxide, PM<sub>10</sub>, PM<sub>2.5</sub>, Lead and Ammonia, 1 hour TWA in case of Carbon Monoxide

Sampling Equipment ID: AEC/EQ/1646

Calibration Certificate No.: CC342223000001514F

Consent Number & Date: Format 1.0/CAC/UAN No. 0000205124/CR/2502000735 Date 09.02.2025





### AMBIENT AIR QUALITY MONITORING REPORT

Sample ID : AA/03/26/5542	Report No. AA/03/26/5542	Report Date	03/04/2026
Name and address of Customer	<b>Mumbai International Airport Ltd.</b> Chhatrapati Shivaji Maharaj International Airport, 1st Floor, Terminal 1-B, Santacruz(E), Mumbai-400099, Maharashtra		
Sampling done by	Laboratory	Sample Description / Type	Ambient Air
Sampling Location	Project Office Sahar	Date - Sampling	24/03/2026 to 25/03/2026
Sample Quantity / Packing	PM <sub>10</sub> , Lead: 1 x 3 no. filter paper PM <sub>2.5</sub> : 1 x 1 no. filter paper SO <sub>2</sub> , NO <sub>2</sub> : 30 ml x 6 no. plastic bottle each NH <sub>3</sub> : 10 ml x 24 no. plastic bottle CO: 1 no. bladder	Date - Receipt of Sample	26/03/2026
Sampling Procedure	As per method reference	Date - Start of Analysis	26/03/2026
Order Reference	SO No. 5700370004 dated 19.04.2025	Date - Completion of Analysis	02/04/2026

#### Meteorological Data / Environmental Conditions

Average Wind Velocity 7.2 km/h	Wind Direction S-W	Relative Humidity (Max./Min.): 72/58%	Temperature (Max./Min.): 33/24°C	Duration of Survey 24 h
-----------------------------------	-----------------------	--	-------------------------------------	----------------------------

Parameter	Result	NAAQS# 2009	Unit	Method
-----------	--------	----------------	------	--------

#### Chemical Testing; Group: Atmospheric Pollution

Sulphur Dioxide (SO <sub>2</sub> )	<b>15.1</b>	80	µg/m <sup>3</sup>	IS 5182 (Part 2/Sec I): 2023
Nitrogen Dioxide (NO <sub>2</sub> )	<b>35.1</b>	80	µg/m <sup>3</sup>	IS 5182 (Part 6): 2017
Particulate Matter (size less than 10 µm) or PM <sub>10</sub>	<b>84</b>	100	µg/m <sup>3</sup>	IS 5182 (Part 23): 2006
Particulate Matter (size less than 2.5µm) or PM <sub>2.5</sub>	<b>43</b>	60	µg/m <sup>3</sup>	CPCB Guideline, Volume I,36/2012-13, Page No.15:2013
Lead (as Pb)	<b>BLQ (LOQ:0.02)</b>	1	µg/m <sup>3</sup>	EPA/625/R-96/010 a Compendium Method 10-3.1 & 3.2, Jun: 1999
Carbon Monoxide (CO)	<b>1.44</b>	4	mg/m <sup>3</sup>	CPCB Guidelines, Volume II, 37/2012-13, Page no.16: 2013
Ammonia (NH <sub>3</sub> )	<b>35.9</b>	400	µg/m <sup>3</sup>	CPCB Guidelines, Volume I,36/2012-13, Page No.35: 2013

BLQ: Below Limit of Quantification, LOQ: Limit of Quantification

TWA Time Weighted Average

# NAAQS (National Ambient Air Quality Standards (Industrial, Residential, Rural and other Area) specified as: 24 hours TWA in case of Sulphur Dioxide, Nitrogen Dioxide, PM<sub>10</sub>, PM<sub>2.5</sub>, Lead and Ammonia, 1 hour TWA in case of Carbon Monoxide


Sampling Equipment ID: AEC/EQ/1645

Calibration Certificate No.: CC342223000001514F

Consent Number & Date: Format 1.0/CAC/UAN No. 0000205124/CR/2502000735 Date 09.02.2025








### NOISE LEVEL MEASUREMENT REPORT

Sample ID: N/11/25/5015	Report No.: N/11/25/5015	Report Date	04/11/2025
Name and Address of Customer	<b>Mumbai International Airport Ltd.</b> Chhatrapati Shivaji Maharaj International Airport, 1st Floor, Terminal 1B, Santacruz (E), Mumbai-400099 Maharashtra		
Monitoring Done By	Laboratory	Sample Description/Type	Ambient Noise
Order Reference	Work Order No. 5700370004 Date-19.04.2025	Date of Monitoring	29/10/2025 to 30/10/2025
Calibration Certificate	CC342224000000878 CC342224000000877F CC342224000000876F CC342224000000879F CC342224000000880F CC342224000000881F CC342224000000882F CC342224000000883F CC342224000000884F CC342224000000885F	Instrument Model	Sound level Meter
Consent Number & Date.	Format 1.0/CAC/UAN No.0000205124/CR/250200073 5 Date.09.02.2025	Instrument Serial .No.	2016083396 2016082898 2016082897 2016083413 2016083417 2016083420 2016083428 2016083477 2016083494 2016083497

#### Chemical Testing; Group: Atmospheric Pollution

Sr No	Location	Day Time (6AM-10PM) dB (A)			Night Time (10PM -6AM) dB (A)			Method
		Leq	Lmin	Lmax	Leq	Lmin	Lmax	
1	Runway 27 End	66.55	65.2	67.9	62.85	61.9	63.8	CPCB Protocol for Ambient Level Noise Monitoring. July:2015
2	STP Terminal- 1	61.65	60.5	62.8	59.1	58.2	60.0	
3	CCR-2	66.3	65.4	67.2	62.1	61.2	63.0	
4	Apron Control	66.7	64.7	68.7	61.3	60.1	62.5	
5	6 No Gate (Sahar)	63.65	63.0	64.3	58.2	56.2	60.2	
6	J 8	53.4	52.6	54.2	49.55	48.3	50.8	
7	Runway 14 End	67.35	66.6	68.1	62.55	61.5	63.6	
8	Project Office (Sahar)	66.1	65.2	67.0	61.3	60.1	62.5	
9	Cargo 4D	67.85	66.5	69.2	63.0	62.1	64.0	
10	OWC Kurla	64.55	63.8	65.3	60.8	59.7	61.9	




## NOISE LEVEL MEASUREMENT REPORT

Sample ID: N/11/25/5657	Report No.: N/11/25/5657	Report Date	03/12/2025
Name and Address of Customer	<b>Mumbai International Airport Ltd.</b> Chhatrapati Shivaji Maharaj International Airport, 1st Floor, Terminal 1B, Santacruz (E), Mumbai-400099 Maharashtra		
Monitoring Done By	Laboratory	Sample Description/Type	Ambient Noise
Order Reference	Work Order No. 5700370004 Date-19.04.2025	Date of Monitoring	26/11/2025 to 27/11/2025
Calibration Certificate	CC342224000000878 CC342224000000877F CC342224000000876F CC342224000000879F CC342224000000880F CC342224000000881F CC342224000000882F CC342224000000883F CC342224000000884F CC342224000000885F	Instrument Model	Sound level Meter
Consent Number & Date.	Format 1.0/CAC/UAN No.0000205124/CR/250200073 5 Date.09.02.2025	Instrument Serial .No.	2016083396 2016082898 2016082897 2016083413 2016083417 2016083420 2016083428 2016083477 2016083494 2016083497

### Chemical Testing; Group: Atmospheric Pollution

Sr No	Location	Day Time (6AM-10PM) dB (A)			Night Time (10PM -6AM) dB (A)			Method
		Leq	Lmin	Lmax	Leq	Lmin	Lmax	
1	Runway 27 End	67.05	65.9	68.2	62.35	61.3	63.4	CPCB Protocol for Ambient Level Noise Monitoring. July:2015
2	STP Terminal- 1	63.55	61.9	65.2	56.35	55.3	57.4	
3	CCR-2	66.35	65.0	67.4	59.7	57.9	61.5	
4	Apron Control	62.5	60.4	64.6	54.45	53.7	55.2	
5	6 No Gate (Sahar)	64.45	64.2	64.7	54.3	53.5	55.1	
6	J 8	48.9	47.4	50.4	45.7	44.9	46.5	
7	Runway 14 End	67.1	65.9	68.3	63.65	62.4	64.9	
8	Project Office (Sahar)	65.35	64.4	66.3	59.35	57.3	61.4	
9	Cargo 4D	68.25	66.4	70.1	66.45	65.6	67.3	
10	OWC Kurla	67.5	66.4	68.6	63.8	61.7	65.9	






Limit			
As Per the Environment (Protection) Rules, 1986, Schedule -I			
Serial Number	Industry	Limits in dB (A) weighted scale	
		Day (6 a.m. to 10 p.m.)	Night (10 p.m. to 6 a.m.)
112	Airport (Busy Airport)	70	65

*Ninad Soundankar*

Ninad Soundankar  
Technical Manager (Chemical)  
Reviewed & Authorised by



-----End of Report-----

**Note:**

1. The result listed refers only to the tested sample(s) and applicable parameter(s).
2. This report is not to be reproduced except in full, without written approval of the laboratory.
3. In case sampling is not done by laboratory, the results apply to the sample as received.
4. There are no additions to, deviation or exclusions from the method.





## NOISE LEVEL MEASUREMENT REPORT

Sample ID: N/12/25/5523	Report No.: N/12/25/5523	Report Date	26/12/2025
Name and Address of Customer	<b>Mumbai International Airport Ltd.</b> Chhatrapati Shivaji Maharaj International Airport, 1st Floor, Terminal 1B, Santacruz (E), Mumbai-400099 Maharashtra		
Monitoring Done By	Laboratory	Sample Description/Type	Ambient Noise
Order Reference	Work Order No. 5700370004 Date-19.04.2025	Date of Monitoring	19/12/2025 to 20/12/2025
Calibration Certificate	CC342224000000878 CC342224000000877F CC342224000000876F CC342224000000879F CC342224000000880F CC342224000000881F CC342224000000882F CC342224000000883F CC342224000000884F CC342224000000885F	Instrument Model	Sound level Meter
Consent Number & Date.	Format 1.0/CAC/UAN No.0000205124/CR/250200073 5 Date.09.02.2025	Instrument Serial .No.	2016083396 2016082898 2016082897 2016083413 2016083417 2016083420 2016083428 2016083477 2016083494 2016083497

Chemical Testing; Group: Atmospheric Pollution								
Sr No	Location	Day Time (6AM-10PM) dB (A)			Night Time (10PM -6AM) dB (A)			Method
		Leq	Lmin	Lmax	Leq	Lmin	Lmax	
1	Runway 27 End	64.95	63.2	66.7	63.3	62.4	64.2	CPCB Protocol for Ambient Level Noise Monitoring. July:2015
2	STP Terminal- 1	64.9	63.7	66.1	56.05	53.5	58.6	
3	CCR-2	65.55	64.2	66.9	59.25	56.1	62.4	
4	Apron Control	63.75	62.3	65.2	55.5	54.1	56.9	
5	6 No Gate (Sahar)	66.15	65.1	67.2	55.8	54.9	56.7	
6	J 8	48.45	45.7	51.2	44.45	43.4	45.5	
7	Runway 14 End	66.8	66.2	67.4	63.4	61.7	65.1	
8	Project Office (Sahar)	66.55	65.9	67.2	59.35	56.4	62.3	
9	Cargo 4D	64.65	66.1	63.2	64.5	62.1	66.9	
10	OWC Kurla	65.65	64.9	66.4	64.45	62.6	66.3	



Limit			
As Per the Environment (Protection) Rules, 1986, Schedule -I			
Serial Number	Industry	Limits in dB (A) weighted scale	
		Day (6 a.m. to 10 p.m.)	Night (10 p.m. to 6 a.m.)
112	Airport (Busy Airport)	70	65


Ninad Soundankar  
Technical Manager (Chemical)  
Reviewed & Authorised by

-----End of Report-----

**Note:**

1. The result listed refers only to the tested sample(s) and applicable parameter(s).
2. This report is not to be reproduced except in full, without written approval of the laboratory.
3. In case sampling is not done by laboratory, the results apply to the sample as received.
4. There are no additions to, deviation or exclusions from the method.






### NOISE LEVEL MEASUREMENT REPORT

Sample ID: N/01/26/5760	Report No.: N/01/26/5760	Report Date	04/02/2026
Name and Address of Customer	<b>Mumbai International Airport Ltd.</b> Chhatrapati Shivaji Maharaj International Airport, 1st Floor, Terminal 1B, Santacruz (E), Mumbai-400099 Maharashtra		
Monitoring Done By	Laboratory	Sample Description/Type	Ambient Noise
Order Reference	Work Order No. 5700370004 Date-19.04.2025	Date of Monitoring	29/01/2026 to 30/01/2026
Calibration Certificate	CC342224000000878 CC342224000000877F CC342224000000876F CC342224000000879F CC342224000000880F CC342224000000881F CC342224000000882F CC342224000000883F CC342224000000884F CC342224000000885F	Instrument Model	Sound level Meter
Consent Number & Date.	Format 1.0/CAC/UAN No.0000205124/CR/250200073 5 Date.09.02.2025	Instrument Serial .No.	2016083396 2016082898 2016082897 2016083413 2016083417 2016083420 2016083428 2016083477 2016083494 2016083497

Chemical Testing; Group: Atmospheric Pollution								
Sr No	Location	Day Time (6AM-10PM) dB (A)			Night Time (10PM -6AM) dB (A)			Method
		Leq	Lmin	Lmax	Leq	Lmin	Lmax	
1	Runway 27 End	67.4	66.4	68.4	63.4	62.7	64.1	CPCB Protocol for Ambient Level Noise Monitoring, July:2015
2	STP Terminal- 1	59.4	58.1	60.7	47.0	45.9	48.2	
3	CCR-2	65.4	64.2	66.6	61.5	60.1	62.9	
4	Apron Control	66.55	65.8	67.3	61.1	60.5	61.7	
5	6 No Gate (Sahar)	68.25	67.5	69.0	63.5	62.8	64.2	
6	J 8	59.75	58.7	60.8	51.4	50.1	52.7	
7	Runway 14 End	65.15	64.2	66.1	60.75	59.7	61.8	
8	Project Office (Sahar)	67.55	66.9	68.2	63.2	62.1	64.3	
9	Cargo 4D	66.15	64.8	67.5	58.4	56.2	60.6	
10	OWC Kurla	63.15	62.1	64.2	58.75	56.7	60.8	






Limit			
As Per the Environment (Protection) Rules, 1986, Schedule -I			
Serial Number	Industry	Limits in dB (A) weighted scale	
		Day (6 a.m. to 10 p.m.)	Night (10 p.m. to 6 a.m.)
112	Airport (Busy Airport)	70	65

*Ninad Soundankar*

Ninad Soundankar  
Technical Manager (Chemical)  
Reviewed & Authorised by



-----End of Report-----

**Note:**

1. The result listed refers only to the tested sample(s) and applicable parameter(s).
2. This report is not to be reproduced except in full, without written approval of the laboratory.
3. In case sampling is not done by laboratory, the results apply to the sample as received.
4. There are no additions to, deviation or exclusions from the method.






### NOISE LEVEL MEASUREMENT REPORT

Sample ID: N/02/26/5671	Report No.: N/02/26/5671	Report Date	03/03/2026
Name and Address of Customer	<b>Mumbai International Airport Ltd.</b> Chhatrapati Shivaji Maharaj International Airport, 1st Floor, Terminal 1B, Santacruz (E), Mumbai-400099 Maharashtra		
Monitoring Done By	Laboratory	Sample Description/Type	Ambient Noise
Order Reference	Work Order No. 5700370004 Date-19.04.2025	Date of Monitoring	25/02/2026 to 26/02/2026
Calibration Certificate	CC342224000000878 CC342224000000877F CC342224000000876F CC342224000000879F CC342224000000880F CC342224000000881F CC342224000000882F CC342224000000883F CC342224000000884F CC342224000000885F	Instrument Model	Sound level Meter
Consent Number & Date.	Format 1.0/CAC/UAN No.0000205124/CR/250200073 5 Date.09.02.2025	Instrument Serial .No.	2016083396 2016082898 2016082897 2016083413 2016083417 2016083420 2016083428 2016083477 2016083494 2016083497

#### Chemical Testing; Group: Atmospheric Pollution


Sr No	Location	Day Time (6AM-10PM) dB (A)			Night Time (10PM -6AM) dB (A)			Method
		Leq	Lmin	Lmax	Leq	Lmin	Lmax	
1	Runway 27 End	67.7	66.3	69.1	61.2	60.2	62.2	CPCB Protocol for Ambient Level Noise Monitoring. July-2015
2	STP Terminal- 1	64.3	62.3	66.3	57.1	56.1	58.2	
3	CCR-2	67.1	66.0	68.3	60.2	58.2	62.2	
4	Apron Control	63.2	61.2	65.3	55.2	54.1	56.3	
5	6 No Gate (Sahar)	65.3	65.1	65.5	55.2	54.4	56.1	
6	J 8	49.8	48.5	51.2	46.2	45.2	47.2	
7	Runway 14 End	66.9	64.8	69.1	64.2	63.2	65.2	
8	Project Office (Sahar)	66.2	65.2	67.2	60.3	58.4	62.2	
9	Cargo 4D	69.2	67.3	71.2	60.3	66.2	68.2	
10	OWC Kurla	68.2	67.2	69.2	64.55	62.3	66.8	



Limit			
As Per the Environment (Protection) Rules, 1986, Schedule -I			
Serial Number	Industry	Limits in dB (A) weighted scale	
		Day (6 a.m. to 10 p.m.)	Night (10 p.m. to 6 a.m.)
112	Airport (Busy Airport)	70	65

*N. Soundankar*

Ninad Soundankar  
Technical Manager (Chemical)  
Reviewed & Authorised by




-----End of Report-----

**Note:**

1. The result listed refers only to the tested sample(s) and applicable parameter(s).
2. This report is not to be reproduced except in full, without written approval of the laboratory.
3. In case sampling is not done by laboratory, the results apply to the sample as received.
4. There are no additions to, deviation or exclusions from the method.








## NOISE LEVEL MEASUREMENT REPORT

Sample ID: N/03/26/5546	Report No.: N/03/26/5546	Report Date	28/03/2026
Name and Address of Customer	<b>Mumbai International Airport Ltd.</b> Chhatrapati Shivaji Maharaj International Airport, 1st Floor, Terminal 1B, Santacruz (E), Mumbai-400099 Maharashtra		
Monitoring Done By	Laboratory	Sample Description/Type	Ambient Noise
Order Reference	Work Order No. 5700370004 Date-19.04.2025	Date of Monitoring	24/03/2026 to 25/03/2026
Calibration Certificate	CC342224000000878 CC342224000000877F CC342224000000876F CC342224000000879F CC342224000000880F CC342224000000881F CC342224000000882F CC342224000000883F CC342224000000884F CC342224000000885F	Instrument Model	Sound level Meter
Consent Number & Date.	Format 1.0/CAC/UAN No.0000205124/CR/250200073 5 Date.09.02.2025	Instrument Serial .No.	2016083396 2016082898 2016082897 2016083413 2016083417 2016083420 2016083428 2016083477 2016083494 2016083497

Chemical Testing; Group: Atmospheric Pollution								
Sr No	Location	Day Time (6AM-10PM) dB (A)			Night Time (10PM -6AM) dB (A)			Method
		Leq	Lmin	Lmax	Leq	Lmin	Lmax	
1	Runway 27 End	67.2	66.0	68.4	61.85	60.5	63.2	CPCB Protocol for Ambient Level Noise Monitoring, July:2015
2	STP Terminal- 1	63.4	62.5	64.3	57.75	56.7	58.8	
3	CCR-2	68.2	67.3	69.1	63.1	62.2	64.0	
4	Apron Control	65.65	64.7	66.6	61.4	60.0	62.8	
5	6 No Gate (Sahar)	66.25	65.2	67.3	63.4	62.8	64.0	
6	J 8	54.45	53.4	55.5	50.5	49.2	51.8	
7	Runway 14 End	63.4	62.5	64.3	59.55	58.3	60.8	
8	Project Office (Sahar)	61.45	60.1	62.8	55.1	54.0	56.2	
9	Cargo 4D	66.5	65.2	67.8	61.1	59.7	62.5	
10	OWC Kurla	63.55	62.8	64.3	59.45	58.7	60.2	






Limit			
As Per the Environment (Protection) Rules, 1986, Schedule -I			
Serial Number	Industry	Limits in dB (A) weighted scale	
		Day (6 a.m. to 10 p.m.)	Night (10 p.m. to 6 a.m.)
112	Airport (Busy Airport)	70	65

*Ninad Soundankar*

Ninad Soundankar  
Technical Manager (Chemical)  
Reviewed & Authorised by



-----End of Report-----

**Note:**

1. The result listed refers only to the tested sample(s) and applicable parameter(s).
2. This report is not to be reproduced except in full, without written approval of the laboratory.
3. In case sampling is not done by laboratory, the results apply to the sample as received.
4. There are no additions to, deviation or exclusions from the method.





**TEST REPORT**

Sample ID : E/10/25/5128		Report No. E/10/25/5128		Report Date		05/11/2025	
Name and address of Customer		<b>Mumbai International Airport Ltd.</b> Chhatrapati Shivaji Maharaj International Airport, 1st Floor, Terminal 1-B, Santacruz(E), Mumbai-400099, Maharashtra					
Sampling done by		Laboratory		Sample Description / Type		Untreated Sewage Effluent	
Sampling Location		Cargo STP Inlet		Date - Sampling		30/10/2025	
Sample Quantity / Packing		2 L x 1 no. plastic can 1 L x 1 no. glass bottle 250 ml x 1 No. Sterile Bottle		Date - Receipt of Sample		31/10/2025	
Sampling Procedure		APHA, 24th Ed., 2023, 1060 B, 44, & 9060 A, 1094, 9060 B, 1097, ISO 19458:2006		Date - Start of Analysis		31/10/2025	
Order Reference		SO No. 5700370004 dated 19.04.2025		Date - Completion of Analysis		04/11/2025	
<b>Sr.No.</b>	<b>Parameter</b>	<b>Result</b>	<b>Unit</b>	<b>Method</b>			
<b>Chemical Testing; Group: Pollution &amp; Environment</b>							
<b>Physical &amp; Chemical Parameters</b>							
1	pH (at 25°C)	<b>10.1</b>	-	IS 3025 (Part II): 2017			
2	Total Suspended Solids	<b>106</b>	mg/L	IS 3025 (Part I7) Amds.I: 2017			
3	Biochemical Oxygen Demand (3 days, 27°C)	<b>200</b>	mg/L	IS 3025 (Part 44): 1993			
4	Chemical Oxygen Demand	<b>600</b>	mg/L	APHA, 24th Ed., 5220.B.544: 2023			
5	Oil & Grease	<b>BLQ (LOQ:1)</b>	mg/L	APHA, 24th Ed., 5520.B.572: 2023			
6	Ammonical Nitrogen (as NH <sub>3</sub> -N)	<b>4</b>	mg/L	APHA, 24th Ed., 4500- NH <sub>3</sub> . F.429: 2023			
7	Total Nitrogen (as N)	<b>47.3</b>	mg/L	APHA, 24th Ed., 4500.A.415: 2023			
8	Free Residual Chlorine (as Cl <sub>2</sub> )	<b>0.25</b>	mg/L	APHA, 24th Ed., 4500- Cl <sub>2</sub> .357: 2023			
<b>Biological Testing; Group: Environment &amp; Pollution</b>							
<b>Bacteriological Parameters</b>							
9	Faecal Coliforms	<b>130</b>	MPN Index /100 ml	APHA, 24th Ed., 9221-E, 1142: 2023			
BLQ: Below Limit of Quantification, LOQ: Limit of Quantification							
Consent Number & Date: Format 1.0/CAC/UAN No. 0000205124/CR/2502000735 Date 09.02.2025							





TC-5509



Sample ID : E/10/25/5128


Report No. E/10/25/5128

Report Date

05/11/2025

*Sarika Varade*

Sarika Varade  
Section In-charge (Biological)  
Reviewed & Authorised by



End of Report

*Ninad Soundankar*

Ninad Soundankar  
Technical Manager (Chemical)  
Reviewed & Authorised by




**Note:**

1. The result listed refer only to the tested sample(s) and applicable parameter(s).
2. This report is not to be reproduced except in full, without written approval of the laboratory.
3. In case sampling is not done by laboratory, the results apply to the sample as received.
4. There are no additions to, deviations or exclusions from the method.







**TEST REPORT**

Sample ID : E/10/25/5129		Report No. E/10/25/5129		Report Date		05/11/2025	
Name and address of Customer		<b>Mumbai International Airport Ltd.</b> Chhatrapati Shivaji Maharaj International Airport, 1st Floor, Terminal 1-B, Santacruz(E), Mumbai-400099, Maharashtra					
Sampling done by		Laboratory		Sample Description / Type		Treated Sewage Effluent	
Sampling Location		Cargo STP Outlet		Date - Sampling		30/10/2025	
Sample Quantity / Packing		2 L x 1 no. plastic can 1 L x 1 no. glass bottle 250 ml x 1 No. Sterile Bottle		Date - Receipt of Sample		31/10/2025	
Sampling Procedure		APHA, 24th Ed., 2023, 1060 B, 44, & 9060 A, 1094, 9060 B, 1097, ISO 19458:2006		Date - Start of Analysis		31/10/2025	
Order Reference		SO No. 5700370004 dated 19.04.2025		Date - Completion of Analysis		04/11/2025	
Sr.No.	Parameter	Result	Limits as per MPCB Consent	Unit	Method		
<b>Chemical Testing; Group: Pollution &amp; Environment</b>							
<b>Physical &amp; Chemical Parameters</b>							
1	pH (at 25°C)	7.4	5.5 to 9.0	-	IS 3025 (Part II): 2017		
2	Total Suspended Solids	12	Not to exceed 20	mg/L	IS 3025 (Part I7) Amds.I: 2017		
3	Biochemical Oxygen Demand (3 days, 27°C)	3	Not to exceed 10	mg/L	IS 3025 (Part 44): 1993		
4	Chemical Oxygen Demand	18	Not to exceed 50	mg/L	APHA, 24th Ed., 5220.B.544: 2023		
5	Oil & Grease	BLQ (LOQ:1)	Not specified	mg/L	APHA, 24th Ed., 5520.B.572: 2023		
6	Ammonical Nitrogen (as NH <sub>3</sub> -N)	2.2	Not to exceed 5	mg/L	APHA, 24th Ed., 4500- NH <sub>3</sub> . F.429: 2023		
7	Total Nitrogen (as N)	3.8	Not to exceed 10	mg/L	APHA, 24th Ed., 4500.A.415: 2023		
8	Free Residual Chlorine (as Cl <sub>2</sub> )	0.23	Not specified	mg/L	APHA, 24th Ed., 4500- Cl <sub>2</sub> .357: 2023		
<b>Biological Testing; Group: Environment &amp; Pollution</b>							
<b>Bacteriological Parameters</b>							
9	Faecal Coliforms	40	Less than 100	MPN Index /100 ml	APHA, 24th Ed., 9221-E, 1142: 2023		
BLQ: Below Limit of Quantification, LOQ: Limit of Quantification Consent Number & Date: Format 1.0/CAC/UAN No. 0000205124/CR/2502000735 Date 09.02.2025							









Sample ID : E/10/25/5129


Report No. E/10/25/5129

Report Date

05/11/2025

*Sarika Varade*

Sarika Varade  
Section In-charge (Biological)  
Reviewed & Authorised by



*Ninad Soundankar*

Ninad Soundankar  
Technical Manager (Chemical)  
Reviewed & Authorised by



End of Report

**Note:**

1. The result listed refer only to the tested sample(s) and applicable parameter(s).
2. This report is not to be reproduced except in full, without written approval of the laboratory.
3. In case sampling is not done by laboratory, the results apply to the sample as received.
4. There are no additions to, deviations or exclusions from the method.





**TEST REPORT**

Sample ID : E/10/25/5130		Report No. E/10/25/5130		Report Date		05/11/2025	
Name and address of Customer		<b>Mumbai International Airport Ltd.</b> Chhatrapati Shivaji Maharaj International Airport, 1st Floor, Terminal 1-B, Santacruz(E), Mumbai-400099, Maharashtra					
Sampling done by		Laboratory		Sample Description / Type		Untreated Sewage Effluent	
Sampling Location		Terminal 1 STP Inlet		Date - Sampling		30/10/2025	
Sample Quantity / Packing		2 L x 1 no. plastic can 1 L x 1 no. glass bottle 250 ml x 1 No. Sterile Bottle		Date - Receipt of Sample		31/10/2025	
Sampling Procedure		APHA, 24th Ed., 2023, 1060 B, 44, & 9060 A, 1094, 9060 B, 1097, ISO 19458:2006		Date - Start of Analysis		31/10/2025	
Order Reference		SO No. 5700370004 dated 19.04.2025		Date - Completion of Analysis		04/11/2025	
<b>Sr.No.</b>	<b>Parameter</b>	<b>Result</b>	<b>Unit</b>	<b>Method</b>			
<b>Chemical Testing; Group: Pollution &amp; Environment</b>							
<b>Physical &amp; Chemical Parameters</b>							
1	pH (at 25°C)	9.4	-	IS 3025 (Part II): 2017			
2	Total Suspended Solids	80	mg/L	IS 3025 (Part I7) Amds.I: 2017			
3	Biochemical Oxygen Demand (3 days, 27°C)	101	mg/L	IS 3025 (Part 44): 1993			
4	Chemical Oxygen Demand	320	mg/L	APHA, 24th Ed. 5220.B.544: 2023			
5	Oil & Grease	BLQ (LOQ:1)	mg/L	APHA, 24th Ed. 5520.B.572: 2023			
6	Ammonical Nitrogen (as NH <sub>3</sub> -N)	28	mg/L	APHA, 24th Ed. 4500- NH <sub>3</sub> . F.429: 2023			
7	Total Nitrogen (as N)	31.4	mg/L	APHA, 24th Ed. 4500.A.415: 2023			
8	Free Residual Chlorine (as Cl <sub>2</sub> )	0.27	mg/L	APHA, 24th Ed. 4500- Cl <sub>2</sub> .357 : 2023			
<b>Biological Testing; Group: Environment &amp; Pollution</b>							
<b>Bacteriological Parameters</b>							
9	Faecal Coliforms	110	MPN Index /100 ml	APHA, 24th Ed., 9221-E, II42: 2023			

BLQ: Below Limit of Quantification, LOQ: Limit of Quantification  
Consent Number & Date: Format 1.0/CAC/UAN No. 0000205124/CR/2502000735 Date 09.02.2025





Sample ID : E/10/25/5130

Report No. E/10/25/5130

Report Date

05/11/2025

*S. Varade*

Sarika Varade  
Section In-charge (Biological)  
Reviewed & Authorised by



End of Report

*N. Soundankar*

Ninad Soundankar  
Technical Manager (Chemical)  
Reviewed & Authorised by



**Note:**

1. The result listed refer only to the tested sample(s) and applicable parameter(s).
2. This report is not to be reproduced except in full, without written approval of the laboratory.
3. In case sampling is not done by laboratory, the results apply to the sample as received.
4. There are no additions to, deviations or exclusions from the method.







**TEST REPORT**

Sample ID : E/10/25/5131		Report No. E/10/25/5131		Report Date		05/11/2025	
Name and address of Customer		<b>Mumbai International Airport Ltd.</b> Chhatrapati Shivaji Maharaj International Airport, 1st Floor, Terminal 1-B, Santacruz(E), Mumbai-400099, Maharashtra					
Sampling done by		Laboratory		Sample Description / Type		Treated Sewage Effluent	
Sampling Location		Terminal 1 STP RO Outlet		Date - Sampling		30/10/2025	
Sample Quantity / Packing		2 L x 1 no. plastic can 1 L x 1 no. glass bottle 250 ml x 1 No. Sterile Bottle		Date - Receipt of Sample		31/10/2025	
Sampling Procedure		APHA,24th Ed.,2023, 1060 B, 44, & 9060 A, 1094, 9060 B, 1097, ISO 19458:2006		Date - Start of Analysis		31/10/2025	
Order Reference		SO No. 5700370004 dated 19.04.2025		Date - Completion of Analysis		04/11/2025	
<b>Sr.No.</b>	<b>Parameter</b>	<b>Result</b>	<b>Limits as per MPCB Consent</b>	<b>Unit</b>	<b>Method</b>		
<b>Chemical Testing; Group: Pollution &amp; Environment</b>							
<b>Physical &amp; Chemical Parameters</b>							
1	pH (at 25°C)	<b>7.7</b>	5.5 to 9.0	-	IS 3025 (Part II): 2017		
2	Total Suspended Solids	<b>14</b>	Not to exceed 20	mg/L	IS 3025 (Part I7) Amds.I: 2017		
3	Biochemical Oxygen Demand (3 days, 27°C)	<b>4</b>	Not to exceed 10	mg/L	IS 3025 (Part 44): 1993		
4	Chemical Oxygen Demand	<b>22</b>	Not to exceed 50	mg/L	APHA,24th Ed.,5220.B.544: 2023		
5	Oil & Grease	<b>BLQ (LOQ:1)</b>	Not specified	mg/L	APHA,24th Ed.,5520.B.572: 2023		
6	Ammonical Nitrogen (as NH <sub>3</sub> -N)	<b>1.8</b>	Not to exceed 5	mg/L	APHA,24th Ed.,4500- NH3. F.429: 2023		
7	Total Nitrogen (as N)	<b>3</b>	Not to exceed 10	mg/L	APHA,24th Ed.,4500.A.415: 2023		
8	Free Residual Chlorine (as Cl <sub>2</sub> )	<b>0.22</b>	Not specified	mg/L	APHA,24th Ed.,4500- Cl <sub>2</sub> .357 : 2023		
<b>Biological Testing; Group: Environment &amp; Pollution</b>							
<b>Bacteriological Parameters</b>							
9	Faecal Coliforms	<b>33</b>	Less than 100	MPN Index /100 ml	APHA, 24th Ed., 9221-E, 1142: 2023		
BLQ: Below Limit of Quantification, LOQ: Limit of Quantification							
Consent Number & Date: Format 1.0/CAC/UAN No. 0000205124/CR/2502000735 Date 09.02.2025							






Sample ID : E/10/25/5131

Report No. E/10/25/5131

Report Date

05/11/2025

Sarika Varade  
Section In-charge (Biological)  
Reviewed & Authorised by



End of Report

Ninad Soundankar  
Technical Manager (Chemical)  
Reviewed & Authorised by



**Note:**

1. The result listed refer only to the tested sample(s) and applicable parameter(s).
2. This report is not to be reproduced except in full, without written approval of the laboratory.
3. In case sampling is not done by laboratory, the results apply to the sample as received.
4. There are no additions to, deviations or exclusions from the method.








### TEST REPORT

Sample ID : E/10/25/5132		Report No. E/10/25/5132		Report Date		05/11/2025	
Name and address of Customer		<b>Mumbai International Airport Ltd.</b> Chhatrapati Shivaji Maharaj International Airport, 1st Floor, Terminal 1-B, Santacruz(E), Mumbai-400099, Maharashtra					
Sampling done by		Laboratory		Sample Description / Type		Untreated Sewage Effluent	
Sampling Location		Terminal 2 STP Inlet		Date - Sampling		30/10/2025	
Sample Quantity / Packing		2 L x 1 no. plastic can 1 L x 1 no. glass bottle 250 ml x 1 No. Sterile Bottle		Date - Receipt of Sample		31/10/2025	
Sampling Procedure		APHA, 24th Ed., 2023, 1060 B, 44, & 9060 A, 1094, 9060 B, 1097, ISO 19458:2006		Date - Start of Analysis		31/10/2025	
Order Reference		SO No. 5700370004 dated 19.04.2025		Date - Completion of Analysis		04/11/2025	
Sr.No.	Parameter		Result	Unit	Method		
<b>Chemical Testing; Group: Pollution &amp; Environment</b>							
<b>Physical &amp; Chemical Parameters</b>							
1	pH (at 25°C)		6.83	-	IS 3025 (Part II): 2017		
2	Total Suspended Solids		136	mg/L	IS 3025 (Part 17) Amds.I: 2017		
3	Biochemical Oxygen Demand (3 days, 27°C)		260	mg/L	IS 3025 (Part 44): 1993		
4	Chemical Oxygen Demand		740	mg/L	APHA, 24th Ed., 5220.B.544: 2023		
5	Oil & Grease		BLQ (LOQ:1)	mg/L	APHA, 24th Ed., 5520.B.572: 2023		
6	Ammonical Nitrogen (as NH <sub>3</sub> -N)		45.9	mg/L	APHA, 24th Ed., 4500- NH <sub>3</sub> . F.429: 2023		
7	Total Nitrogen (as N)		68.6	mg/L	APHA, 24th Ed., 4500.A.415: 2023		
8	Free Residual Chlorine (as Cl <sub>2</sub> )		0.25	mg/L	APHA, 24th Ed., 4500- Cl <sub>2</sub> .357: 2023		
<b>Biological Testing; Group: Environment &amp; Pollution</b>							
<b>Bacteriological Parameters</b>							
9	Faecal Coliforms		170	MPN Index /100 ml	APHA, 24th Ed., 9221-E, 1142: 2023		
BLQ: Below Limit of Quantification, LOQ: Limit of Quantification							
Consent Number & Date: Format 1.0/CAC/UAN No. 0000205124/CR/2502000735 Date 09.02.2025							








Sample ID : E/10/25/5132

Report No. E/10/25/5132

Report Date

05/11/2025

Sarika Varade  
Section In-charge (Biological)  
Reviewed & Authorised by



End of Report

Ninad Soundankar  
Technical Manager (Chemical)  
Reviewed & Authorised by



**Note:**

1. The result listed refer only to the tested sample(s) and applicable parameter(s).
2. This report is not to be reproduced except in full, without written approval of the laboratory.
3. In case sampling is not done by laboratory, the results apply to the sample as received.
4. There are no additions to, deviations or exclusions from the method.





**TEST REPORT**

Sample ID : E/10/25/5133		Report No. E/10/25/5133		Report Date		05/11/2025	
Name and address of Customer		<b>Mumbai International Airport Ltd.</b> Chhatrapati Shivaji Maharaj International Airport, 1st Floor, Terminal 1-B, Santacruz(E), Mumbai-400099, Maharashtra					
Sampling done by		Laboratory		Sample Description / Type		Treated Sewage Effluent	
Sampling Location		Terminal 2 STP RO Outlet		Date - Sampling		30/10/2025	
Sample Quantity / Packing		2 L x 1 no. plastic can 1 L x 1 no. glass bottle 250 ml x 1 No. Sterile Bottle		Date - Receipt of Sample		31/10/2025	
Sampling Procedure		APHA,24th Ed.,2023, 1060 B, 44, & 9060 A, 1094, 9060 B, 1097, ISO 19458:2006		Date - Start of Analysis		31/10/2025	
Order Reference		SO No. 5700370004 dated 19.04.2025		Date - Completion of Analysis		04/11/2025	
<b>Sr.No.</b>	<b>Parameter</b>	<b>Result</b>	<b>Limits as per MPCB Consent</b>	<b>Unit</b>	<b>Method</b>		
<b>Chemical Testing; Group: Pollution &amp; Environment</b>							
<b>Physical &amp; Chemical Parameters</b>							
1	pH (at 25°C)	7.8	5.5 to 9.0	-	IS 3025 (Part II): 2017		
2	Total Suspended Solids	17	Not to exceed 20	mg/L	IS 3025 (Part I) Amds.I: 2017		
3	Biochemical Oxygen Demand (3 days, 27°C)	6	Not to exceed 10	mg/L	IS 3025 (Part 44): 1993		
4	Chemical Oxygen Demand	24	Not to exceed 50	mg/L	APHA,24th Ed.,5220.B.544: 2023		
5	Oil & Grease	BLQ (LOQ:1)	Not specified	mg/L	APHA,24th Ed.,5520.B.572: 2023		
6	Ammonical Nitrogen (as NH <sub>3</sub> -N)	3.5	Not to exceed 5	mg/L	APHA,24th Ed.,4500- NH <sub>3</sub> , F.429: 2023		
7	Total Nitrogen (as N)	5.6	Not to exceed 10	mg/L	APHA,24th Ed.,4500.A.415: 2023		
8	Free Residual Chlorine (as Cl <sub>2</sub> )	0.21	Not specified	mg/L	APHA,24th Ed.,4500- Cl <sub>2</sub> ,357: 2023		
<b>Biological Testing; Group: Environment &amp; Pollution</b>							
<b>Bacteriological Parameters</b>							
9	Faecal Coliforms	49	Less than 100	MPN Index /100 ml	APHA, 24th Ed., 9221-E, 1142: 2023		
BLQ: Below Limit of Quantification, LOQ: Limit of Quantification Consent Number & Date: Format 1.0/CAC/UAN No. 0000205124/CR/2502000735 Date 09.02.2025							





# Ashwamedh Engineers & Consultants Laboratory Services Division



TC-5509



**Ashwamedh Engineers & Consultants**  
Survey No.102, Plot No.26, Wadala Pathardi Road,  
Indira Nagar, Nashik-422009, Maharashtra, India  
(Near Guru Gobind Singh School, Near Pandav Nagari,  
Turn at Sai Mandir Chowk / Samrat Sweet Turning)  
**sales@ashwamedh.net +91-253-2392225**


Sample ID : E/10/25/5133

Report No. E/10/25/5133

Report Date

05/11/2025

Sarika Varade  
Section In-charge (Biological)  
Reviewed & Authorised by



End of Report

Ninad Soundankar  
Technical Manager (Chemical)  
Reviewed & Authorised by



#### Note:

1. The result listed refer only to the tested sample(s) and applicable parameter(s).
2. This report is not to be reproduced except in full, without written approval of the laboratory.
3. In case sampling is not done by laboratory, the results apply to the sample as received.
4. There are no additions to, deviations or exclusions from the method.







### TEST REPORT

Sample ID : E/11/25/5127		Report No. E/11/25/5127		Report Date		04/12/2025	
Name and address of Customer		Mumbai International Airport Ltd. Chhatrapati Shivaji Maharaj International Airport, 1st Floor, Terminal 1-B, Santacruz(E), Mumbai-400099, Maharashtra					
Sampling done by		Laboratory		Sample Description / Type		Untreated Sewage Effluent	
Sampling Location		Terminal 1 STP Inlet		Date - Sampling		28/11/2025	
Sample Quantity / Packing		2 L x 1 no. plastic can 1 L x 1 no. glass bottle 250 ml x 1 No. Sterile Bottle		Date - Receipt of Sample		29/11/2025	
Sampling Procedure		APHA, 24th Ed., 2023, 1060 B, 44, & 9060 A, 1094, 9060 B, 1097, ISO 19458:2006		Date - Start of Analysis		29/11/2025	
Order Reference		SO No. 5700370004 dated 19.04.2025		Date - Completion of Analysis		03/12/2025	
Sr.No.	Parameter		Result		Unit	Method	
Chemical Testing; Group: Pollution & Environment							
Physical & Chemical Parameters							
1	pH (at 25°C)		8.9		-	IS 3025 (Part II): 2017	
2	Total Suspended Solids		91		mg/L	IS 3025 (Part II) Annex: 2017	
3	Biochemical Oxygen Demand (3 days, 27°C)		119		mg/L	IS 3025 (Part 44): 1983	
4	Chemical Oxygen Demand		340		mg/L	APHA, 24th Ed. 5220.B.544: 2023	
5	Oil & Grease		BLQ (LOQ:1)		mg/L	APHA, 24th Ed. 5520.B.572: 2023	
6	Ammonical Nitrogen (as NH <sub>3</sub> -N)		22.4		mg/L	APHA, 24th Ed. 4500-NH <sub>3</sub> : F.429: 2023	
7	Total Nitrogen (as N)		26.5		mg/L	APHA, 24th Ed. 4500.N.465: 2023	
8	Free Residual Chlorine (as Cl <sub>2</sub> )		0.29		mg/L	APHA, 24th Ed. 4500-Cl <sub>2</sub> : 2023	
Biological Testing; Group: Environment & Pollution							
Bacteriological Parameters							
9	Faecal Coliforms		79		MPN Index /100 ml	APHA, 24th Ed. 9223-E.1042: 2023	
BLQ: Below Limit of Quantification, LOQ: Limit of Quantification							
Consent Number & Date: Format 1.0/CAC/UAN No. 0000205124/CR/2502000735 Date 09.02.2025							





Sample ID : E/11/25/5127

Report No. E/11/25/5127

Report Date

04/12/2025

Sarika Varade  
Section In-charge (Biological)  
Reviewed & Authorised by



End of Report

Ninad Soundankar  
Technical Manager (Chemical)  
Reviewed & Authorised by



**Note:**

1. The result listed refer only to the tested sample(s) and applicable parameter(s).
2. This report is not to be reproduced except in full, without written approval of the laboratory.
3. In case sampling is not done by laboratory, the results apply to the sample as received.
4. There are no additions to, deviations or exclusions from the method.





**TEST REPORT**

Sample ID : E/11/25/5128		Report No. E/11/25/5128		Report Date		04/12/2025	
Name and address of Customer		Mumbai International Airport Ltd. Chhatrapati Shivaji Maharaj International Airport, 1st Floor, Terminal 1-B, Santacruz(E), Mumbai-400099, Maharashtra					
Sampling done by		Laboratory		Sample Description / Type		Treated Sewage Effluent	
Sampling Location		Terminal 1 STP RO Outlet		Date - Sampling		28/11/2025	
Sample Quantity / Packing		2 L x 1 no. plastic can 1 L x 1 no. glass bottle 250 ml x 1 No. Sterile Bottle		Date - Receipt of Sample		29/11/2025	
Sampling Procedure		APHA,24th Ed.,2023, 1060 B, 44, & 9060 A, 1094, 9060 B, 1097, ISO 19458:2006		Date - Start of Analysis		29/11/2025	
Order Reference		SO No. 5700370004 dated 19.04.2025		Date - Completion of Analysis		03/12/2025	
Sr.No.	Parameter	Result	Limits as per MPCB Consent	Unit	Method		
Chemical Testing; Group: Pollution & Environment							
Physical & Chemical Parameters							
1	pH (at 25°C)	7.4	5.5 to 9.0	-	IS 3025 (Part 10): 2017		
2	Total Suspended Solids	12	Not to exceed 20	mg/L	IS 3025 (Part 07) Amd.1 2017		
3	Biochemical Oxygen Demand (3 days, 27°C)	3	Not to exceed 10	mg/L	IS 3025 (Part 44): 1993		
4	Chemical Oxygen Demand	10	Not to exceed 50	mg/L	APHA,24th Ed.5220.8.544: 2023		
5	Oil & Grease	BLQ (LOQ:1)	Not specified	mg/L	APHA,24th Ed.5520.8.572: 2023		
6	Ammonical Nitrogen (as NH <sub>3</sub> -N)	1.2	Not to exceed 5	mg/L	APHA,24th Ed.4500- NH <sub>3</sub> : 7.479 2023		
7	Total Nitrogen (as N)	3.2	Not to exceed 10	mg/L	APHA,24th Ed.4500-A.45: 2023		
8	Free Residual Chlorine (as Cl <sub>2</sub> )	0.27	Not specified	mg/L	APHA,24th Ed.4500- Cl <sub>2</sub> :357 / 2023		
Biological Testing; Group: Environment & Pollution							
Bacteriological Parameters							
9	Faecal Coliforms	23	Less than 100	MPN Index /100 ml	APHA, 24th Ed. 9221-E, 1142: 2023		
BLQ: Below Limit of Quantification, LOQ: Limit of Quantification Consent Number & Date: Format 1.0/CAC/UAN No. 0000205124/CR/2502000735 Date 09.02.2025							







Sample ID : E/11/25/5128

Report No. E/11/25/5128

Report Date

04/12/2025

*Sarika Varade*

Sarika Varade  
Section In-charge (Biological)  
Reviewed & Authorised by



End of Report

*Ninad Soundankar*

Ninad Soundankar  
Technical Manager (Chemical)  
Reviewed & Authorised by



**Note:**

1. The result listed refer only to the tested sample(s) and applicable parameter(s).
2. This report is not to be reproduced except in full, without written approval of the laboratory.
3. In case sampling is not done by laboratory, the results apply to the sample as received.
4. There are no additions to, deviations or exclusions from the method.





**TEST REPORT**

Sample ID: E/11/25/5129		Report No. E/11/25/5129		Report Date: 04/12/2025	
Name and address of Customer		<b>Mumbai International Airport Ltd.</b> Chhatrapati Shivaji Maharaj International Airport, 1st Floor, Terminal 1-B, Santacruz(E), Mumbai-400099, Maharashtra			
Sampling done by	Laboratory	Sample Description / Type		Untreated Sewage Effluent	
Sampling Location	Terminal 2 STP Inlet	Date - Sampling		28/11/2025	
Sample Quantity / Packing	2 L x 1 no. plastic can 1 L x 1 no. glass bottle 250 ml x 1 No. Sterile Bottle	Date - Receipt of Sample		29/11/2025	
Sampling Procedure	APHA, 24th Ed., 2023, 1060 B, 44, & 9060 A, 1094, 9060 B, 1097, ISO 19458:2006	Date - Start of Analysis		29/11/2025	
Order Reference	SO No. 5700370004 dated 19.04.2025	Date - Completion of Analysis		03/12/2025	

Sr.No.	Parameter	Result	Unit	Method
<b>Chemical Testing; Group: Pollution &amp; Environment</b>				
<b>Physical &amp; Chemical Parameters</b>				
1	pH (at 25°C)	6.6	-	IS 3025 (Part III): 2017
2	Total Suspended Solids	122	mg/L	IS 3025 (Part IV) Amendment: 2017
3	Biochemical Oxygen Demand (3 days, 27°C)	221	mg/L	IS 3025 (Part IV): 1983
4	Chemical Oxygen Demand	680	mg/L	APHA 24th Ed. 5220.B.544: 2023
5	Oil & Grease	BLQ (LOQ:1)	mg/L	APHA 24th Ed. 5520.B.572: 2023
6	Ammonical Nitrogen (as NH <sub>3</sub> -N)	41.4	mg/L	APHA 24th Ed. 4500-NH <sub>3</sub> : F.429: 2023
7	Total Nitrogen (as N)	54.8	mg/L	APHA 24th Ed. 4500-N: 2023
8	Free Residual Chlorine (as Cl <sub>2</sub> )	0.29	mg/L	APHA 24th Ed. 4500-Cl <sub>2</sub> : 2023
<b>Biological Testing; Group: Environment &amp; Pollution</b>				
<b>Bacteriological Parameters</b>				
9	Faecal Coliforms	170	MPN Index /100 ml	APHA 24th Ed. 9223-E: 1942: 2023

BLQ: Below Limit of Quantification, LOQ: Limit of Quantification  
Consent Number & Date: Format 1.0/CAC/UAN No. 0000205124/CR/2502000735 Date 09.02.2025





Sample ID : E/11/25/5129

Report No. E/11/25/5129

Report Date

04/12/2025

Sarika Varade  
Section In-charge (Biological)  
Reviewed & Authorised by



Ninad Soundenkar  
Technical Manager (Chemical)  
Reviewed & Authorised by



End of Report

**Note:**

1. The result listed refer only to the tested sample(s) and applicable parameter(s).
2. This report is not to be reproduced except in full, without written approval of the laboratory.
3. In case sampling is not done by laboratory, the results apply to the sample as received.
4. There are no additions to, deviations or exclusions from the method.







**TEST REPORT**

Sample ID : E/11/25/5130		Report No. E/11/25/5130		Report Date		04/12/2025	
Name and address of Customer		<b>Mumbai International Airport Ltd.</b> Chhatrapati Shivaji Maharaj International Airport, 1st Floor, Terminal 1-B, Santacruz(E), Mumbai-400099, Maharashtra					
Sampling done by		Laboratory		Sample Description / Type		Treated Sewage Effluent	
Sampling Location		Terminal 2 STP RO Outlet		Date - Sampling		28/11/2025	
Sample Quantity / Packing		2 L x 1 no. plastic can 1 L x 1 no. glass bottle 250 ml x 1 No. Sterile Bottle		Date - Receipt of Sample		29/11/2025	
Sampling Procedure		APHA,24th Ed.,2023, 1060 B, 44, & 9060 A, 1094, 9060 B, 1097, ISO 19458:2006		Date - Start of Analysis		29/11/2025	
Order Reference		SO No. 5700370004 dated 19.04.2025		Date - Completion of Analysis		03/12/2025	
Sr.No.	Parameter	Result	Limits as per MPCB Consent	Unit	Method		
<b>Chemical Testing; Group: Pollution &amp; Environment</b>							
<b>Physical &amp; Chemical Parameters</b>							
1	pH (at 25°C)	8	5.5 to 9.0	-	IS 3025 (Part II): 2017		
2	Total Suspended Solids	13	Not to exceed 20	mg/L	IS 3025 (Part II) Amendment: 2017		
3	Biochemical Oxygen Demand (3 days, 27°C)	5	Not to exceed 10	mg/L	IS 3025 (Part II): 1983		
4	Chemical Oxygen Demand	20	Not to exceed 50	mg/L	APHA,24th Ed.,5220 B.544: 2023		
5	Oil & Grease	BLQ (LOQ:1)	Not specified	mg/L	APHA,24th Ed.,5520 B.572: 2023		
6	Ammonical Nitrogen (as NH <sub>3</sub> -N)	2.8	Not to exceed 5	mg/L	APHA,24th Ed.,4500- NH <sub>3</sub> : F.429: 2023		
7	Total Nitrogen (as N)	4.8	Not to exceed 10	mg/L	APHA,24th Ed.,4500-A.415: 2023		
8	Free Residual Chlorine (as Cl <sub>2</sub> )	0.22	Not specified	mg/L	APHA,24th Ed.,4500- Cl <sub>2</sub> :357: 2023		
<b>Biological Testing; Group: Environment &amp; Pollution</b>							
<b>Bacteriological Parameters</b>							
9	Faecal Coliforms	40	Less than 100	MPN Index /100 ml	APHA, 24th Ed., 9221-E.1042: 2023		
BLQ: Below Limit of Quantification, LOQ: Limit of Quantification Consent Number & Date: Format 1.0/CAC/UAN No. 0000205124/CR/2502000735 Date 09.02.2025							





TC-5509



Sample ID : E/11/25/5130

Report No. E/11/25/5130

Report Date

04/12/2025

*Sarika Varade*

Sarika Varade  
Section In-charge (Biological)  
Reviewed & Authorised by



End of Report

*Ninad Soundankar*

Ninad Soundankar  
Technical Manager (Chemical)  
Reviewed & Authorised by



**Note:**

1. The result listed refer only to the tested sample(s) and applicable parameter(s).
2. This report is not to be reproduced except in full, without written approval of the laboratory.
3. In case sampling is not done by laboratory, the results apply to the sample as received.
4. There are no additions to, deviations or exclusions from the method.





**TEST REPORT**

Sample ID : E/11/25/5131		Report No. E/11/25/5131	Report Date	04/12/2025
Name and address of Customer		Mumbai International Airport Ltd. Chhatrapati Shivaji Maharaj International Airport, 1st Floor, Terminal 1-B, Santacruz(E), Mumbai-400099, Maharashtra		
Sampling done by	Laboratory	Sample Description / Type	Untreated Sewage Effluent	
Sampling Location	Cargo STP Inlet	Date - Sampling	28/11/2025	
Sample Quantity / Packing	2 L x 1 no. plastic can 1 L x 1 no. glass bottle 250 ml x 1 No. Sterile Bottle	Date - Receipt of Sample	29/11/2025	
Sampling Procedure	APHA,24th Ed.,2023, 1060 B, 44, & 9060 A, 1094, 9060 B, 1097, ISO 19458:2006	Date - Start of Analysis	29/11/2025	
Order Reference	SO No. 5700370004 dated 19.04.2025	Date - Completion of Analysis	03/12/2025	
Sr.No.	Parameter	Result	Unit	Method
Chemical Testing; Group: Pollution & Environment				
Physical & Chemical Parameters				
1	pH (at 25°C)	9.7	-	IS 3025 (Part 0): 2007
2	Total Suspended Solids	110	mg/L	IS 3025 (Part 07) Amendment: 2017
3	Biochemical Oxygen Demand (3 days, 27°C)	206	mg/L	IS 3025 (Part 44): 1993
4	Chemical Oxygen Demand	600	mg/L	APHA,24th Ed.5220.B.544: 2023
5	Oil & Grease	BLQ (LOQ:1)	mg/L	APHA,24th Ed.5520.B.572: 2023
6	Ammonical Nitrogen (as NH <sub>3</sub> -N)	35.8	mg/L	APHA,24th Ed.4500- NH <sub>3</sub> : F.429: 2023
7	Total Nitrogen (as N)	42.2	mg/L	APHA,24th Ed.4500.A.415: 2023
8	Free Residual Chlorine (as Cl <sub>2</sub> )	0.23	mg/L	APHA,24th Ed.4500- Cl <sub>2</sub> :357 : 2023
Biological Testing; Group: Environment & Pollution				
Bacteriological Parameters				
9	Faecal Coliforms	140	MPN Index /100 ml	APHA, 24th Ed. 9221-E: 842: 2023
BLQ: Below Limit of Quantification, LOQ: Limit of Quantification				
Consent Number & Date: Format 1.0/CAC/UAN No. 0000205124/CR/2502000735 Date 09.02.2025				







Sample ID : E/11/25/5131

Report No. E/11/25/5131

Report Date

04/12/2025

*Sarika Varade*

Sarika Varade  
Section In-charge (Biological)  
Reviewed & Authorised by



End of Report

*Ninad Soundankar*

Ninad Soundankar  
Technical Manager (Chemical)  
Reviewed & Authorised by



**Note:**

1. The result listed refer only to the tested sample(s) and applicable parameter(s).
2. This report is not to be reproduced except in full, without written approval of the laboratory.
3. In case sampling is not done by laboratory, the results apply to the sample as received.
4. There are no additions to, deviations or exclusions from the method.





**TEST REPORT**

Sample ID : E/11/25/5132		Report No. E/11/25/5132		Report Date		04/12/2025	
Name and address of Customer		<b>Mumbai International Airport Ltd.</b> Chhatrapati Shivaji Maharaj International Airport, 1st Floor, Terminal 1-B, Santacruz(E), Mumbai-400099, Maharashtra					
Sampling done by		Laboratory		Sample Description / Type		Treated Sewage Effluent	
Sampling Location		Cargo STP Outlet		Date - Sampling		28/11/2025	
Sample Quantity / Packing		2 L x 1 no. plastic can 1 L x 1 no. glass bottle 250 ml x 1 No. Sterile Bottle		Date - Receipt of Sample		29/11/2025	
Sampling Procedure		APHA,24th Ed.,2023, 1060 B, 44, & 9060 A, 1094, 9060 B, 1097, ISO 19458:2006		Date - Start of Analysis		29/11/2025	
Order Reference		SO No. 5700370004 dated 19.04.2025		Date - Completion of Analysis		03/12/2025	
Sr.No.	Parameter		Result	Limits as per MPCB Consent	Unit	Method	
<b>Chemical Testing; Group: Pollution &amp; Environment</b>							
<b>Physical &amp; Chemical Parameters</b>							
1	pH (at 25°C)		7.6	5.5 to 9.0	-	IS 3025 (Part 10): 2017	
2	Total Suspended Solids		14	Not to exceed 20	mg/L	IS 3025 (Part 17) Amcic.: 2017	
3	Biochemical Oxygen Demand (3 days, 27°C)		4	Not to exceed 10	mg/L	IS 3025 (Part 44): 1993	
4	Chemical Oxygen Demand		10	Not to exceed 50	mg/L	APHA,24th Ed. 5220.B.544: 2023	
5	Oil & Grease		BLQ (LOQ:1)	Not specified	mg/L	APHA,24th Ed. 5520.B.572: 2023	
6	Ammonical Nitrogen (as NH <sub>3</sub> -N)		2	Not to exceed 5	mg/L	APHA,24th Ed. 4500- NH <sub>3</sub> : F.A29: 2023	
7	Total Nitrogen (as N)		3.8	Not to exceed 10	mg/L	APHA,24th Ed. 4500.A.415: 2023	
8	Free Residual Chlorine (as Cl <sub>2</sub> )		0.25	Not specified	mg/L	APHA,24th Ed. 4500- CL <sub>2</sub> :367 : 2023	
<b>Biological Testing; Group: Environment &amp; Pollution</b>							
<b>Bacteriological Parameters</b>							
9	Faecal Coliforms		40	Less than 100	MPN Index /100 ml	APHA, 24th Ed. 9223-E. 042: 2023	
BLQ: Below Limit of Quantification, LOQ: Limit of Quantification							
Consent Number & Date: Format 1.0/CAC/UAN No. 0000205124/CR/2502000735 Date 09.02.2025							





Sample ID : E/11/25/5132

Report No. E/11/25/5132

Report Date

04/12/2025

Sarika Varade  
Section In-charge (Biological)  
Reviewed & Authorised by



End of Report

Ninad Soundankar  
Technical Manager (Chemical)  
Reviewed & Authorised by



**Note:**

1. The result listed refer only to the tested sample(s) and applicable parameter(s).
2. This report is not to be reproduced except in full, without written approval of the laboratory.
3. In case sampling is not done by laboratory, the results apply to the sample as received.
4. There are no additions to, deviations or exclusions from the method.







### TEST REPORT

Sample ID : E/11/25/5125	Report No. E/11/25/5125	Report Date	04/12/2025
Name and address of Customer	<b>Mumbai International Airport Ltd.</b> Chhatrapati Shivaji Maharaj International Airport, 1st Floor, Terminal 1-B, Santacruz(E), Mumbai-400099, Maharashtra		
Sampling done by	Laboratory	Sample Description / Type	Effluent
Sampling Location	Terminal T1 RO Reject Water	Date -Sampling	28/11/2025
Sample Quantity / Packing	2 L x 1 no. plastic can	Date - Receipt of sample	29/11/2025
Sampling Procedure	APHA,24th Ed.,2023, 1060 B, 44	Date - Start of Analysis	29/11/2025
Order Reference	SO No. 5700370004 dated 19.04.2025	Date - Completion of Analysis	03/12/2025

Sr.No.	Parameter	Result	Unit	Method
<b>Chemical Testing; Group: Pollution &amp; Environment</b>				
1	pH (at 25°C)	8.4	-	IS 3025 (Part 10): 2007
2	Chemical Oxygen Demand	90	mg/L	APHA,24th Ed. 5220.B.544: 2023
3	Total Dissolved Solids	832	mg/L	IS 3025 (Part 16): 2023

*N. Soundankar*

Ninad Soundankar  
Technical Manager (Chemical)  
Reviewed & Authorised by



End of Report

#### Note:

1. The result listed refer only to the tested sample(s) and applicable parameter(s).
2. This report is not to be reproduced except in full, without written approval of the laboratory.
3. In case sampling is not done by laboratory, the results apply to the sample as received.
4. There are no additions to, deviations or exclusions from the method.





**TEST REPORT**

Sample ID : E/11/25/5126	Report No. E/11/25/5126	Report Date	04/12/2025
Name and address of Customer	<b>Mumbai International Airport Ltd.</b> Chhatrapati Shivaji Maharaj International Airport, 1st Floor, Terminal 1-B, Santacruz(E), Mumbai-400099, Maharashtra		
Sampling done by	Laboratory	Sample Description / Type	Effluent
Sampling Location	Terminal T2 RO Reject Water	Date -Sampling	28/11/2025
Sample Quantity / Packing	2 L x 1 no. plastic can	Date - Receipt of sample	29/11/2025
Sampling Procedure	APHA, 24th Ed., 2023, 1060 B, 44	Date - Start of Analysis	29/11/2025
Order Reference	SO No. 5700370004 dated 19.04.2025	Date - Completion of Analysis	03/12/2025

Sr.No.	Parameter	Result	Unit	Method
<b>Chemical Testing; Group: Pollution &amp; Environment</b>				
1	pH (at 25°C)	9.3	-	IS 3025 (Part II): 2017
2	Chemical Oxygen Demand	180	mg/L	APHA 24th Ed. 5220.B.544: 2021
3	Total Dissolved Solids	1288	mg/L	IS 3025 (Part II): 2017

*N. Soundankar*

Ninad Soundankar  
Technical Manager (Chemical)  
Reviewed & Authorised by



End of Report

**Note:**

1. The result listed refer only to the tested sample(s) and applicable parameter(s).
2. This report is not to be reproduced except in full, without written approval of the laboratory.
3. In case sampling is not done by laboratory, the results apply to the sample as received.
4. There are no additions to, deviations or exclusions from the method.





**TEST REPORT**

Sample ID : E/11/25/0402	Report No. E/11/25/0402	Report Date	05/12/2025
Name and address of Customer	<b>Mumbai International Airport Ltd.</b> Chhatrapati Shivaji Maharaj International Airport, 1st Floor, Terminal 1-B, Santacruz(E), Mumbai-400099, Maharashtra		
Sampling done by	Laboratory	Sample Description / Type	Effluent
Sampling Location	Oil Interceptor Sample CCR 1	Date -Sampling	28/11/2025
Sample Quantity / Packing	2 L x 1 no. plastic can 1 L x 1 no. glass bottle	Date - Receipt of sample	29/11/2025
Sampling Procedure	APHA, 24th Ed., 2023, 1060 B, 44	Date - Start of Analysis	29/11/2025
Order Reference	P.O. No. 5700370004 dated 19.04.2025	Date - Completion of Analysis	04/12/2025

Sr.No.	Parameter	Result	Unit	Method
<b>Chemical Testing; Group: Pollution &amp; Environment</b>				
1	pH (at 25°C)	7.29	-	IS 3025 (Part II) : 2017
2	Total Suspended Solids	14	mg/L	IS 3025 (Part II) Amds I : 2017
3	Biochemical Oxygen Demand (3 days, 27°C)	8	mg/L	IS 3025 (Part 4A) : 1993
4	Chemical Oxygen Demand	30	mg/L	APHA, 24th Ed. 5220.8.544 : 2023
5	Oil & Grease	BLQ (LOQ:1)	mg/L	APHA, 24th Ed. 5570.8.572 : 2023
6	Free Residual Chlorine (as Cl <sub>2</sub> )	0.23	mg/L	APHA, 24th Ed. 4500- Cl <sub>2</sub> .357 : 2023
Consent Number & Date: Format 1.0/CAC/UAN No. 0000111260/CR/2205000810 Dated 13.05.2022				
BLQ: Below Limit of Quantification, LOQ: Limit of Quantification				

*Ninad Soundankar*

Ninad Soundankar  
Technical Manager (Chemical)  
Reviewed & Authorised by



End of Report

**Note:**

1. The result listed refer only to the tested sample(s) and applicable parameter(s).
2. This report is not to be reproduced except in full, without written approval of the laboratory.
3. In case sampling is not done by laboratory, the results apply to the sample as received.
4. There are no additions to, deviations or exclusions from the method.







**TEST REPORT**

Sample ID : E/11/25/0403	Report No. E/11/25/0403	Report Date	05/12/2025
Name and address of Customer	<b>Mumbai International Airport Ltd.</b> Chhatrapati Shivaji Maharaj International Airport, 1st Floor, Terminal 1-B, Santacruz(E), Mumbai-400099, Maharashtra		
Sampling done by	Laboratory	Sample Description / Type	Effluent
Sampling Location	Oil Interceptor Sample Y1	Date - Sampling	28/11/2025
Sample Quantity / Packing	2 L x 1 no. plastic can 1 L x 1 no. glass bottle	Date - Receipt of sample	29/11/2025
Sampling Procedure	APHA, 24th Ed., 2023, 1060 B, 44	Date - Start of Analysis	29/11/2025
Order Reference	P.O. No. 5700370004 dated 19.04.2025	Date - Completion of Analysis	04/12/2025

Sr.No.	Parameter	Result	Unit	Method
<b>Chemical Testing; Group: Pollution &amp; Environment</b>				
1	pH (at 25°C)	<b>7.12</b>	-	IS 3025 (Part II): 2017
2	Total Suspended Solids	<b>10</b>	mg/L	IS 3025 (Part II) Amendment 2017
3	Biochemical Oxygen Demand (3 days, 27°C)	<b>10</b>	mg/L	IS 3025 (Part IV): 1993
4	Chemical Oxygen Demand	<b>40</b>	mg/L	APHA, 24th Ed. 5220.8.544: 2023
5	Oil & Grease	<b>BLQ (LOQ:1)</b>	mg/L	APHA, 24th Ed. 5520.8.572: 2023
6	Free Residual Chlorine (as Cl <sub>2</sub> )	<b>0.24</b>	mg/L	APHA, 24th Ed. 4500- Cl <sub>2</sub> .357: 2023
Consent Number & Date: Format 1.0/CAC/UAN No. 0000111260/CR/2205000810 Dated 13.05.2022				
BLQ: Below Limit of Quantification, LOQ: Limit of Quantification				

*Ninad Soundankar*

Ninad Soundankar  
Technical Manager (Chemical)  
Reviewed & Authorised by



End of Report

**Note:**

1. The result listed refer only to the tested sample(s) and applicable parameter(s).
2. This report is not to be reproduced except in full, without written approval of the laboratory.
3. In case sampling is not done by laboratory, the results apply to the sample as received.
4. There are no additions to, deviations or exclusions from the method.





### TEST REPORT

Sample ID : E/11/25/0406	Report No. E/11/25/0406	Report Date	05/12/2025
Name and address of Customer	<b>Mumbai International Airport Ltd.</b> Chhatrapati Shivaji Maharaj International Airport, 1st Floor, Terminal 1-B, Santacruz(E), Mumbai-400099, Maharashtra		
Sampling done by	Laboratory	Sample Description / Type	Effluent
Sampling Location	Oil Interceptor Sample G1	Date - Sampling	28/11/2025
Sample Quantity / Packing	2 L x 1 no. plastic can 1 L x 1 no. glass bottle	Date - Receipt of sample	29/11/2025
Sampling Procedure	APHA, 24th Ed., 2023, 1060 B, 44	Date - Start of Analysis	29/11/2025
Order Reference	P.O. No. 5700370004 dated 19.04.2025	Date - Completion of Analysis	04/12/2025

Sr.No.	Parameter	Result	Unit	Method
<b>Chemical Testing; Group: Pollution &amp; Environment</b>				
1	pH (at 25°C)	<b>7.26</b>	-	IS 3025 (Part II): 2017
2	Total Suspended Solids	<b>10</b>	mg/L	IS 3025 (Part II) And. I: 2017
3	Biochemical Oxygen Demand (3 days, 27°C)	<b>8</b>	mg/L	IS 3025 (Part 44): 1993
4	Chemical Oxygen Demand	<b>30</b>	mg/L	APHA 24th Ed. 5220 B.544: 2023
5	Oil & Grease	<b>BLQ (LOQ:1)</b>	mg/L	APHA 24th Ed. 5520 B.572: 2023
6	Free Residual Chlorine (as Cl <sub>2</sub> )	<b>0.24</b>	mg/L	APHA 24th Ed. 4500- Cl. G.357: 2023
Consent Number & Date: Format 1.0/CAC/UAN No. 0000111260/CR/2205000810 Dated 13.05.2022				
BLQ: Below Limit of Quantification, LOQ: Limit of Quantification				

*N. Soundankar*

Ninad Soundankar  
Technical Manager (Chemical)  
Reviewed & Authorised by



End of Report

#### Note:

1. The result listed refer only to the tested sample(s) and applicable parameter(s).
2. This report is not to be reproduced except in full, without written approval of the laboratory.
3. In case sampling is not done by laboratory, the results apply to the sample as received.
4. There are no additions to, deviations or exclusions from the method.





**TEST REPORT**

Sample ID : E/11/25/0405	Report No. E/11/25/0405	Report Date	05/12/2025
Name and address of Customer	<b>Mumbai International Airport Ltd.</b> Chhatrapati Shivaji Maharaj International Airport, 1st Floor, Terminal 1-B, Santacruz(E), Mumbai-400099, Maharashtra		
Sampling done by	Laboratory	Sample Description / Type	Effluent
Sampling Location	Oil Interceptor Sample K4	Date -Sampling	28/11/2025
Sample Quantity / Packing	2 L x 1 no. plastic can 1 L x 1 no. glass bottle	Date - Receipt of sample	29/11/2025
Sampling Procedure	APHA,24th Ed.,2023; 1060 B, 44	Date - Start of Analysis	29/11/2025
Order Reference	P.O. No. 5700370004 dated 19.04.2025	Date - Completion of Analysis	04/12/2025

Sr.No.	Parameter	Result	Unit	Method
<b>Chemical Testing; Group: Pollution &amp; Environment</b>				
1	pH (at 25°C)	<b>7.01</b>	-	IS:3025 (Part II): 2017
2	Total Suspended Solids	<b>12</b>	mg/L	IS:3025 (Part II) Amids: 2017
3	Biochemical Oxygen Demand (3 days, 27°C)	<b>16</b>	mg/L	IS:3025 (Part 44): 1983
4	Chemical Oxygen Demand	<b>60</b>	mg/L	APHA,24th Ed.,5220.B.544: 2023
5	Oil & Grease	<b>BLQ (LOQ:1)</b>	mg/L	APHA,24th Ed.,5520.B.572: 2023
6	Free Residual Chlorine (as Cl <sub>2</sub> )	<b>0.23</b>	mg/L	APHA,24th Ed.,4500- Cl <sub>2</sub> .357: 2023

Consent Number & Date: Format 1.0/CAC/UAN No. 0000111260/CR/2205000810 Dated 13.05.2022

BLQ: Below Limit of Quantification, LOQ: Limit of Quantification

*Ninad Soundankar*

Ninad Soundankar  
Technical Manager (Chemical)  
Reviewed & Authorised by



End of Report

**Note:**

1. The result listed refer only to the tested sample(s) and applicable parameter(s).
2. This report is not to be reproduced except in full, without written approval of the laboratory.
3. In case sampling is not done by laboratory, the results apply to the sample as received.
4. There are no additions to, deviations or exclusions from the method.







### TEST REPORT

Sample ID : E/11/25/0404	Report No. E/11/25/0404	Report Date	05/12/2025
Name and address of Customer	<b>Mumbai International Airport Ltd.</b> Chhatrapati Shivaji Maharaj International Airport, 1st Floor, Terminal 1-B, Santacruz(E), Mumbai-400099, Maharashtra		
Sampling done by	Laboratory	Sample Description / Type	Effluent
Sampling Location	Oil Interceptor Sample M	Date -Sampling	28/11/2025
Sample Quantity / Packing	2 L x 1 no. plastic can 1 L x 1 no. glass bottle	Date - Receipt of sample	29/11/2025
Sampling Procedure	APHA, 24th Ed., 2023, 1060 B, 44	Date - Start of Analysis	29/11/2025
Order Reference	P.O. No. 5700370004 dated 19.04.2025	Date - Completion of Analysis	04/12/2025

Sr.No.	Parameter	Result	Unit	Method
<b>Chemical Testing; Group: Pollution &amp; Environment</b>				
1	pH (at 25°C)	<b>7.20</b>	-	IS 3025 (Part II): 2007
2	Total Suspended Solids	<b>10</b>	mg/L	IS 3025 (Part II) Amdt: 2007
3	Biochemical Oxygen Demand (3 days, 27°C)	<b>8</b>	mg/L	IS 3025 (Part 44): 1983
4	Chemical Oxygen Demand	<b>30</b>	mg/L	APHA, 24th Ed. 5220.0.544: 2023
5	Oil & Grease	<b>BLQ (LOQ:1)</b>	mg/L	APHA, 24th Ed. 5520.8.572: 2023
6	Free Residual Chlorine (as Cl <sub>2</sub> )	<b>0.22</b>	mg/L	APHA, 24th Ed. 4500- Cl.6.357: 2023

Consent Number & Date: Format 1.0/CAC/UAN No. 0000111260/CR/2205000810 Dated 13.05.2022

BLQ: Below Limit of Quantification, LOQ: Limit of Quantification

*Ninad Soundankar*

Ninad Soundankar  
Technical Manager (Chemical)  
Reviewed & Authorised by



End of Report

#### Note:

1. The result listed refer only to the tested sample(s) and applicable parameter(s).
2. This report is not to be reproduced except in full, without written approval of the laboratory.
3. In case sampling is not done by laboratory, the results apply to the sample as received.
4. There are no additions to, deviations or exclusions from the method.





### TEST REPORT

Sample ID : E/12/25/5096		Report No. E/12/25/5096		Report Date		27/12/2025		
Name and address of Customer		<b>Mumbai International Airport Ltd.</b> Chhatrapati Shivaji Maharaj International Airport, 1st Floor, Terminal 1-B, Santacruz(E), Mumbai-400099, Maharashtra						
Sampling done by		Laboratory		Sample Description / Type		Untreated Sewage Effluent		
Sampling Location		Cargo STP Inlet		Date - Sampling		20/12/2025		
Sample Quantity / Packing		2 L x 1 no. plastic can 1 L x 1 no. glass bottle 250 ml x 1 No. Sterile Bottle		Date - Receipt of Sample		22/12/2025		
Sampling Procedure		APHA,24th Ed.,2023, 1060 B, 44, & 9060 A, 1094, 9060 B, 1097, ISO 19458:2006		Date - Start of Analysis		22/12/2025		
Order Reference		SO No. 5700370004 dated 19.04.2025		Date - Completion of Analysis		26/12/2025		
Sr.No.	Parameter		Result		Unit		Method	
Chemical Testing; Group: Pollution & Environment								
Physical & Chemical Parameters								
1	pH (at 25°C)		10.2		-		IS 3025 (Part II): 2017	
2	Total Suspended Solids		121		mg/L		IS 3025 (Part I7) Amds.I: 2017	
3	Biochemical Oxygen Demand (3 days, 27°C)		193		mg/L		IS 3025 (Part 44): 1993	
4	Chemical Oxygen Demand		580		mg/L		APHA,24th Ed.,5220.B,544: 2023	
5	Oil & Grease		BLQ (LOQ:1)		mg/L		APHA,24th Ed.,5520.B,572: 2023	
6	Ammonical Nitrogen (as NH3-N)		30.2		mg/L		APHA,24th Ed.,4500- NH3, F,429: 2023	
7	Total Nitrogen (as N)		40.4		mg/L		APHA,24th Ed.,4500.A,415: 2023	
8	Free Residual Chlorine (as Cl2)		0.22		mg/L		APHA,24th Ed.,4500- Cl2,357 : 2023	
Biological Testing; Group: Environment & Pollution								
Bacteriological Parameters								
9	Faecal Coliforms		130		MPN Index /100 ml		APHA, 24th Ed., 9221-E, 1142: 2023	
BLQ: Below Limit of Quantification, LOQ: Limit of Quantification								
Consent Number & Date: Format 1.0/CAC/UAN No. 0000205124/CR/2502000735 Date 09.02.2025								





Sample ID : E/12/25/5096

Report No. E/12/25/5096

Report Date

27/12/2025

*S. Varade*

Sarika Varade  
Section In-charge (Biological)  
Reviewed & Authorised by

*N. Soundankar*

Ninad Soundankar  
Technical Manager (Chemical)  
Reviewed & Authorised by

----- End of Report -----

**Note:**

1. The result listed refer only to the tested sample(s) and applicable parameter(s).
2. This report is not to be reproduced except in full, without written approval of the laboratory.
3. In case sampling is not done by laboratory, the results apply to the sample as received.
4. There are no additions to, deviations or exclusions from the method.







### TEST REPORT

Sample ID : E/12/25/5097		Report No. E/12/25/5097		Report Date		27/12/2025	
Name and address of Customer		Mumbai International Airport Ltd. Chhatrapati Shivaji Maharaj International Airport, 1st Floor, Terminal 1-B, Santacruz(E), Mumbai-400099, Maharashtra					
Sampling done by		Laboratory		Sample Description / Type		Treated Sewage Effluent	
Sampling Location		Cargo STP Outlet		Date - Sampling		20/12/2025	
Sample Quantity / Packing		2 L x 1 no. plastic can 1 L x 1 no. glass bottle 250 ml x 1 No. Sterile Bottle		Date - Receipt of Sample		22/12/2025	
Sampling Procedure		APHA,24th Ed.,2023, 1060 B, 44, & 9060 A, 1094, 9060 B, 1097, ISO 19458:2006		Date - Start of Analysis		22/12/2025	
Order Reference		SO No. 5700370004 dated 19.04.2025		Date - Completion of Analysis		26/12/2025	
Sr.No.	Parameter		Result	Limits as per MPCB Consent		Unit	Method
Chemical Testing; Group: Pollution & Environment							
Physical & Chemical Parameters							
1	pH (at 25°C)		7.7	5.5 to 9.0		-	IS 3025 (Part II): 2017
2	Total Suspended Solids		13	Not to exceed 20		mg/L	IS 3025 (Part I7) Amds.I: 2017
3	Biochemical Oxygen Demand (3 days, 27°C)		5	Not to exceed 10		mg/L	IS 3025 (Part 44): 1993
4	Chemical Oxygen Demand		14	Not to exceed 50		mg/L	APHA,24th Ed.,5220.B.544: 2023
5	Oil & Grease		BLQ (LOQ:1)	Not specified		mg/L	APHA,24th Ed.,5520.B.572: 2023
6	Ammonical Nitrogen (as NH <sub>3</sub> -N)		1.8	Not to exceed 5		mg/L	APHA,24th Ed.,4500- NH3, F.429: 2023
7	Total Nitrogen (as N)		4	Not to exceed 10		mg/L	APHA,24th Ed.,4500.A.415: 2023
8	Free Residual Chlorine (as Cl <sub>2</sub> )		0.25	Not specified		mg/L	APHA,24th Ed.,4500- Cl <sub>2</sub> ,357 : 2023
Biological Testing; Group: Environment & Pollution							
Bacteriological Parameters							
9	Faecal Coliforms		40	Less than 100		MPN Index /100 ml	APHA, 24th Ed., 9221-E, 1142: 2023
BLQ: Below Limit of Quantification, LOQ: Limit of Quantification Consent Number & Date: Format 1.0/CAC/UAN No. 0000205124/CR/2502000735 Date 09.02.2025							





Sample ID : E/12/25/5097

Report No. E/12/25/5097

Report Date

27/12/2025

*S. Varade*

Sarika Varade  
Section In-charge (Biological)  
Reviewed & Authorised by

*N. Soundankar*

Ninad Soundankar  
Technical Manager (Chemical)  
Reviewed & Authorised by

----- End of Report -----

**Note:**

1. The result listed refer only to the tested sample(s) and applicable parameter(s).
2. This report is not to be reproduced except in full, without written approval of the laboratory.
3. In case sampling is not done by laboratory, the results apply to the sample as received.
4. There are no additions to, deviations or exclusions from the method.





### TEST REPORT

Sample ID : E/12/25/5098		Report No. E/12/25/5098		Report Date		27/12/2025	
Name and address of Customer		Mumbai International Airport Ltd. Chhatrapati Shivaji Maharaj International Airport, 1st Floor, Terminal 1-B, Santacruz(E), Mumbai-400099, Maharashtra					
Sampling done by		Laboratory		Sample Description / Type		Untreated Sewage Effluent	
Sampling Location		Terminal 1 STP Inlet		Date - Sampling		20/12/2025	
Sample Quantity / Packing		2 L x 1 no. plastic can 1 L x 1 no. glass bottle 250 ml x 1 No. Sterile Bottle		Date - Receipt of Sample		22/12/2025	
Sampling Procedure		APHA,24th Ed.,2023, 1060 B, 44, & 9060 A, 1094, 9060 B, 1097, ISO 19458:2006		Date - Start of Analysis		22/12/2025	
Order Reference		SO No. 5700370004 dated 19.04.2025		Date - Completion of Analysis		26/12/2025	
Sr.No.	Parameter		Result		Unit		Method
Chemical Testing; Group: Pollution & Environment							
Physical & Chemical Parameters							
1	pH (at 25°C)		9.3		-		IS 3025 (Part II): 2017
2	Total Suspended Solids		95		mg/L		IS 3025 (Part I7) Amds.I: 2017
3	Biochemical Oxygen Demand (3 days, 27°C)		127		mg/L		IS 3025 (Part 44): 1993
4	Chemical Oxygen Demand		380		mg/L		APHA,24th Ed.,5220.B,544: 2023
5	Oil & Grease		BLQ (LOQ:1)		mg/L		APHA,24th Ed.,5520.B,572: 2023
6	Ammonical Nitrogen (as NH3-N)		24.6		mg/L		APHA,24th Ed.,4500- NH3, F,429: 2023
7	Total Nitrogen (as N)		29.2		mg/L		APHA,24th Ed.,4500.A,415: 2023
8	Free Residual Chlorine (as Cl2)		0.24		mg/L		APHA,24th Ed.,4500- Cl2,357 : 2023
Biological Testing; Group: Environment & Pollution							
Bacteriological Parameters							
9	Faecal Coliforms		79		MPN Index /100 ml		APHA, 24th Ed., 9221-E, 1142: 2023
BLQ: Below Limit of Quantification, LOQ: Limit of Quantification Consent Number & Date: Format 1.0/CAC/UAN No. 0000205124/CR/2502000735 Date 09.02.2025							







Sample ID : E/12/25/5098

Report No. E/12/25/5098

Report Date

27/12/2025

Sarika Varade  
Section In-charge (Biological)  
Reviewed & Authorised by

Ninad Soundankar  
Technical Manager (Chemical)  
Reviewed & Authorised by

----- End of Report -----

**Note:**

1. The result listed refer only to the tested sample(s) and applicable parameter(s).
2. This report is not to be reproduced except in full, without written approval of the laboratory.
3. In case sampling is not done by laboratory, the results apply to the sample as received.
4. There are no additions to, deviations or exclusions from the method.





### TEST REPORT

Sample ID : E/12/25/5099		Report No. E/12/25/5099		Report Date		27/12/2025	
Name and address of Customer		<b>Mumbai International Airport Ltd.</b> Chhatrapati Shivaji Maharaj International Airport, 1st Floor, Terminal 1-B, Santacruz(E), Mumbai-400099, Maharashtra					
Sampling done by		Laboratory		Sample Description / Type		Treated Sewage Effluent	
Sampling Location		Terminal 1 STP RO Outlet		Date - Sampling		20/12/2025	
Sample Quantity / Packing		2 L x 1 no. plastic can 1 L x 1 no. glass bottle 250 ml x 1 No. Sterile Bottle		Date - Receipt of Sample		22/12/2025	
Sampling Procedure		APHA, 24th Ed., 2023, 1060 B, 44, & 9060 A, 1094, 9060 B, 1097, ISO 19458:2006		Date - Start of Analysis		22/12/2025	
Order Reference		SO No. 5700370004 dated 19.04.2025		Date - Completion of Analysis		26/12/2025	
Sr.No.	Parameter	Result	Limits as per MPCB Consent	Unit	Method		
<b>Chemical Testing; Group: Pollution &amp; Environment</b>							
<b>Physical &amp; Chemical Parameters</b>							
1	pH (at 25°C)	<b>7.5</b>	5.5 to 9.0	-	IS 3025 (Part II): 2017		
2	Total Suspended Solids	<b>11</b>	Not to exceed 20	mg/L	IS 3025 (Part I7) Amds.I: 2017		
3	Biochemical Oxygen Demand (3 days, 27°C)	<b>4</b>	Not to exceed 10	mg/L	IS 3025 (Part 44): 1993		
4	Chemical Oxygen Demand	<b>12</b>	Not to exceed 50	mg/L	APHA, 24th Ed., 5220.B.544: 2023		
5	Oil & Grease	<b>BLQ (LOQ:1)</b>	Not specified	mg/L	APHA, 24th Ed., 5520.B.572: 2023		
6	Ammonical Nitrogen (as NH <sub>3</sub> -N)	<b>1.5</b>	Not to exceed 5	mg/L	APHA, 24th Ed., 4500- NH <sub>3</sub> , F.429: 2023		
7	Total Nitrogen (as N)	<b>3.72</b>	Not to exceed 10	mg/L	APHA, 24th Ed., 4500.A.415: 2023		
8	Free Residual Chlorine (as Cl <sub>2</sub> )	<b>0.27</b>	Not specified	mg/L	APHA, 24th Ed., 4500- Cl <sub>2</sub> , 357: 2023		
<b>Biological Testing; Group: Environment &amp; Pollution</b>							
<b>Bacteriological Parameters</b>							
9	Faecal Coliforms	<b>26</b>	Less than 100	MPN Index /100 ml	APHA, 24th Ed., 9221-E, 1142: 2023		
BLQ: Below Limit of Quantification, LOQ: Limit of Quantification Consent Number & Date: Format 1.0/CAC/UAN No. 0000205124/CR/2502000735 Date 09.02.2025							





Sample ID : E/12/25/5099

Report No. E/12/25/5099

Report Date

27/12/2025

*S. Varade*

Sarika Varade  
Section In-charge (Biological)  
Reviewed & Authorised by

*N. Soundankar*

Ninad Soundankar  
Technical Manager (Chemical)  
Reviewed & Authorised by

----- End of Report -----

**Note:**

1. The result listed refer only to the tested sample(s) and applicable parameter(s).
2. This report is not to be reproduced except in full, without written approval of the laboratory.
3. In case sampling is not done by laboratory, the results apply to the sample as received.
4. There are no additions to, deviations or exclusions from the method.







### TEST REPORT

Sample ID : E/12/25/5100		Report No. E/12/25/5100		Report Date		27/12/2025	
Name and address of Customer		<b>Mumbai International Airport Ltd.</b> Chhatrapati Shivaji Maharaj International Airport, 1st Floor, Terminal 1-B, Santacruz(E), Mumbai-400099, Maharashtra					
Sampling done by		Laboratory		Sample Description / Type		Untreated Sewage Effluent	
Sampling Location		Terminal 2 STP Inlet		Date - Sampling		20/12/2025	
Sample Quantity / Packing		2 L x 1 no. plastic can 1 L x 1 no. glass bottle 250 ml x 1 No. Sterile Bottle		Date - Receipt of Sample		22/12/2025	
Sampling Procedure		APHA,24th Ed.,2023, 1060 B, 44, & 9060 A, 1094, 9060 B, 1097, ISO 19458:2006		Date - Start of Analysis		22/12/2025	
Order Reference		SO No. 5700370004 dated 19.04.2025		Date - Completion of Analysis		26/12/2025	
Sr.No.	Parameter		Result		Unit	Method	
Chemical Testing; Group: Pollution & Environment							
Physical & Chemical Parameters							
1	pH (at 25°C)		6.4		-	IS 3025 (Part II): 2017	
2	Total Suspended Solids		130		mg/L	IS 3025 (Part I7) Amds.I: 2017	
3	Biochemical Oxygen Demand (3 days, 27°C)		213		mg/L	IS 3025 (Part 44): 1993	
4	Chemical Oxygen Demand		640		mg/L	APHA,24th Ed.,5220,B,544: 2023	
5	Oil & Grease		BLQ (LOQ:1)		mg/L	APHA,24th Ed.,5520,B,572: 2023	
6	Ammonical Nitrogen (as NH <sub>3</sub> -N)		38.1		mg/L	APHA,24th Ed.,4500- NH <sub>3</sub> : F,429: 2023	
7	Total Nitrogen (as N)		46.7		mg/L	APHA,24th Ed.,4500,A,415: 2023	
8	Free Residual Chlorine (as Cl <sub>2</sub> )		0.26		mg/L	APHA,24th Ed.,4500- Cl <sub>2</sub> ,357 : 2023	
Biological Testing; Group: Environment & Pollution							
Bacteriological Parameters							
9	Faecal Coliforms		170		MPN Index /100 ml	APHA, 24th Ed., 9221-E, 1142: 2023	
BLQ: Below Limit of Quantification, LOQ: Limit of Quantification Consent Number & Date: Format 1.0/CAC/UAN No. 0000205124/CR/2502000735 Date 09.02.2025							





Sample ID : E/12/25/5100

Report No. E/12/25/5100

Report Date

27/12/2025

Sarika Varade  
Section In-charge (Biological)  
Reviewed & Authorised by

Ninad Soundankar  
Technical Manager (Chemical)  
Reviewed & Authorised by

----- End of Report -----

**Note:**

1. The result listed refer only to the tested sample(s) and applicable parameter(s).
2. This report is not to be reproduced except in full, without written approval of the laboratory.
3. In case sampling is not done by laboratory, the results apply to the sample as received.
4. There are no additions to, deviations or exclusions from the method.





### TEST REPORT

Sample ID : E/12/25/5101		Report No. E/12/25/5101		Report Date		27/12/2025	
Name and address of Customer		<b>Mumbai International Airport Ltd.</b> Chhatrapati Shivaji Maharaj International Airport, 1st Floor, Terminal 1-B, Santacruz(E), Mumbai-400099, Maharashtra					
Sampling done by		Laboratory		Sample Description / Type		Treated Sewage Effluent	
Sampling Location		Terminal 2 STP RO Outlet		Date - Sampling		20/12/2025	
Sample Quantity / Packing		2 L x 1 no. plastic can 1 L x 1 no. glass bottle 250 ml x 1 No. Sterile Bottle		Date - Receipt of Sample		22/12/2025	
Sampling Procedure		APHA, 24th Ed., 2023, 1060 B, 44, & 9060 A, 1094, 9060 B, 1097, ISO 19458:2006		Date - Start of Analysis		22/12/2025	
Order Reference		SO No. 5700370004 dated 19.04.2025		Date - Completion of Analysis		26/12/2025	
Sr.No.	Parameter	Result	Limits as per MPCB Consent	Unit	Method		
<b>Chemical Testing; Group: Pollution &amp; Environment</b>							
<b>Physical &amp; Chemical Parameters</b>							
1	pH (at 25°C)	<b>7.9</b>	5.5 to 9.0	-	IS 3025 (Part II): 2017		
2	Total Suspended Solids	<b>14</b>	Not to exceed 20	mg/L	IS 3025 (Part I7) Amds.I: 2017		
3	Biochemical Oxygen Demand (3 days, 27°C)	<b>3</b>	Not to exceed 10	mg/L	IS 3025 (Part 44): 1993		
4	Chemical Oxygen Demand	<b>18</b>	Not to exceed 50	mg/L	APHA, 24th Ed., 5220.B.544: 2023		
5	Oil & Grease	<b>BLQ (LOQ:1)</b>	Not specified	mg/L	APHA, 24th Ed., 5520.B.572: 2023		
6	Ammonical Nitrogen (as NH <sub>3</sub> -N)	<b>3</b>	Not to exceed 5	mg/L	APHA, 24th Ed., 4500- NH <sub>3</sub> , F.429: 2023		
7	Total Nitrogen (as N)	<b>4.62</b>	Not to exceed 10	mg/L	APHA, 24th Ed., 4500.A.415: 2023		
8	Free Residual Chlorine (as Cl <sub>2</sub> )	<b>0.23</b>	Not specified	mg/L	APHA, 24th Ed., 4500- Cl <sub>2</sub> , 357: 2023		
<b>Biological Testing; Group: Environment &amp; Pollution</b>							
<b>Bacteriological Parameters</b>							
9	Faecal Coliforms	<b>47</b>	Less than 100	MPN Index /100 ml	APHA, 24th Ed., 9221-E, 1142: 2023		
BLQ: Below Limit of Quantification, LOQ: Limit of Quantification Consent Number & Date: Format 1.0/CAC/UAN No. 0000205124/CR/2502000735 Date 09.02.2025							







Sample ID : E/12/25/5101

Report No. E/12/25/5101

Report Date

27/12/2025

*S. Varade*

Sarika Varade  
Section In-charge (Biological)  
Reviewed & Authorised by

*N. Soundankar*

Ninad Soundankar  
Technical Manager (Chemical)  
Reviewed & Authorised by

----- End of Report -----

**Note:**

1. The result listed refer only to the tested sample(s) and applicable parameter(s).
2. This report is not to be reproduced except in full, without written approval of the laboratory.
3. In case sampling is not done by laboratory, the results apply to the sample as received.
4. There are no additions to, deviations or exclusions from the method.





**TEST REPORT**

Sample ID : E/01/26/5155		Report No. E/01/26/5155		Report Date		05/02/2026	
Name and address of Customer		<b>Mumbai International Airport Ltd.</b> Chhatrapati Shivaji Maharaj International Airport, 1st Floor, Terminal 1-B, Santacruz(E), Mumbai-400099, Maharashtra					
Sampling done by		Laboratory		Sample Description / Type		Untreated Sewage Effluent	
Sampling Location		Cargo STP Inlet		Date - Sampling		30/01/2026	
Sample Quantity / Packing		2 L x 1 no. plastic can 1 L x 1 no. glass bottle 250 ml x 1 No. Sterile Bottle		Date - Receipt of Sample		31/01/2026	
Sampling Procedure		APHA, 24th Ed., 2023, 1060 B, 44, & 9060 A, 1094, 9060 B, 1097, ISO 19458:2006		Date - Start of Analysis		31/01/2026	
Order Reference		SO No. 5700370004 dated 19.04.2025		Date - Completion of Analysis		04/02/2026	
Sr.No.	Parameter	Result	Unit	Method			
<b>Chemical Testing; Group: Pollution &amp; Environment</b>							
<b>Physical &amp; Chemical Parameters</b>							
1	pH (at 25°C)	10.9	-	IS 3025 (Part II): 2017			
2	Total Suspended Solids	130	mg/L	IS 3025 (Part I7) Amds.I: 2017			
3	Biochemical Oxygen Demand (3 days, 27°C)	182	mg/L	IS 3025 (Part 44): 1993			
4	Chemical Oxygen Demand	560	mg/L	APHA, 24th Ed. 5220.B.544: 2023			
5	Oil & Grease	BLQ (LOQ:1)	mg/L	APHA, 24th Ed. 5520.B.572: 2023			
6	Ammonical Nitrogen (as NH <sub>3</sub> -N)	32.5	mg/L	APHA, 24th Ed. 4500- NH <sub>3</sub> , F.429: 2023			
7	Total Nitrogen (as N)	44.2	mg/L	APHA, 24th Ed. 4500.A.415: 2023			
8	Free Residual Chlorine (as Cl <sub>2</sub> )	0.24	mg/L	APHA, 24th Ed. 4500- Cl <sub>2</sub> .357: 2023			
<b>Biological Testing; Group: Environment &amp; Pollution</b>							
<b>Bacteriological Parameters</b>							
9	Faecal Coliforms	110	MPN Index /100 ml	APHA, 24th Ed. 9221-E, 1142: 2023			
BLQ: Below Limit of Quantification, LOQ: Limit of Quantification							
Consent Number & Date: Format 1.0/CAC/UAN No. 0000205124/CR/2502000735 Date 09.02.2025							





Sample ID : E/01/26/5155

Report No. E/01/26/5155

Report Date

05/02/2026

Sonali Kapse  
Section In-charge (Biological)  
Reviewed & Authorised by



End of Report

Ninad Soundankar  
Technical Manager (Chemical)  
Reviewed & Authorised by



**Note:**

1. The result listed refer only to the tested sample(s) and applicable parameter(s).
2. This report is not to be reproduced except in full, without written approval of the laboratory.
3. In case sampling is not done by laboratory, the results apply to the sample as received.
4. There are no additions to, deviations or exclusions from the method.







**TEST REPORT**

Sample ID : E/01/26/5156		Report No. E/01/26/5156		Report Date		05/02/2026	
Name and address of Customer		<b>Mumbai International Airport Ltd.</b> Chhatrapati Shivaji Maharaj International Airport, 1st Floor, Terminal 1-B, Santacruz(E), Mumbai-400099, Maharashtra					
Sampling done by		Laboratory		Sample Description / Type		Treated Sewage Effluent	
Sampling Location		Cargo STP Outlet		Date - Sampling		30/01/2026	
Sample Quantity / Packing		2 L x 1 no. plastic can 1 L x 1 no. glass bottle 250 ml x 1 No. Sterile Bottle		Date - Receipt of Sample		31/01/2026	
Sampling Procedure		APHA, 24th Ed., 2023, 1060 B, 44, & 9060 A, 1094, 9060 B, 1097, ISO 19458:2006		Date - Start of Analysis		31/01/2026	
Order Reference		SO No. 5700370004 dated 19.04.2025		Date - Completion of Analysis		04/02/2026	
Sr.No.	Parameter	Result	Limits as per MPCB Consent	Unit	Method		
<b>Chemical Testing; Group: Pollution &amp; Environment</b>							
<b>Physical &amp; Chemical Parameters</b>							
1	pH (at 25°C)	<b>7.64</b>	5.5 to 9.0	-	IS 3025 (Part II): 2017		
2	Total Suspended Solids	<b>15</b>	Not to exceed 20	mg/L	IS 3025 (Part I): 2017		
3	Biochemical Oxygen Demand (3 days, 27°C)	<b>4</b>	Not to exceed 10	mg/L	IS 3025 (Part 44): 1993		
4	Chemical Oxygen Demand	<b>20</b>	Not to exceed 50	mg/L	APHA, 24th Ed., 5220.B.544: 2023		
5	Oil & Grease	<b>BLQ (LOQ:1)</b>	Not specified	mg/L	APHA, 24th Ed., 5520.B.572: 2023		
6	Ammonical Nitrogen (as NH <sub>3</sub> -N)	<b>1.8</b>	Not to exceed 5	mg/L	APHA, 24th Ed., 4500- NH <sub>3</sub> . F.429: 2023		
7	Total Nitrogen (as N)	<b>4.4</b>	Not to exceed 10	mg/L	APHA, 24th Ed., 4500.A.415: 2023		
8	Free Residual Chlorine (as Cl <sub>2</sub> )	<b>0.27</b>	Not specified	mg/L	APHA, 24th Ed., 4500- Cl <sub>2</sub> .357: 2023		
<b>Biological Testing; Group: Environment &amp; Pollution</b>							
<b>Bacteriological Parameters</b>							
9	Faecal Coliforms	<b>47</b>	Less than 100	MPN Index /100 ml	APHA, 24th Ed., 9221-E, 1142: 2023		
BLQ: Below Limit of Quantification, LOQ: Limit of Quantification							
Consent Number & Date: Format 1.0/CAC/UAN No. 0000205124/CR/2502000735 Date 09.02.2025							








Sample ID : E/01/26/5156

Report No. E/01/26/5156

Report Date

05/02/2026

Sonali Kapse  
Section In-charge (Biological)  
Reviewed & Authorised by



End of Report


Ninad Soundankar  
Technical Manager (Chemical)  
Reviewed & Authorised by



**Note:**

1. The result listed refer only to the tested sample(s) and applicable parameter(s).
2. This report is not to be reproduced except in full, without written approval of the laboratory.
3. In case sampling is not done by laboratory, the results apply to the sample as received.
4. There are no additions to, deviations or exclusions from the method.





### TEST REPORT

Sample ID : E/01/26/5157		Report No. E/01/26/5157		Report Date		05/02/2026	
Name and address of Customer		<b>Mumbai International Airport Ltd.</b> Chhatrapati Shivaji Maharaj International Airport, 1st Floor, Terminal 1-B, Santacruz(E), Mumbai-400099, Maharashtra					
Sampling done by		Laboratory		Sample Description / Type		Untreated Sewage Effluent	
Sampling Location		Terminal 2 STP Inlet		Date - Sampling		30/01/2026	
Sample Quantity / Packing		2 L x 1 no. plastic can 1 L x 1 no. glass bottle 250 ml x 1 No. Sterile Bottle		Date - Receipt of Sample		31/01/2026	
Sampling Procedure		APHA,24th Ed.,2023, 1060 B, 44, & 9060 A, 1094, 9060 B, 1097, ISO 19458:2006		Date - Start of Analysis		31/01/2026	
Order Reference		SO No. 5700370004 dated 19.04.2025		Date - Completion of Analysis		04/02/2026	
Sr.No.	Parameter		Result		Unit	Method	
<b>Chemical Testing; Group: Pollution &amp; Environment</b>							
<b>Physical &amp; Chemical Parameters</b>							
1	pH (at 25°C)		6.61		-	IS 3025 (Part II): 2017	
2	Total Suspended Solids		142		mg/L	IS 3025 (Part I7) Amds.I: 2017	
3	Biochemical Oxygen Demand (3 days, 27°C)		200		mg/L	IS 3025 (Part 44): 1993	
4	Chemical Oxygen Demand		600		mg/L	APHA,24th Ed.,5220.B.544: 2023	
5	Oil & Grease		BLQ (LOQ:1)		mg/L	APHA,24th Ed.,5520.B.572: 2023	
6	Ammonical Nitrogen (as NH <sub>3</sub> -N)		40.3		mg/L	APHA,24th Ed.,4500- NH3. F.429: 2023	
7	Total Nitrogen (as N)		49.2		mg/L	APHA,24th Ed.,4500.A.415: 2023	
8	Free Residual Chlorine (as Cl <sub>2</sub> )		0.23		mg/L	APHA,24th Ed.,4500- Cl <sub>2</sub> .357: 2023	
<b>Biological Testing; Group: Environment &amp; Pollution</b>							
<b>Bacteriological Parameters</b>							
9	Faecal Coliforms		170		MPN Index /100 ml	APHA, 24th Ed., 9221-E, 1142: 2023	
BLQ: Below Limit of Quantification, LOQ: Limit of Quantification							
Consent Number & Date: Format 1.0/CAC/UAN No. 0000205124/CR/2502000735 Date 09.02.2025							





Sample ID : E/01/26/5157

Report No. E/01/26/5157

Report Date

05/02/2026

Sonali Kapse  
Section In-charge (Biological)  
Reviewed & Authorised by



End of Report

Ninad Soundankar  
Technical Manager (Chemical)  
Reviewed & Authorised by



**Note:**

1. The result listed refer only to the tested sample(s) and applicable parameter(s).
2. This report is not to be reproduced except in full, without written approval of the laboratory.
3. In case sampling is not done by laboratory, the results apply to the sample as received.
4. There are no additions to, deviations or exclusions from the method.







**TEST REPORT**

Sample ID : E/01/26/5158		Report No. E/01/26/5158		Report Date		05/02/2026	
Name and address of Customer		Mumbai International Airport Ltd. Chhatrapati Shivaji Maharaj International Airport, 1st Floor, Terminal 1-B, Santacruz(E), Mumbai-400099, Maharashtra					
Sampling done by		Laboratory		Sample Description / Type		Treated Sewage Effluent	
Sampling Location		Terminal 2 STP RO Outlet		Date - Sampling		30/01/2026	
Sample Quantity / Packing		2 L x 1 no. plastic can 1 L x 1 no. glass bottle 250 ml x 1 No. Sterile Bottle		Date - Receipt of Sample		31/01/2026	
Sampling Procedure		APHA,24th Ed.,2023, 1060 B, 44, & 9060 A, 1094, 9060 B, 1097, ISO 19458:2006		Date - Start of Analysis		31/01/2026	
Order Reference		SO No. 5700370004 dated 19.04.2025		Date - Completion of Analysis		04/02/2026	
Sr.No.	Parameter		Result	Limits as per MPCB Consent		Unit	Method
Chemical Testing; Group: Pollution & Environment							
Physical & Chemical Parameters							
1	pH (at 25°C)		8.2	5.5 to 9.0		-	IS 3025 (Part II): 2017
2	Total Suspended Solids		13	Not to exceed 20		mg/L	IS 3025 (Part 17) Amds.I: 2017
3	Biochemical Oxygen Demand (3 days, 27°C)		4	Not to exceed 10		mg/L	IS 3025 (Part 44): 1993
4	Chemical Oxygen Demand		26	Not to exceed 50		mg/L	APHA,24th Ed.,5220.B.544: 2023
5	Oil & Grease		BLQ (LOQ:1)	Not specified		mg/L	APHA,24th Ed.,5520.B.572: 2023
6	Ammonical Nitrogen (as NH <sub>3</sub> -N)		4.2	Not to exceed 5		mg/L	APHA,24th Ed.,4500- NH <sub>3</sub> , F.429: 2023
7	Total Nitrogen (as N)		5.2	Not to exceed 10		mg/L	APHA,24th Ed.,4500.A.415: 2023
8	Free Residual Chlorine (as Cl <sub>2</sub> )		0.25	Not specified		mg/L	APHA,24th Ed.,4500- Cl <sub>2</sub> .357 : 2023
Biological Testing; Group: Environment & Pollution							
Bacteriological Parameters							
9	Faecal Coliforms		47	Less than 100		MPN Index /100 ml	APHA, 24th Ed., 9221-E, II42: 2023
BLQ: Below Limit of Quantification, LOQ: Limit of Quantification							
Consent Number & Date: Format 1.0/CAC/UAN No. 0000205124/CR/2502000735 Date 09.02.2025							







# Ashwamedh

## Engineers & Consultants

### Laboratory Services Division



TC-5509



**Ashwamedh Engineers & Consultants**  
Survey No.102, Plot No.26, Wadala Pathardi Road,  
Indira Nagar, Nashik-422009, Maharashtra, India  
(Near Guru Gobind Singh School, Near Pandav Nagari,  
Turn at Sai Mandir Chowk / Samrat Sweet Turning)  
**sales@ashwamedh.net +91-253-2392225**


Sample ID : E/01/26/5158

Report No. E/01/26/5158

Report Date

05/02/2026

Sonali Kapse  
Section In-charge (Biological)  
Reviewed & Authorised by



End of Report

Ninad Soundankar  
Technical Manager (Chemical)  
Reviewed & Authorised by



#### Note:

1. The result listed refer only to the tested sample(s) and applicable parameter(s).
2. This report is not to be reproduced except in full, without written approval of the laboratory.
3. In case sampling is not done by laboratory, the results apply to the sample as received.
4. There are no additions to, deviations or exclusions from the method.



AEC/F/REP/1-A



**TEST REPORT**

Sample ID : E/01/26/5159		Report No. E/01/26/5159	Report Date	05/02/2026
Name and address of Customer		<b>Mumbai International Airport Ltd.</b> Chhatrapati Shivaji Maharaj International Airport, 1st Floor, Terminal 1-B, Santacruz(E), Mumbai-400099, Maharashtra		
Sampling done by		Laboratory	Sample Description / Type	Untreated Sewage Effluent
Sampling Location		Terminal 1 STP Inlet	Date - Sampling	30/01/2026
Sample Quantity / Packing		2 L x 1 no. plastic can 1 L x 1 no. glass bottle 250 ml x 1 No. Sterile Bottle	Date - Receipt of Sample	31/01/2026
Sampling Procedure		APHA,24th Ed.,2023, 1060 B, 44, & 9060 A, 1094, 9060 B, 1097, ISO 19458:2006	Date - Start of Analysis	31/01/2026
Order Reference		SO No. 5700370004 dated 19.04.2025	Date - Completion of Analysis	04/02/2026
Sr.No.	Parameter	Result	Unit	Method
Chemical Testing; Group: Pollution & Environment				
Physical & Chemical Parameters				
1	pH (at 25°C)	9.9	-	IS 3025 (Part II): 2017
2	Total Suspended Solids	102	mg/L	IS 3025 (Part I7) Amds.I: 2017
3	Biochemical Oxygen Demand (3 days, 27°C)	136	mg/L	IS 3025 (Part 44): 1993
4	Chemical Oxygen Demand	420	mg/L	APHA,24th Ed.,5220.B.544: 2023
5	Oil & Grease	BLQ (LOQ:1)	mg/L	APHA,24th Ed.,5520.B.572: 2023
6	Ammonical Nitrogen (as NH <sub>3</sub> -N)	22.4	mg/L	APHA,24th Ed.,4500- NH <sub>3</sub> .F.429: 2023
7	Total Nitrogen (as N)	32.4	mg/L	APHA,24th Ed.,4500.A.415: 2023
8	Free Residual Chlorine (as Cl <sub>2</sub> )	0.21	mg/L	APHA,24th Ed.,4500- Cl.G.357 : 2023
Biological Testing; Group: Environment & Pollution				
Bacteriological Parameters				
9	Faecal Coliforms	79	MPN Index /100 ml	APHA, 24th Ed., 9221-E, 1142: 2023
BLQ: Below Limit of Quantification, LOQ: Limit of Quantification				
Consent Number & Date: Format 1.0/CAC/UAN No. 0000205124/CR/2502000735 Date 09.02.2025				






Sample ID : E/01/26/5159

Report No. E/01/26/5159

Report Date

05/02/2026

Sonali Kapse  
Section In-charge (Biological)  
Reviewed & Authorised by



End of Report

Ninad Soundankar  
Technical Manager (Chemical)  
Reviewed & Authorised by



**Note:**

1. The result listed refer only to the tested sample(s) and applicable parameter(s).
2. This report is not to be reproduced except in full, without written approval of the laboratory.
3. In case sampling is not done by laboratory, the results apply to the sample as received.
4. There are no additions to, deviations or exclusions from the method.







**TEST REPORT**

Sample ID : E/01/26/5160		Report No. E/01/26/5160		Report Date		05/02/2026	
Name and address of Customer		Mumbai International Airport Ltd. Chhatrapati Shivaji Maharaj International Airport, 1st Floor, Terminal 1-B, Santacruz(E), Mumbai-400099, Maharashtra					
Sampling done by		Laboratory		Sample Description / Type		Treated Sewage Effluent	
Sampling Location		Terminal 1 STP RO Outlet		Date - Sampling		30/01/2026	
Sample Quantity / Packing		2 L x 1 no. plastic can 1 L x 1 no. glass bottle 250 ml x 1 No. Sterile Bottle		Date - Receipt of Sample		31/01/2026	
Sampling Procedure		APHA,24th Ed.,2023, 1060 B, 44, & 9060 A, 1094, 9060 B, 1097, ISO 19458:2006		Date - Start of Analysis		31/01/2026	
Order Reference		SO No. 5700370004 dated 19.04.2025		Date - Completion of Analysis		04/02/2026	
Sr.No.	Parameter	Result	Limits as per MPCB Consent	Unit	Method		
Chemical Testing; Group: Pollution & Environment							
Physical & Chemical Parameters							
1	pH (at 25°C)	7.58	5.5 to 9.0	-	IS 3025 (Part II): 2017		
2	Total Suspended Solids	12	Not to exceed 20	mg/L	IS 3025 (Part I7) Amds.I: 2017		
3	Biochemical Oxygen Demand (3 days, 27°C)	5	Not to exceed 10	mg/L	IS 3025 (Part 44): 1993		
4	Chemical Oxygen Demand	16	Not to exceed 50	mg/L	APHA,24th Ed.,5220.B.544: 2023		
5	Oil & Grease	BLQ (LOQ:1)	Not specified	mg/L	APHA,24th Ed.,5520.B.572: 2023		
6	Ammonical Nitrogen (as NH <sub>3</sub> -N)	1.5	Not to exceed 5	mg/L	APHA,24th Ed.,4500- NH <sub>3</sub> . F.429: 2023		
7	Total Nitrogen (as N)	3.4	Not to exceed 10	mg/L	APHA,24th Ed.,4500.A.415: 2023		
8	Free Residual Chlorine (as Cl <sub>2</sub> )	0.24	Not specified	mg/L	APHA,24th Ed.,4500- Cl.G.357 : 2023		
Biological Testing; Group: Environment & Pollution							
Bacteriological Parameters							
9	Faecal Coliforms	32	Less than 100	MPN Index /100 ml	APHA, 24th Ed., 9221-E, II42: 2023		
BLQ: Below Limit of Quantification, LOQ: Limit of Quantification							
Consent Number & Date: Format 1.0/CAC/UAN No. 0000205124/CR/2502000735 Date 09.02.2025							







# Ashwamedh

## Engineers & Consultants

### Laboratory Services Division



TC-5509



**Ashwamedh Engineers & Consultants**

Survey No.102, Plot No.26, Wadala Pathardi Road,  
Indira Nagar, Nashik-422009, Maharashtra, India  
(Near Guru Gobind Singh School, Near Pandav Nagari,  
Turn at Sai Mandir Chowk / Samrat Sweet Turning)

**sales@ashwamedh.net +91-253-2392225**

Sample ID : E/01/26/5160


Report No. E/01/26/5160

Report Date

05/02/2026

Sonali Kapse

Section In-charge (Biological)  
Reviewed & Authorised by



End of Report

Ninad Soundankar  
Technical Manager (Chemical)  
Reviewed & Authorised by



Note:

1. The result listed refer only to the tested sample(s) and applicable parameter(s).
2. This report is not to be reproduced except in full, without written approval of the laboratory.
3. In case sampling is not done by laboratory, the results apply to the sample as received.
4. There are no additions to, deviations or exclusions from the method.



AEC/F/REP/1-A

Page 2 of 2



**TEST REPORT**

Sample ID : E/02/26/5153		Report No. E/02/26/5153		Report Date		04/03/2026	
Name and address of Customer		<b>Mumbai International Airport Ltd.</b> Chhatrapati Shivaji Maharaj International Airport, 1st Floor, Terminal 1-B, Santacruz(E), Mumbai-400099, Maharashtra					
Sampling done by		Laboratory		Sample Description / Type		Untreated Sewage Effluent	
Sampling Location		Cargo STP Inlet		Date - Sampling		26/02/2026	
Sample Quantity / Packing		2 L x 1 no. plastic can 1 L x 1 no. glass bottle 250 ml x 1 No. Sterile Bottle		Date - Receipt of Sample		27/02/2026	
Sampling Procedure		APHA, 24th Ed., 2023, 1060 B, 44, & 9060 A, 1094, 9060 B, 1097, ISO 19458:2006		Date - Start of Analysis		27/02/2026	
Order Reference		SO No. 5700370004 dated 19.04.2025		Date - Completion of Analysis		03/03/2026	
<b>Sr.No.</b>	<b>Parameter</b>	<b>Result</b>	<b>Unit</b>	<b>Method</b>			
<b>Chemical Testing; Group: Pollution &amp; Environment</b>							
<b>Physical &amp; Chemical Parameters</b>							
1	pH (at 25°C)	9.2	-	IS 3025 (Part II):2022			
2	Total Suspended Solids	116	mg/L	IS 3025 (Part I7): 2022			
3	Biochemical Oxygen Demand (3 days, 27°C)	200	mg/L	IS 3025 (Part 44): 2023			
4	Chemical Oxygen Demand	600	mg/L	APHA, 24th Ed., 5220.B.544: 2023			
5	Oil & Grease	BLQ (LOQ:1)	mg/L	APHA, 24th Ed., 5520.B.572: 2023			
6	Ammonical Nitrogen (as NH <sub>3</sub> -N)	33.6	mg/L	APHA, 24th Ed., 4500- NH <sub>3</sub> , F.429: 2023			
7	Total Nitrogen (as N)	30.4	mg/L	APHA, 24th Ed., 4500.A.415: 2023			
8	Free Residual Chlorine (as Cl <sub>2</sub> )	0.26	mg/L	APHA, 24th Ed., 4500- Cl <sub>2</sub> .357 : 2023			
<b>Biological Testing; Group: Environment &amp; Pollution</b>							
<b>Bacteriological Parameters</b>							
9	Faecal Coliforms	130	MPN Index /100 ml	APHA, 24th Ed., 9221-E, II42: 2023			
BLQ: Below Limit of Quantification, LOQ: Limit of Quantification							
Consent Number & Date: Format 1.0/CAC/UAN No. 0000205124/CR/2502000735 Date 09.02.2025							






Sample ID : E/02/26/5153

Report No. E/02/26/5153

Report Date

04/03/2026

Sonali Kapse  
Section In-charge (Biological)  
Reviewed & Authorised by



End of Report

Ninad Soundankar  
Technical Manager (Chemical)  
Reviewed & Authorised by



**Note:**

1. The result listed refer only to the tested sample(s) and applicable parameter(s).
2. This report is not to be reproduced except in full, without written approval of the laboratory.
3. In case sampling is not done by laboratory, the results apply to the sample as received.
4. There are no additions to, deviations or exclusions from the method.







**TEST REPORT**

Sample ID : E/02/26/5154		Report No. E/02/26/5154		Report Date		04/03/2026	
Name and address of Customer		Mumbai International Airport Ltd. Chhatrapati Shivaji Maharaj International Airport, 1st Floor, Terminal 1-B, Santacruz(E), Mumbai-400099, Maharashtra					
Sampling done by		Laboratory		Sample Description / Type		Treated Sewage Effluent	
Sampling Location		Cargo STP Outlet		Date - Sampling		26/02/2026	
Sample Quantity / Packing		2 L x 1 no. plastic can 1 L x 1 no. glass bottle 250 ml x 1 No. Sterile Bottle		Date - Receipt of Sample		27/02/2026	
Sampling Procedure		APHA,24th Ed.,2023, 1060 B, 44, & 9060 A, 1094, 9060 B, 1097, ISO 19458:2006		Date - Start of Analysis		27/02/2026	
Order Reference		SO No. 5700370004 dated 19.04.2025		Date - Completion of Analysis		03/03/2026	
Sr.No.	Parameter	Result	Limits as per MPCB Consent	Unit	Method		
Chemical Testing; Group: Pollution & Environment							
Physical & Chemical Parameters							
1	pH (at 25°C)	7.9	5.5 to 9.0	-	IS 3025 (Part II):2022		
2	Total Suspended Solids	14	Not to exceed 20	mg/L	IS 3025 (Part I7): 2022		
3	Biochemical Oxygen Demand (3 days, 27°C)	3	Not to exceed 10	mg/L	IS 3025 (Part 44): 2023		
4	Chemical Oxygen Demand	18	Not to exceed 50	mg/L	APHA,24th Ed.,5220.B.544: 2023		
5	Oil & Grease	BLQ (LOQ:1)	Not specified	mg/L	APHA,24th Ed.,5520.B.572: 2023		
6	Ammonical Nitrogen (as NH <sub>3</sub> -N)	2.2	Not to exceed 5	mg/L	APHA,24th Ed.,4500- NH3, F.429: 2023		
7	Total Nitrogen (as N)	4.2	Not to exceed 10	mg/L	APHA,24th Ed.,4500.A.415: 2023		
8	Free Residual Chlorine (as Cl <sub>2</sub> )	0.29	Not specified	mg/L	APHA,24th Ed.,4500- Cl <sub>2</sub> .357 : 2023		
Biological Testing; Group: Environment & Pollution							
Bacteriological Parameters							
9	Faecal Coliforms	34	Less than 100	MPN Index /100 ml	APHA, 24th Ed., 9221-E, 1142: 2023		
BLQ: Below Limit of Quantification, LOQ: Limit of Quantification Consent Number & Date: Format 1.0/CAC/UAN No. 0000205124/CR/2502000735 Date 09.02.2025							






Sample ID : E/02/26/5154

Report No. E/02/26/5154

Report Date

04/03/2026

Sonali Kapse  
Section In-charge (Biological)  
Reviewed & Authorised by



End of Report

Ninad Soundankar  
Technical Manager (Chemical)  
Reviewed & Authorised by



**Note:**

1. The result listed refer only to the tested sample(s) and applicable parameter(s).
2. This report is not to be reproduced except in full, without written approval of the laboratory.
3. In case sampling is not done by laboratory, the results apply to the sample as received.
4. There are no additions to, deviations or exclusions from the method.







### TEST REPORT

Sample ID : E/02/26/5149		Report No. E/02/26/5149		Report Date		04/03/2026	
Name and address of Customer		<b>Mumbai International Airport Ltd.</b> Chhatrapati Shivaji Maharaj International Airport, 1st Floor, Terminal 1-B, Santacruz(E), Mumbai-400099, Maharashtra					
Sampling done by		Laboratory		Sample Description / Type		Untreated Sewage Effluent	
Sampling Location		Terminal 1 STP Inlet		Date - Sampling		26/02/2026	
Sample Quantity / Packing		2 L x 1 no. plastic can 1 L x 1 no. glass bottle 250 ml x 1 No. Sterile Bottle		Date - Receipt of Sample		27/02/2026	
Sampling Procedure		APHA, 24th Ed., 2023, 1060 B, 44, & 9060 A, 1094, 9060 B, 1097, ISO 19458:2006		Date - Start of Analysis		27/02/2026	
Order Reference		SO No. 5700370004 dated 19.04.2025		Date - Completion of Analysis		03/03/2026	
Sr.No.	Parameter		Result		Unit	Method	
<b>Chemical Testing; Group: Pollution &amp; Environment</b>							
<b>Physical &amp; Chemical Parameters</b>							
1	pH (at 25°C)		9.4		-	IS 3025 (Part II):2022	
2	Total Suspended Solids		96		mg/L	IS 3025 (Part I): 2022	
3	Biochemical Oxygen Demand (3 days, 27°C)		127		mg/L	IS 3025 (Part 44): 2023	
4	Chemical Oxygen Demand		370		mg/L	APHA, 24th Ed., 5220.B.544: 2023	
5	Oil & Grease		BLQ (LOQ:1)		mg/L	APHA, 24th Ed., 5520.B.572: 2023	
6	Ammonical Nitrogen (as NH <sub>3</sub> -N)		23.5		mg/L	APHA, 24th Ed., 4500- NH <sub>3</sub> . F.429: 2023	
7	Total Nitrogen (as N)		28.1		mg/L	APHA, 24th Ed., 4500.A.415: 2023	
8	Free Residual Chlorine (as Cl <sub>2</sub> )		0.23		mg/L	APHA, 24th Ed., 4500- Cl <sub>2</sub> .G.357: 2023	
<b>Biological Testing; Group: Environment &amp; Pollution</b>							
<b>Bacteriological Parameters</b>							
9	Faecal Coliforms		70		MPN Index /100 ml	APHA, 24th Ed., 9221-E, II42: 2023	
BLQ: Below Limit of Quantification, LOQ: Limit of Quantification							
Consent Number & Date: Format 1.0/CAC/UAN No. 0000205124/CR/2502000735 Date 09.02.2025							







# Ashwamedh

## Engineers & Consultants

### Laboratory Services Division



TC-5509



### Ashwamedh Engineers & Consultants

Survey No.102, Plot No.26, Wadala Pathardi Road,  
Indira Nagar, Nashik-422009, Maharashtra, India  
(Near Guru Gobind Singh School, Near Pandav Nagari,  
Turn at Sai Mandir Chowk / Samrat Sweet Turning)

[sales@ashwamedh.net](mailto:sales@ashwamedh.net) +91-253-2392225

Sample ID : E/02/26/5149

Report No. E/02/26/5149


Report Date

04/03/2026

Sonali Kapse

Section In-charge (Biological)

Reviewed & Authorised by



End of Report

Ninad Soundankar

Technical Manager (Chemical)

Reviewed & Authorised by



#### Note:

1. The result listed refer only to the tested sample(s) and applicable parameter(s).
2. This report is not to be reproduced except in full, without written approval of the laboratory.
3. In case sampling is not done by laboratory, the results apply to the sample as received.
4. There are no additions to, deviations or exclusions from the method.



AEC/F/REP/1-A

Page 2 of 2



**TEST REPORT**

Sample ID : E/02/26/5150		Report No. E/02/26/5150		Report Date		04/03/2026	
Name and address of Customer		<b>Mumbai International Airport Ltd.</b> Chhatrapati Shivaji Maharaj International Airport, 1st Floor, Terminal 1-B, Santacruz(E), Mumbai-400099, Maharashtra					
Sampling done by		Laboratory		Sample Description / Type		Treated Sewage Effluent	
Sampling Location		Terminal 1 STP RO Outlet		Date - Sampling		26/02/2026	
Sample Quantity / Packing		2 L x 1 no. plastic can 1 L x 1 no. glass bottle 250 ml x 1 No. Sterile Bottle		Date - Receipt of Sample		27/02/2026	
Sampling Procedure		APHA,24th Ed.,2023, 1060 B, 44, & 9060 A, 1094, 9060 B, 1097, ISO 19458:2006		Date - Start of Analysis		27/02/2026	
Order Reference		SO No. 5700370004 dated 19.04.2025		Date - Completion of Analysis		03/03/2026	
Sr.No.	Parameter		Result	Limits as per MPCB Consent	Unit	Method	
<b>Chemical Testing; Group: Pollution &amp; Environment</b>							
<b>Physical &amp; Chemical Parameters</b>							
1	pH (at 25°C)		7.52	5.5 to 9.0	-	IS 3025 (Part II):2022	
2	Total Suspended Solids		14	Not to exceed 20	mg/L	IS 3025 (Part 17): 2022	
3	Biochemical Oxygen Demand (3 days, 27°C)		4	Not to exceed 10	mg/L	IS 3025 (Part 44): 2023	
4	Chemical Oxygen Demand		14	Not to exceed 50	mg/L	APHA,24th Ed.,5220.B.544: 2023	
5	Oil & Grease		BLQ (LOQ:1)	Not specified	mg/L	APHA,24th Ed.,5520.B.572: 2023	
6	Ammonical Nitrogen (as NH <sub>3</sub> -N)		1.25	Not to exceed 5	mg/L	APHA,24th Ed.,4500- NH3, F.429: 2023	
7	Total Nitrogen (as N)		3.6	Not to exceed 10	mg/L	APHA,24th Ed.,4500.A.415: 2023	
8	Free Residual Chlorine (as Cl <sub>2</sub> )		0.30	Not specified	mg/L	APHA,24th Ed.,4500- Cl <sub>2</sub> ,357 : 2023	
<b>Biological Testing; Group: Environment &amp; Pollution</b>							
<b>Bacteriological Parameters</b>							
9	Faecal Coliforms		26	Less than 100	MPN Index /100 ml	APHA, 24th Ed., 9221-E, 1142: 2023	
BLQ: Below Limit of Quantification, LOQ: Limit of Quantification							
Consent Number & Date: Format 1.0/CAC/UAN No. 0000205124/CR/2502000735 Date 09.02.2025							





Sample ID : E/02/26/5150

Report No. E/02/26/5150

Report Date

04/03/2026

Sonali Kapse  
Section In-charge (Biological)  
Reviewed & Authorised by



End of Report

Ninad Soundankar  
Technical Manager (Chemical)  
Reviewed & Authorised by



**Note:**

1. The result listed refer only to the tested sample(s) and applicable parameter(s).
2. This report is not to be reproduced except in full, without written approval of the laboratory.
3. In case sampling is not done by laboratory, the results apply to the sample as received.
4. There are no additions to, deviations or exclusions from the method.







# Ashwamedh

## Engineers & Consultants

### Laboratory Services Division



TC-5509



**Ashwamedh Engineers & Consultants**

Survey No.102, Plot No.26, Wadala Pathardi Road,

Indira Nagar, Nashik-422009, Maharashtra, India

(Near Guru Gobind Singh School, Near Pandav Nagari,

Turn at Sai Mandir Chowk / Samrat Sweet Turning)

sales@ashwamedh.net +91-253-2392225


### TEST REPORT

Sample ID : E/02/26/5155	Report No. E/02/26/5155	Report Date	04/03/2026
Name and address of Customer	<b>Mumbai International Airport Ltd.</b> Chhatrapati Shivaji Maharaj International Airport, 1st Floor, Terminal 1-B, Santacruz(E), Mumbai-400099, Maharashtra		
Sampling done by	Laboratory	Sample Description / Type	Effluent
Sampling Location	Terminal T1 RO Reject Water	Date -Sampling	26/02/2026
Sample Quantity / Packing	2 L x 1 no. plastic can	Date - Receipt of sample	27/02/2026
Sampling Procedure	APHA,24th Ed.,2023, 1060 B, 44	Date - Start of Analysis	27/02/2026
Order Reference	SO No. 5700370004 dated 19.04.2025	Date - Completion of Analysis	03/03/2026

Sr.No.	Parameter	Result	Unit	Method
<b>Chemical Testing; Group: Pollution &amp; Environment</b>				
1	pH (at 25°C)	8.6	-	IS 3025 (Part II):2022
2	Chemical Oxygen Demand	100	mg/L	APHA,24th Ed.,5220-B 544 :2023
3	Total Dissolved Solids	854	mg/L	IS 3025 (Part I6) : 2023
Consent Number & Date: Format 1.0/CAC/UAN No. 0000205124/CR/2502000735 Date 09.02.2025				

*Ninad Soundankar*

Ninad Soundankar  
Technical Manager (Chemical)  
Reviewed & Authorised by



End of Report

#### Note:

1. The result listed refer only to the tested sample(s) and applicable parameter(s).
2. This report is not to be reproduced except in full, without written approval of the laboratory.
3. In case sampling is not done by laboratory, the results apply to the sample as received.
4. There are no additions to, deviations or exclusions from the method.





**TEST REPORT**

Sample ID : E/02/26/5151		Report No. E/02/26/5151		Report Date		04/03/2026	
Name and address of Customer		<b>Mumbai International Airport Ltd.</b> Chhatrapati Shivaji Maharaj International Airport, 1st Floor, Terminal 1-B, Santacruz(E), Mumbai-400099, Maharashtra					
Sampling done by		Laboratory		Sample Description / Type		Untreated Sewage Effluent	
Sampling Location		Terminal 2 STP Inlet		Date - Sampling		26/02/2026	
Sample Quantity / Packing		2 L x 1 no. plastic can 1 L x 1 no. glass bottle 250 ml x 1 No. Sterile Bottle		Date - Receipt of Sample		27/02/2026	
Sampling Procedure		APHA,24th Ed.,2023, 1060 B, 44, & 9060 A, 1094, 9060 B, 1097, ISO 19458:2006		Date - Start of Analysis		27/02/2026	
Order Reference		SO No. 5700370004 dated 19.04.2025		Date - Completion of Analysis		03/03/2026	
<b>Sr.No.</b>	<b>Parameter</b>	<b>Result</b>	<b>Unit</b>	<b>Method</b>			
<b>Chemical Testing; Group: Pollution &amp; Environment</b>							
<b>Physical &amp; Chemical Parameters</b>							
1	pH (at 25°C)	<b>6.5</b>	-	IS 3025 (Part II):2022			
2	Total Suspended Solids	<b>132</b>	mg/L	IS 3025 (Part I7): 2022			
3	Biochemical Oxygen Demand (3 days, 27°C)	<b>240</b>	mg/L	IS 3025 (Part 44): 2023			
4	Chemical Oxygen Demand	<b>720</b>	mg/L	APHA,24th Ed.,5220.B.544: 2023			
5	Oil & Grease	<b>BLQ (LOQ:1)</b>	mg/L	APHA,24th Ed.,5520.B.572: 2023			
6	Ammonical Nitrogen (as NH <sub>3</sub> -N)	<b>44.8</b>	mg/L	APHA,24th Ed.,4500- NH3, F.429: 2023			
7	Total Nitrogen (as N)	<b>60.6</b>	mg/L	APHA,24th Ed.,4500.A.415: 2023			
8	Free Residual Chlorine (as Cl <sub>2</sub> )	<b>0.25</b>	mg/L	APHA,24th Ed.,4500- Cl.G.357 : 2023			
<b>Biological Testing; Group: Environment &amp; Pollution</b>							
<b>Bacteriological Parameters</b>							
9	Faecal Coliforms	<b>170</b>	MPN Index /100 ml	APHA, 24th Ed., 9221-E, 1142: 2023			
BLQ: Below Limit of Quantification, LOQ: Limit of Quantification Consent Number & Date: Format 1.0/CAC/UAN No. 0000205124/CR/2502000735 Date 09.02.2025							








Sample ID : E/02/26/5151

Report No. E/02/26/5151

Report Date

04/03/2026

Sonali Kapse  
Section In-charge (Biological)  
Reviewed & Authorised by



End of Report

Ninad Soundankar  
Technical Manager (Chemical)  
Reviewed & Authorised by



**Note:**

1. The result listed refer only to the tested sample(s) and applicable parameter(s).
2. This report is not to be reproduced except in full, without written approval of the laboratory.
3. In case sampling is not done by laboratory, the results apply to the sample as received.
4. There are no additions to, deviations or exclusions from the method.







### TEST REPORT

Sample ID : E/02/26/5152		Report No. E/02/26/5152		Report Date		04/03/2026	
Name and address of Customer		<b>Mumbai International Airport Ltd.</b> Chhatrapati Shivaji Maharaj International Airport, 1st Floor, Terminal 1-B, Santacruz(E), Mumbai-400099, Maharashtra					
Sampling done by		Laboratory		Sample Description / Type		Treated Sewage Effluent	
Sampling Location		Terminal 2 STP RO Outlet		Date - Sampling		26/02/2026	
Sample Quantity / Packing		2 L x 1 no. plastic can 1 L x 1 no. glass bottle 250 ml x 1 No. Sterile Bottle		Date - Receipt of Sample		27/02/2026	
Sampling Procedure		APHA,24th Ed.,2023, 1060 B, 44, & 9060 A, 1094, 9060 B, 1097, ISO 19458:2006		Date - Start of Analysis		27/02/2026	
Order Reference		SO No. 5700370004 dated 19.04.2025		Date - Completion of Analysis		03/03/2026	
Sr.No.	Parameter	Result	Limits as per MPCB Consent	Unit	Method		
<b>Chemical Testing; Group: Pollution &amp; Environment</b>							
<b>Physical &amp; Chemical Parameters</b>							
1	pH (at 25°C)	<b>8.4</b>	5.5 to 9.0	-	IS 3025 (Part II):2022		
2	Total Suspended Solids	<b>15</b>	Not to exceed 20	mg/L	IS 3025 (Part I7): 2022		
3	Biochemical Oxygen Demand (3 days, 27°C)	<b>5</b>	Not to exceed 10	mg/L	IS 3025 (Part 44): 2023		
4	Chemical Oxygen Demand	<b>26</b>	Not to exceed 50	mg/L	APHA,24th Ed.,5220.B.544: 2023		
5	Oil & Grease	<b>BLQ (LOQ:1)</b>	Not specified	mg/L	APHA,24th Ed.,5520.B.572: 2023		
6	Ammonical Nitrogen (as NH <sub>3</sub> -N)	<b>2.5</b>	Not to exceed 5	mg/L	APHA,24th Ed.,4500- NH3, F.429: 2023		
7	Total Nitrogen (as N)	<b>4.5</b>	Not to exceed 10	mg/L	APHA,24th Ed.,4500.A.415: 2023		
8	Free Residual Chlorine (as Cl <sub>2</sub> )	<b>0.28</b>	Not specified	mg/L	APHA,24th Ed.,4500- Cl <sub>2</sub> ,357 : 2023		
<b>Biological Testing; Group: Environment &amp; Pollution</b>							
<b>Bacteriological Parameters</b>							
9	Faecal Coliforms	<b>46</b>	Less than 100	MPN Index /100 ml	APHA, 24th Ed., 9221-E, 1142: 2023		
BLQ: Below Limit of Quantification, LOQ: Limit of Quantification Consent Number & Date: Format 1.0/CAC/UAN No. 0000205124/CR/2502000735 Date 09.02.2025							





# Ashwamedh

## Engineers & Consultants


### Laboratory Services Division



**Ashwamedh Engineers & Consultants**  
Survey No.102, Plot No.26, Wadala Pathardi Road,  
Indira Nagar, Nashik-422009, Maharashtra, India  
(Near Guru Gobind Singh School, Near Pandav Nagari,  
Turn at Sai Mandir Chowk / Samrat Sweet Turning)  
**sales@ashwamedh.net +91-253-2392225**

Sample ID : E/02/26/5152	Report No. E/02/26/5152	Report Date	04/03/2026
--------------------------	-------------------------	-------------	------------

Sonali Kapse  
Section In-charge (Biological)  
Reviewed & Authorised by



End of Report

Ninad Soundankar  
Technical Manager (Chemical)  
Reviewed & Authorised by



#### Note:

1. The result listed refer only to the tested sample(s) and applicable parameter(s).
2. This report is not to be reproduced except in full, without written approval of the laboratory.
3. In case sampling is not done by laboratory, the results apply to the sample as received.
4. There are no additions to, deviations or exclusions from the method.



AEC/F/REP/1-A






### TEST REPORT

Sample ID : E/02/26/5156	Report No. E/02/26/5156	Report Date	04/03/2026
Name and address of Customer	<b>Mumbai International Airport Ltd.</b> Chhatrapati Shivaji Maharaj International Airport, 1st Floor, Terminal 1-B, Santacruz(E), Mumbai-400099, Maharashtra		
Sampling done by	Laboratory	Sample Description / Type	Effluent
Sampling Location	Terminal T2 RO Reject Water	Date -Sampling	26/02/2026
Sample Quantity / Packing	2 L x 1 no. plastic can	Date - Receipt of sample	27/02/2026
Sampling Procedure	APHA,24th Ed.,2023, 1060 B, 44	Date - Start of Analysis	27/02/2026
Order Reference	SO No. 5700370004 dated 19.04.2025	Date - Completion of Analysis	03/03/2026

Sr.No.	Parameter	Result	Unit	Method
<b>Chemical Testing; Group: Pollution &amp; Environment</b>				
1	pH (at 25°C)	<b>9.1</b>	-	IS 3025 (Part II):2022
2	Chemical Oxygen Demand	<b>170</b>	mg/L	APHA,24th Ed.,5220-B 544 :2023
3	Total Dissolved Solids	<b>1206</b>	mg/L	IS 3025 (Part I): 2023
Consent Number & Date: Format 1.0/CAC/UAN No. 0000205124/CR/2502000735 Date 09.02.2025				

*Ninad Soundankar*

Ninad Soundankar  
Technical Manager (Chemical)  
Reviewed & Authorised by



End of Report

#### Note:

1. The result listed refer only to the tested sample(s) and applicable parameter(s).
2. This report is not to be reproduced except in full, without written approval of the laboratory.
3. In case sampling is not done by laboratory, the results apply to the sample as received.
4. There are no additions to, deviations or exclusions from the method.







### TEST REPORT

Sample ID : E/03/26/5128		Report No. E/03/26/5128		Report Date		31/03/2026	
Name and address of Customer		Mumbai International Airport Ltd. Chhatrapati Shivaji Maharaj International Airport, 1st Floor, Terminal 1-B, Santacruz(E), Mumbai-400099, Maharashtra					
Sampling done by		Laboratory		Sample Description / Type		Untreated Sewage Effluent	
Sampling Location		Cargo STP Inlet		Date - Sampling		25/03/2026	
Sample Quantity / Packing		2 L x 1 no. plastic can 1 L x 1 no. glass bottle 250 ml x 1 No. Sterile Bottle		Date - Receipt of Sample		26/03/2026	
Sampling Procedure		APHA,24th Ed.,2023, 1060 B, 44, & 9060 A, 1094, 9060 B, 1097, ISO 19458:2006		Date - Start of Analysis		26/03/2026	
Order Reference		SO No. 5700370004 dated 19.04.2025		Date - Completion of Analysis		30/03/2026	
Sr.No.	Parameter		Result		Unit	Method	
Chemical Testing; Group: Pollution & Environment							
Physical & Chemical Parameters							
1	pH (at 25°C)		9.4		-	IS 3025 (Part II):2022	
2	Total Suspended Solids		120		mg/L	IS 3025 (Part I7): 2022	
3	Biochemical Oxygen Demand (3 days, 27°C)		207		mg/L	IS 3025 (Part 44): 2023	
4	Chemical Oxygen Demand		620		mg/L	APHA,24th Ed.,5220-B 544 :2023	
5	Oil & Grease		BLQ (LOQ:1)		mg/L	APHA,24th Ed.,5520,B,572: 2023	
6	Ammonical Nitrogen (as NH <sub>3</sub> -N)		34.7		mg/L	APHA,24th Ed.,4500- NH3, F.429: 2023	
7	Total Nitrogen (as N)		32.6		mg/L	APHA,24th Ed.,4500.A,415: 2023	
8	Free Residual Chlorine (as Cl <sub>2</sub> )		0.23		mg/L	APHA,24th Ed.,4500- Cl <sub>2</sub> ,357 : 2023	
Biological Testing; Group: Environment & Pollution							
Bacteriological Parameters							
9	Faecal Coliforms		140		MPN Index /100 ml	APHA, 24th Ed., 9221-E, II42: 2023	
BLQ: Below Limit of Quantification, LOQ: Limit of Quantification							
Consent Number & Date: Format 1.0/CAC/UAN No. 0000205124/CR/2502000735 Date 09.02.2025							





# Ashwamedh

## Engineers & Consultants

### Laboratory Services Division



**Ashwamedh Engineers & Consultants**  
Survey No.102, Plot No.26, Wadala Pathardi Road,  
Indira Nagar, Nashik-422009, Maharashtra, India  
(Near Guru Gobind Singh School, Near Pandav Nagari,  
Turn at Sai Mandir Chowk / Samrat Sweet Turning)  
**sales@ashwamedh.net +91-253-2392225**


Sample ID : E/03/26/5128

Report No. E/03/26/5128

Report Date

31/03/2026

Sonali Kapse  
Section In-charge (Biological)  
Reviewed & Authorised by



Ninad Soundankar  
Technical Manager (Chemical)  
Reviewed & Authorised by



End of Report

#### Note:

1. The result listed refer only to the tested sample(s) and applicable parameter(s).
2. This report is not to be reproduced except in full, without written approval of the laboratory.
3. In case sampling is not done by laboratory, the results apply to the sample as received.
4. There are no additions to, deviations or exclusions from the method.







### TEST REPORT

Sample ID : E/03/26/5129		Report No. E/03/26/5129		Report Date		31/03/2026	
Name and address of Customer		<b>Mumbai International Airport Ltd.</b> Chhatrapati Shivaji Maharaj International Airport, 1st Floor, Terminal 1-B, Santacruz(E), Mumbai-400099, Maharashtra					
Sampling done by		Laboratory		Sample Description / Type		Treated Sewage Effluent	
Sampling Location		Cargo STP Outlet		Date - Sampling		25/03/2026	
Sample Quantity / Packing		2 L x 1 no. plastic can 1 L x 1 no. glass bottle 250 ml x 1 No. Sterile Bottle		Date - Receipt of Sample		26/03/2026	
Sampling Procedure		APHA,24th Ed.,2023, 1060 B, 44, & 9060 A, 1094, 9060 B, 1097, ISO 19458:2006		Date - Start of Analysis		26/03/2026	
Order Reference		SO No. 5700370004 dated 19.04.2025		Date - Completion of Analysis		30/03/2026	
Sr.No.	Parameter	Result	Limits as per MPCB Consent	Unit	Method		
Chemical Testing; Group: Pollution & Environment							
Physical & Chemical Parameters							
1	pH (at 25°C)	8.1	5.5 to 9.0	-	IS 3025 (Part II):2022		
2	Total Suspended Solids	13	Not to exceed 20	mg/L	IS 3025 (Part I7): 2022		
3	Biochemical Oxygen Demand (3 days, 27°C)	5	Not to exceed 10	mg/L	IS 3025 (Part 44): 2023		
4	Chemical Oxygen Demand	20	Not to exceed 50	mg/L	APHA,24th Ed.,5220-B 544 :2023		
5	Oil & Grease	BLQ (LOQ:1)	Not specified	mg/L	APHA,24th Ed.,5520.B.572: 2023		
6	Ammonical Nitrogen (as NH <sub>3</sub> -N)	2.5	Not to exceed 5	mg/L	APHA,24th Ed.,4500- NH3, F.429: 2023		
7	Total Nitrogen (as N)	3.9	Not to exceed 10	mg/L	APHA,24th Ed.,4500.A.415: 2023		
8	Free Residual Chlorine (as Cl <sub>2</sub> )	0.24	Not specified	mg/L	APHA,24th Ed.,4500- Cl <sub>2</sub> ,357 : 2023		
Biological Testing; Group: Environment & Pollution							
Bacteriological Parameters							
9	Faecal Coliforms	34	Less than 100	MPN Index /100 ml	APHA, 24th Ed., 9221-E, II42: 2023		
BLQ: Below Limit of Quantification, LOQ: Limit of Quantification Consent Number & Date: Format 1.0/CAC/UAN No. 0000205124/CR/2502000735 Date 09.02.2025							







Sample ID : E/03/26/5129

Report No. E/03/26/5129

Report Date

31/03/2026

Sonali Kapse  
Section In-charge (Biological)  
Reviewed & Authorised by



End of Report


Ninad Soundankar  
Technical Manager (Chemical)  
Reviewed & Authorised by



**Note:**

1. The result listed refer only to the tested sample(s) and applicable parameter(s).
2. This report is not to be reproduced except in full, without written approval of the laboratory.
3. In case sampling is not done by laboratory, the results apply to the sample as received.
4. There are no additions to, deviations or exclusions from the method.






### TEST REPORT

Sample ID : E/03/26/5130		Report No. E/03/26/5130		Report Date		31/03/2026	
Name and address of Customer		<b>Mumbai International Airport Ltd.</b> Chhatrapati Shivaji Maharaj International Airport, 1st Floor, Terminal 1-B, Santacruz(E), Mumbai-400099, Maharashtra					
Sampling done by		Laboratory		Sample Description / Type		Untreated Sewage Effluent	
Sampling Location		Terminal 2 STP Inlet		Date - Sampling		25/03/2026	
Sample Quantity / Packing		2 L x 1 no. plastic can 1 L x 1 no. glass bottle 250 ml x 1 No. Sterile Bottle		Date - Receipt of Sample		26/03/2026	
Sampling Procedure		APHA,24th Ed.,2023, 1060 B, 44, & 9060 A, 1094, 9060 B, 1097, ISO 19458:2006		Date - Start of Analysis		26/03/2026	
Order Reference		SO No. 5700370004 dated 19.04.2025		Date - Completion of Analysis		30/03/2026	
Sr.No.	Parameter		Result		Unit	Method	
Chemical Testing; Group: Pollution & Environment							
Physical & Chemical Parameters							
1	pH (at 25°C)		6.7		-	IS 3025 (Part II):2022	
2	Total Suspended Solids		144		mg/L	IS 3025 (Part I7): 2022	
3	Biochemical Oxygen Demand (3 days, 27°C)		261		mg/L	IS 3025 (Part 44): 2023	
4	Chemical Oxygen Demand		760		mg/L	APHA,24th Ed.,5220-B 544 :2023	
5	Oil & Grease		BLQ (LOQ:1)		mg/L	APHA,24th Ed.,5520.B,572: 2023	
6	Ammonical Nitrogen (as NH <sub>3</sub> -N)		47		mg/L	APHA,24th Ed.,4500- NH <sub>3</sub> , F,429: 2023	
7	Total Nitrogen (as N)		71.7		mg/L	APHA,24th Ed.,4500.A,415: 2023	
8	Free Residual Chlorine (as Cl <sub>2</sub> )		0.25		mg/L	APHA,24th Ed.,4500- Cl <sub>2</sub> ,357 : 2023	
Biological Testing; Group: Environment & Pollution							
Bacteriological Parameters							
9	Faecal Coliforms		170		MPN Index /100 ml	APHA, 24th Ed., 9221-E, II42: 2023	
BLQ: Below Limit of Quantification, LOQ: Limit of Quantification Consent Number & Date: Format 1.0/CAC/UAN No. 0000205124/CR/2502000735 Date 09.02.2025							






Sample ID : E/03/26/5130

Report No. E/03/26/5130

Report Date

31/03/2026

Sonali Kapse  
Section In-charge (Biological)  
Reviewed & Authorised by



End of Report

Ninad Soundankar  
Technical Manager (Chemical)  
Reviewed & Authorised by



**Note:**

1. The result listed refer only to the tested sample(s) and applicable parameter(s).
2. This report is not to be reproduced except in full, without written approval of the laboratory.
3. In case sampling is not done by laboratory, the results apply to the sample as received.
4. There are no additions to, deviations or exclusions from the method.







### TEST REPORT

Sample ID : E/03/26/5131		Report No. E/03/26/5131		Report Date		31/03/2026	
Name and address of Customer		Mumbai International Airport Ltd. Chhatrapati Shivaji Maharaj International Airport, 1st Floor, Terminal 1-B, Santacruz(E), Mumbai-400099, Maharashtra					
Sampling done by		Laboratory		Sample Description / Type		Treated Sewage Effluent	
Sampling Location		Terminal 2 STP RO Outlet		Date - Sampling		25/03/2026	
Sample Quantity / Packing		2 L x 1 no. plastic can 1 L x 1 no. glass bottle 250 ml x 1 No. Sterile Bottle		Date - Receipt of Sample		26/03/2026	
Sampling Procedure		APHA,24th Ed.,2023, 1060 B, 44, & 9060 A, 1094, 9060 B, 1097, ISO 19458:2006		Date - Start of Analysis		26/03/2026	
Order Reference		SO No. 5700370004 dated 19.04.2025		Date - Completion of Analysis		30/03/2026	
Sr.No.	Parameter	Result	Limits as per MPCB Consent	Unit	Method		
Chemical Testing; Group: Pollution & Environment							
Physical & Chemical Parameters							
1	pH (at 25°C)	8.6	5.5 to 9.0	-	IS 3025 (Part II):2022		
2	Total Suspended Solids	14	Not to exceed 20	mg/L	IS 3025 (Part I7): 2022		
3	Biochemical Oxygen Demand (3 days, 27°C)	4	Not to exceed 10	mg/L	IS 3025 (Part 44): 2023		
4	Chemical Oxygen Demand	23	Not to exceed 50	mg/L	APHA,24th Ed.,5220-B 544 :2023		
5	Oil & Grease	BLQ (LOQ:1)	Not specified	mg/L	APHA,24th Ed.,5520.B.572: 2023		
6	Ammonical Nitrogen (as NH <sub>3</sub> -N)	2.75	Not to exceed 5	mg/L	APHA,24th Ed.,4500- NH3, F.429: 2023		
7	Total Nitrogen (as N)	4.8	Not to exceed 10	mg/L	APHA,24th Ed.,4500.A.415: 2023		
8	Free Residual Chlorine (as Cl <sub>2</sub> )	0.22	Not specified	mg/L	APHA,24th Ed.,4500- Cl <sub>2</sub> ,357 : 2023		
Biological Testing; Group: Environment & Pollution							
Bacteriological Parameters							
9	Faecal Coliforms	49	Less than 100	MPN Index /100 ml	APHA, 24th Ed., 9221-E, II42: 2023		
BLQ: Below Limit of Quantification, LOQ: Limit of Quantification Consent Number & Date: Format 1.0/CAC/UAN No. 0000205124/CR/2502000735 Date 09.02.2025							






Sample ID : E/03/26/5131

Report No. E/03/26/5131

Report Date

31/03/2026

Sonali Kapse  
Section In-charge (Biological)  
Reviewed & Authorised by



End of Report

Ninad Soundankar  
Technical Manager (Chemical)  
Reviewed & Authorised by



**Note:**

1. The result listed refer only to the tested sample(s) and applicable parameter(s).
2. This report is not to be reproduced except in full, without written approval of the laboratory.
3. In case sampling is not done by laboratory, the results apply to the sample as received.
4. There are no additions to, deviations or exclusions from the method.







### TEST REPORT

Sample ID : E/03/26/5132		Report No. E/03/26/5132	Report Date	31/03/2026
Name and address of Customer		Mumbai International Airport Ltd. Chhatrapati Shivaji Maharaj International Airport, 1st Floor, Terminal 1-B, Santacruz(E), Mumbai-400099, Maharashtra		
Sampling done by		Laboratory	Sample Description / Type	Untreated Sewage Effluent
Sampling Location		Terminal 1 STP Inlet	Date - Sampling	25/03/2026
Sample Quantity / Packing		2 L x 1 no. plastic can 1 L x 1 no. glass bottle 250 ml x 1 No. Sterile Bottle	Date - Receipt of Sample	26/03/2026
Sampling Procedure		APHA,24th Ed.,2023, 1060 B, 44, & 9060 A, 1094, 9060 B, 1097, ISO 19458:2006	Date - Start of Analysis	26/03/2026
Order Reference		SO No. 5700370004 dated 19.04.2025	Date - Completion of Analysis	30/03/2026
Sr.No.	Parameter	Result	Unit	Method
Chemical Testing; Group: Pollution & Environment				
Physical & Chemical Parameters				
1	pH (at 25°C)	9.1	-	IS 3025 (Part II):2022
2	Total Suspended Solids	99	mg/L	IS 3025 (Part I7): 2022
3	Biochemical Oxygen Demand (3 days, 27°C)	137	mg/L	IS 3025 (Part 44): 2023
4	Chemical Oxygen Demand	400	mg/L	APHA,24th Ed.,5220-B 544 :2023
5	Oil & Grease	BLQ (LOQ:1)	mg/L	APHA,24th Ed.,5520.B,572: 2023
6	Ammonical Nitrogen (as NH <sub>3</sub> -N)	26.9	mg/L	APHA,24th Ed.,4500- NH <sub>3</sub> . F,429: 2023
7	Total Nitrogen (as N)	31.5	mg/L	APHA,24th Ed.,4500.A,415: 2023
8	Free Residual Chlorine (as Cl <sub>2</sub> )	0.26	mg/L	APHA,24th Ed.,4500- Cl <sub>2</sub> ,357 : 2023
Biological Testing; Group: Environment & Pollution				
Bacteriological Parameters				
9	Faecal Coliforms	79	MPN Index /100 ml	APHA, 24th Ed., 9221-E, II42: 2023
BLQ: Below Limit of Quantification, LOQ: Limit of Quantification Consent Number & Date: Format 1.0/CAC/UAN No. 0000205124/CR/2502000735 Date 09.02.2025				








Sample ID : E/03/26/5132

Report No. E/03/26/5132

Report Date

31/03/2026

Sonali Kapse  
Section In-charge (Biological)  
Reviewed & Authorised by



End of Report

Ninad Soundankar  
Technical Manager (Chemical)  
Reviewed & Authorised by



**Note:**

1. The result listed refer only to the tested sample(s) and applicable parameter(s).
2. This report is not to be reproduced except in full, without written approval of the laboratory.
3. In case sampling is not done by laboratory, the results apply to the sample as received.
4. There are no additions to, deviations or exclusions from the method.





**TEST REPORT**

Sample ID : E/03/26/5133		Report No. E/03/26/5133		Report Date		31/03/2026	
Name and address of Customer		<b>Mumbai International Airport Ltd.</b> Chhatrapati Shivaji Maharaj International Airport, 1st Floor, Terminal 1-B, Santacruz(E), Mumbai-400099, Maharashtra					
Sampling done by		Laboratory		Sample Description / Type		Treated Sewage Effluent	
Sampling Location		Terminal 1 STP RO Outlet		Date - Sampling		25/03/2026	
Sample Quantity / Packing		2 L x 1 no. plastic can 1 L x 1 no. glass bottle 250 ml x 1 No. Sterile Bottle		Date - Receipt of Sample		26/03/2026	
Sampling Procedure		APHA, 24th Ed., 2023, 1060 B, 44, & 9060 A, 1094, 9060 B, 1097, ISO 19458:2006		Date - Start of Analysis		26/03/2026	
Order Reference		SO No. 5700370004 dated 19.04.2025		Date - Completion of Analysis		30/03/2026	
Sr.No.	Parameter	Result	Limits as per MPCB Consent	Unit	Method		
<b>Chemical Testing; Group: Pollution &amp; Environment</b>							
<b>Physical &amp; Chemical Parameters</b>							
1	pH (at 25°C)	<b>7.6</b>	5.5 to 9.0	-	IS 3025 (Part II):2022		
2	Total Suspended Solids	<b>12</b>	Not to exceed 20	mg/L	IS 3025 (Part I7): 2022		
3	Biochemical Oxygen Demand (3 days, 27°C)	<b>3</b>	Not to exceed 10	mg/L	IS 3025 (Part 44): 2023		
4	Chemical Oxygen Demand	<b>10</b>	Not to exceed 50	mg/L	APHA, 24th Ed., 5220-B 544 :2023		
5	Oil & Grease	<b>BLQ (LOQ:1)</b>	Not specified	mg/L	APHA, 24th Ed., 5520.B.572: 2023		
6	Ammonical Nitrogen (as NH <sub>3</sub> -N)	<b>1.5</b>	Not to exceed 5	mg/L	APHA, 24th Ed., 4500- NH <sub>3</sub> , F.429: 2023		
7	Total Nitrogen (as N)	<b>3.2</b>	Not to exceed 10	mg/L	APHA, 24th Ed., 4500.A.415: 2023		
8	Free Residual Chlorine (as Cl <sub>2</sub> )	<b>0.23</b>	Not specified	mg/L	APHA, 24th Ed., 4500- Cl <sub>2</sub> , 357 : 2023		
<b>Biological Testing; Group: Environment &amp; Pollution</b>							
<b>Bacteriological Parameters</b>							
9	Faecal Coliforms	<b>27</b>	Less than 100	MPN Index /100 ml	APHA, 24th Ed., 9221-E, II42: 2023		
BLQ: Below Limit of Quantification, LOQ: Limit of Quantification Consent Number & Date: Format 1.0/CAC/UAN No. 0000205124/CR/2502000735 Date 09.02.2025							






Sample ID : E/03/26/5133

Report No. E/03/26/5133

Report Date

31/03/2026

Sonali Kapse  
Section In-charge (Biological)  
Reviewed & Authorised by



End of Report

Ninad Soundankar  
Technical Manager (Chemical)  
Reviewed & Authorised by




**Note:**

1. The result listed refer only to the tested sample(s) and applicable parameter(s).
2. This report is not to be reproduced except in full, without written approval of the laboratory.
3. In case sampling is not done by laboratory, the results apply to the sample as received.
4. There are no additions to, deviations or exclusions from the method.





Layout showing Storm water drainage



**Annexure- 14**

Photographs showing Water conservations system



**WATERLESS URINALS**



**Water flow reducer in jet spray**



**Tap aerators in wash basins**



## Annexure- 15

## Photographs showing energy conservation measures

### Design Features



Roof → **Energy efficient TPO membrane.**  
It facilitates:

- Resistance to UV
- High reflective property (SR > 0.8)

- Ample **Day Light harvesting**
- **Double glassed façade** to reduce heat ingress.

- SHGC: 0.23
- VLT: 60%

- **VAV controlled system** across terminal system to optimize HVAC consumption

- **Rich landscape of greenery** maintained in and across terminal → Reduce heat, upgrades air quality.

Provision of:

- **Task lighting** in offices
- **Occupancy sensors** in staircase, MLCP and lesser movement areas

### Conversion of TWY halogen lights to LEDs

#### Project Brief:


- Replace existing Halogen taxiway light to LEDs
- Project being executed in phase wise manner.
- Project Cost: 3 Cr
- Lamps to be replace: 270
- Reduction in Wattage/lamp: 50W
- Estimated Annual Energy Saving – 1.18 lakh Kwh



### Automation of air-curtains

#### Project Brief:

- Interlocking of air-curtains with sliding doors.
- **Problem:** Across terminal many doors are being used rarely. The air curtains above these gates runs for almost entire day. Being handled by multiple stakeholders its difficult to keep control.
- **Solution:** Air-curtains to be interlocked with doors, such they will run only when the doors are operational.
- Scope for optimization.
- Estimated Annual Energy Saving: 39,000 kwh






## Replacement of Halogen lights of HHR to LEDs

### Project Brief:

- Project Executed in FY 2022-23
- No of lamps replaced - 3000
- Project Cost ~ 3 Cr
- Reduction in Wattage/lamp: 50 W
- Estimated Annual Energy Saving – 6.5 lakh Kwh

The project was indeed challenging and possessed high risk because of height of roof, location is 24\*7 operational and fully PAX facing area.



**Annexure- 16****DG Enclosures and Stack**

## **Sewage Treatment Plants at CSIA**

Waste Water generated at Chhatrapati Shivaji International Airport is being treated at state of art sewage treatment plants located at different parts of the Airport.

Three sewage treatment plants are installed at CSIA to treat the sewage generated from the terminal buildings & Airside facilities.

Three STP's are installed at following locations :

Domestic Terminals (T1A/B/C) :- 4 (2+2) MLD capacity  
International Terminal (T2) :- 10 (5+5) MLD capacity  
Cargo Terminal :- 1 MLD capacity

The Components of STP are

- Sequential batch reactor (SBR technology)
- Disinfection unit
- Pressure Sand Filter
- Sludge Thickener
- Ultra filtration unit
- Reverse Osmosis plant

All the treated sewage is being used for flushing & cooling purpose in the terminal buildings.

## **Sewage Treatment Plant**



STP Sludge storage Shed



Sequential Batch Reactor & PSF



## Sewage Treatment Plant



Sewage Treatment Plant @ CSIA



Pressure Sand Filters

**Annexure- 18**

**Organic Waste Converter**



**Annexure- 19**

Organogram of environment management cell





<b>Annexure- 20</b>	Environmental Expenditure
---------------------	---------------------------

<b>MIAL Environment Budget and Expenditure for the FY: 2025-26</b>		
<b>Sr. No.</b>	<b>Activity / Category</b>	<b>Expenditure (Oct to Mar 26)</b>
1	Opex	6,46,73,038.65
2	Capex	14,01,07,733.51
Total Amount in Rs		20,47,80,772.16
<b>Total Amount (In Crores)</b>		<b>20.48</b>

## Annexure- 21

## Environmental Statement Form-V



## Maharashtra Pollution Control Board

महाराष्ट्र प्रदूषण नियंत्रण मंडळ

## FORM V

(See Rule 14)

Environmental Audit Report for the financial Year ending the 31st March 2025

## Unique Application Number

MPCB-ENVIRONMENT\_STATEMENT-0000082928

## Submitted Date

10-09-2025

## PART A

## Company Information

## Company Name

Mumbai International Airport Ltd

## Application UAN number

MPCB-CONSENT-0000205124

## Address

Terminal 1B, 1st floor, Chhatrapati Shivaji  
International Airport, Santacruz (E), Mumbai

## Plot no

Terminal 1, Santacruz east

## Taluka

Andheri

## Village

Santacruz

## Capital Investment (In lakhs)

1574567

## Scale

L.S.I

## City

Mumbai city

## Pincode

400099

## Person Name

Vinay Bedekar

## Designation

Head - Environment &amp; Sustainability

## Telephone Number

9881103651

## Fax Number

02266850291

## Email

vinay.bedekar@adani.com

## Region

SRO-Mumbai II

## Industry Category

Red

## Industry Type

other

Last Environmental statement  
submitted online

yes

## Consent Number

RED/L.S.I (R23) No:- Format1.0/CAC/UAN  
No.MPCBCONSENT-  
0000205124/CR/2502000735

## Consent Issue Date

2025-02-09

## Consent Valid Upto

2027-05-31

## Establishment Year

2006

Date of last environment statement  
submitted

Sep 10 2024 12:00:00:000AM

Industry Category Primary (STC Code)  
& Secondary (STC Code)

## Product Information

## Product Name

NA

## Consent Quantity

0

## Actual Quantity

0

## UOM

Nos./Y

NA

0

0

Nos./Y

## By-product Information

## By Product Name

NA

## Consent Quantity

0

## Actual Quantity

0

## UOM

Nos./Y

## Part-B (Water & Raw Material Consumption)

<u>1) Water Consumption in m3/day</u>			
Water Consumption for Process	Consent Quantity in m3/day	Actual Quantity in m3/day	
	0.00	0.00	
Cooling	0.00	0.00	
Domestic	7100.00	2294.96	
All others	0.00	0.00	
Total	7100.00	2294.96	
<u>2) Effluent Generation in CMD / MLD</u>			
Particulars	Consent Quantity	Actual Quantity	UOM
Sewage generation at CSMIA	6615	2830.97	CMD
<u>2) Product Wise Process Water Consumption (cubic meter of process water per unit of product)</u>			
Name of Products (Production)	During the Previous financial Year	During the current Financial year	UOM
OTHERS	0	0	
<u>3) Raw Material Consumption (Consumption of raw material per unit of product)</u>			
Name of Raw Materials	During the Previous financial Year	During the current Financial year	UOM
NA	0	0	CMD
<u>4) Fuel Consumption</u>			
Fuel Name	Consent quantity	Actual Quantity	UOM
Diesel For DG set	2038.3	56.17	Ltr/Hr

## Part-C

<b>Pollution discharged to environment/unit of output (Parameter as specified in the consent issued)</b>					
<b>[A] Water</b>					
<b>Pollutants Detail</b>	<b>Quantity of Pollutants discharged (kL/day)</b>	<b>Concentration of Pollutants discharged(Mg/Lit) Except PH,Temp,Colour</b>	<b>Percentage of variation from prescribed standards with reasons</b>		
	<b>Quantity</b>	<b>Concentration</b>	<b>%variation</b>	<b>Standard</b>	<b>Reason</b>
PH	7.45	7.7	0	5.5-9.0	Pollutant discharge within standard limit
Suspended Solids	10	13.4	0	20	Pollutant discharge within standard limit
BOD 3 days (27oC	3	4.0	0	10	Pollutant discharge within standard limit
COD	10	15.6	0	50	Pollutant discharge within standard limit
<b>[B] Air (Stack)</b>					



<b>Pollutants Detail</b>	<b>Quantity of Pollutants discharged (kL/day)</b>	<b>Concentration of Pollutants discharged(Mg/NM3)</b>	<b>Percentage of variation from prescribed standards with reasons</b>		
	<b>Quantity</b>	<b>Concentration</b>	<b>%variation</b>	<b>Standard</b>	<b>Reason</b>
SO2 (Kg/day)	2.2	0	0	295.2	Pollutant discharge within standard limit
Total Particulate matter (mg/Nm3)	0	28.6	0	150	Pollutant discharge within standard limit

#### Part-D

##### HAZARDOUS WASTES

###### 1) From Process

<b>Hazardous Waste Type</b>	<b>Total During Previous Financial year</b>	<b>Total During Current Financial year</b>	<b>UOM</b>
5.1 Used or spent oil	6.31	3.25	MT/A
5.2 Wastes or residues containing oil	0.1	00	MT/A
33.1 Empty barrels /containers /liners contaminated with hazardous chemicals /wastes	1.97	2.24	MT/A
23.1 Wastes or residues (not made with vegetable or animal materials)	177.99	145.96	MT/A
23.1 Wastes or residues (not made with vegetable or animal materials)	49.05	82.10	MT/A

###### 2) From Pollution Control Facilities

<b>Hazardous Waste Type</b>	<b>Total During Previous Financial year</b>	<b>Total During Current Financial year</b>	<b>UOM</b>
0	0	0	

#### Part-E

##### SOLID WASTES

###### 1) From Process

<b>Non Hazardous Waste Type</b>	<b>Total During Previous Financial year</b>	<b>Total During Current Financial year</b>	<b>UOM</b>
Plastic waste	1093.07	1145.6	MT/A
Waste Paper	910.11	922.8	MT/A
Waste glass bottles	94.09	85.2	MT/A
Other Misc. scrap	2.05	5.4	MT/A
Waste cotton	0	0	MT/A
Wet waste	121.56	120.9	MT/A
Organic / food waste	2959.5	2938.6	MT/A
Waste wood	136.73	157.3	MT/A
Metal Scrap	139	153.0	MT/A

###### 2) From Pollution Control Facilities

<b>Non Hazardous Waste Type</b>	<b>Total During Previous Financial year</b>	<b>Total During Current Financial year</b>	<b>UOM</b>
STP sludge	3.7	4.9	MT/A

###### 3) Quantity Recycled or Re-utilized within the unit

Waste Type	Total During Previous Financial year	Total During Current Financial year	UOM
0	0	0	MT/A

## Part-F

*Please specify the characteristics(in terms of concentration and quantum) of hazardous as well as solid wastes and indicate disposal practice adopted for both these categories of wastes.*

### 1) Hazardous Waste

Type of Hazardous Waste Generated	Qty of Hazardous Waste	UOM	Concentration of Hazardous Waste
5.2 Wastes or residues containing oil	00	MT/A	NA
5.1 Used or spent oil	3.25	MT/A	Sahara industries, Uchaad , Palghar
20.2 Spent solvents	0	MT/A	NA
33.1 Empty barrels /containers /liners contaminated with hazardous chemicals /wastes	2.24	MT/A	Hazardous Waste is being disposed to M/s Mumbai Waste Management Limited (MWML).
23.1 Wastes or residues (not made with vegetable or animal materials)	145.96	MT/A	Hazardous Waste is being disposed to M/s Mumbai Waste Management Limited (MWML)
23.1 Wastes or residues (not made with vegetable or animal materials)	82.10	MT/A	This hazardous Waste is being disposed to M/s Trans Thane creek waste management association, Mahape authorized disposal agency

### 2) Solid Waste

Type of Solid Waste Generated	Qty of Solid Waste	UOM	Concentration of Solid Waste
Waste plastic	1145.6	MT/A	The non-hazardous waste is collected, segregated and disposed by M/s Compost. Segregation of the waste is being done at the contractors end after the waste is taken outside of airport boundary
Waste paper	922.8	MT/A	The non-hazardous waste is collected, segregated and disposed by M/s Compost. Segregation of the waste is being done at the contractors end after the waste is taken outside of airport boundary
Waste glass bottle	85.2	MT/A	The non-hazardous waste is collected, segregated and disposed by M/s Compost. Segregation of the waste is being done at the contractors end after the waste is taken outside of airport boundary
Waste wood	157.3	MT/A	The non-hazardous waste is collected, segregated and disposed by M/s Compost. Segregation of the waste is being done at the contractors end after the waste is taken outside of airport boundary
Metal Scrap	153	MT/A	The non-hazardous waste is collected, segregated and disposed by M/s Compost. Segregation of the waste is being done at the contractors end after the waste is taken outside of airport boundary
Wet garbage	120.9	MT/A	The non-hazardous waste is collected, segregated and disposed by M/s Compost. Segregation of the waste is being done at the contractors end after the waste is taken outside of airport boundary
Other scrap	5.4	MT/A	The non-hazardous waste is collected, segregated and disposed by M/s Compost. Segregation of the waste is being done at the contractors end after the waste is taken outside of airport boundary
Waste cotton	0	MT/A	The non-hazardous waste is collected, segregated and disposed by M/s Compost. Segregation of the waste is being done at the contractors end after the waste is taken outside of airport boundary
Food waste (OWC) treated	2938.6	MT/A	The non-hazardous waste is collected, segregated and disposed by M/s Compost. Segregation of the waste is being done at the contractors end after the waste is taken outside of airport boundary

## Part-G

Impact of the pollution Control measures taken on conservation of natural resources and consequently on the cost of production.

Description	Reduction in Water Consumption (M3/day)	Reduction in Fuel & Solvent Consumption (KL/day)	Reduction in Raw Material (Kg)	Reduction in Power Consumption (KWH)	Capital Investment(in Lacs)	Reduction in Maintenance(in Lacs)
Energy saving measures at CSMIA	0	0	0	107000	1530	0

## Part-H

Additional measures/investment proposal for environmental protection abatement of pollution, prevention of pollution.

[A] Investment made during the period of Environmental Statement

Detail of measures for Environmental Protection	Environmental Protection Measures	Capital Investment (Lacks)
Implementation of Renewable energy project	Solar Project	125

[B] Investment Proposed for next Year

Detail of measures for Environmental Protection	Environmental Protection Measures	Capital Investment (Lacks)
Energy efficiency project	Replacement of fan in AHU's	100

## Part-I

Any other particulars for improving the quality of the environment.

### Particulars

Nil- The Form 5 is cumulative all the CTO (CSMIA & MLCP) both, Para no 4 DG fuel DG Diesel were not appear in the Tab so mentioned figure and submitted

### Name & Designation

Vinay Bedekar

### UAN No:

MPCB-ENVIRONMENT\_STATEMENT-0000082928

### Submitted On:

10-09-2025